

UNIVERSAL MASTER FLASH®

Quality and Service *Worldwide*

Since 1968

1/2016

Master Flash®



Master Flash®
Roof Pitch Calculator



aztec
washer
company

Aztec Washer Company 13821 Danielson Street, Poway, CA 92064

1.800.WASHER 5 (927-4375) • Ph: (858) 513-4350 • Fax: (858) 513-4305 • sales@aztecwasher.com • www.aztecwasher.com

Universal Master Flash®

All Around Performance



ISO Quality, Price & Availability / Two Compounds / 10 Sizes / 12 Colors

ADVANCED OZONE RESISTANCE tested to...		EPDM 70 hour @ 500 pphm	RED & GREY SILICONE 70 hour @ 500 pphm
HIGH TEMPERATURE RESISTANCE Tested to	Intermittent	+135°C (+275°F)	+260°C (+500°F)
	Continuous	+100°C (+212°F)	+225°C (+437°F)
LOW TEMPERATURE RESISTANCE tested to...		-55°C (-67°F)	-74°C (-101°F)
COMPRESSION SET Maximum...		25%	50%

*Complete specification data and testing methods are available upon request.



Ozone and UV Protection

Flashings are made of EPDM and Silicone, and are designed for maximum resistance to all weather conditions.



On-Site Customization

Pipe diameters can be seen clearly for proper fitting.



Adaptable Base

The base is designed to mold to most panel configurations and roof pitches regardless of pipe location.



Red Silicone



Black EPDM



Grey Silicone




Light Grey EPDM



Dark Grey EPDM

All Around Design Excellence


This universal flashing has been designed to fit virtually all panel configurations. Sleeve flexibility absorbs vibration and pipe movement caused by expansion/contraction. Easy on-site customization can accommodate all normal installations.




1 Choose pipe opening and trim




2 Slide over pipe



3 Form to roof profile



4 Apply sealant



5 Fasten to complete





BROWN



BLACK



DARK GREY



LIGHT GREY



WHITE



DARK GREEN



LIGHT GREEN



DARK BLUE



LIGHT BLUE



BRIGHT RED



TERRA COTTA

Universal Master Flash®



Sizing Chart

Check diameter of pipe. Select the appropriate Universal Master Flash® for pipe or duct diameter. Only use maximum pipe diameters on minimal roof angles. For extreme pitch or surface irregularity select next larger size. Then refer to the part number for the Universal Master Flash® desired.



Now Available Universal Mini Master Flash®

Pipe Size		Compound	Part No.		Flashing Details	
Mini	Closed" - 3/4" (Closed - 19mm)	Black EPDM	RD051BE		A-Top opening diameter	Closed
		Grey EPDM	RD051NG		B-Overall height	1-1/2" (38mm)
#1	1/4" - 2-1/2" (6 - 63mm)	Black EPDM	RD101BE		A-Top opening diameter	Closed
		Grey EPDM	RD101GG		B-Overall height	3-1/4" (82mm)
		Dark Grey EPDM	RD101NG		C-Base dimensions	4-3/4" (120mm)
		Red Silicone	RD102RG			
#2	1-3/4" - 3" (44 - 76mm)	Black EPDM	RD201BE		A-Top opening diameter	1-1/4" (31mm)
		Grey EPDM	RD201GG		B-Overall height	4" (101mm)
		Dark Grey EPDM	RD201NG		C-Base dimensions	6-1/4" (158mm)
		Red Silicone	RD202RG			
#3	1/4" - 5" (6 - 127mm)	Black EPDM	RD301BE		A-Top opening diameter	Closed
		Grey EPDM	RD301GG		B-Overall height	4" (101mm)
		Dark Grey EPDM	RD301NG		C-Base dimensions	7-3/4" (196mm)
		Red Silicone	RD302RG			
#4	3" - 6-1/4" (76 - 158mm)	Black EPDM	RD401BE		A-Top opening diameter	2-1/4" (57mm)
		Grey EPDM	RD401GG		B-Overall height	4-3/4" (120mm)
		Dark Grey EPDM	RD401NG		C-Base dimensions	9-1/4" (234mm)
		Red Silicone	RD402RG			
#5	4-1/4" - 7-3/4" (107 - 196mm)	Black EPDM	RD501BE		A-Top opening diameter	3-1/2" (88mm)
		Grey EPDM	RD501GG		B-Overall height	4-1/4" (107mm)
		Dark Grey EPDM	RD501NG		C-Base dimensions	10-1/2" (266mm)
		Red Silicone	RD502RG			
#6	5" - 9" (127 - 228mm)	Black EPDM	RD601BE		A-Top opening diameter	5" (127mm)
		Grey EPDM	RD601GG		B-Overall height	6" (152mm)
		Dark Grey EPDM	RD601NG		C-Base dimensions	13" (330mm)
		Red Silicone	RD602RG			
#7	6" - 11" (152 - 279mm)	Black EPDM	RD701BE		A-Top opening diameter	5-1/2" (139mm)
		Grey EPDM	RD701GG		B-Overall height	5-1/2" (139mm)
		Dark Grey EPDM	RD701NG		C-Base dimensions	14-1/2" (368mm)
		Red Silicone	RD702RG			
#8	7" - 13" (177 - 330mm)	Black EPDM	RD801BE		A-Top opening diameter	6" (152mm)
		Grey EPDM	RD801GG		B-Overall height	6" (152mm)
		Dark Grey EPDM	RD801NG		C-Base dimensions	16-1/2" (412mm)
		Red Silicone	RD802RG			
#9	9" - 19" (228 - 482mm)	Black EPDM	RD901BE		A-Top opening diameter	7-3/4" (196mm)
		Grey EPDM	RD901GG		B-Overall height	9" (228mm)
		Dark Grey EPDM	RD901NG		C-Base dimensions	25 -1/4" (641mm)
		Red Silicone	RD902RG			
		Grey Silicone	RD902GX			


Other Quality Aztec products



The Original
Master Flash®



Master Seal®



**P36
Saddle Washers**
Patent Pending



INTERNATIONAL HEADQUARTERS

13821 Danielson Street, Poway, CA 92064 • 1-800-WASHER 5 (927-4375) • Tele: 1-858-513-4350
Fax: 1-858-513-4305 • E-Mail: sales@aztecwasher.com • www.aztecwasher.com

• **Aztec (UK) LTD.:** Unit 55, Enterprise Trading Estate Hurst Lane, Pedmore Brierley Hill, West Midlands DY5 1TX, United Kingdom • Tel: (+44) 1384 573444 • Fax: (+44) 1384 572029
e-mail: sales@aztec-midlands.co.uk • web-site: www.aztec-midlands.co.uk

• **Aztec International S.A.:** ul. Bulgarska 63/65 60-320 Poznan, Poland
Tele: (+48) 61 867 60 84 • Fax: (+48) 61 867 34 44 • E-Mail: aztec@aztec-international.eu
www.aztec-international.eu

• **Aztec Dichtscheiben GmbH** Lindenstrasse 11 D-57334 Bad Laasphe Germany
Tele (+49) 2752 1353 • Fax (+49) 2752 1728

• **Aztec Mexico:**
Serv.yMaqs.Intls.SAdeCV. tel: (01152) 665 6542571 Fax: (01152) E-Mail: soto@smimx.net

• **Aztec Australasia**
Tel: (+61) 3 9801 1000 • Fax: (+61) 3 9801 1055 • E-Mail: info@aztecau.com.au • www.aztecau.com.au

To see our complete product line go to: www.aztecwasher.com



Master Flash®, Universal Master Flash®, Multi-Flash®, and Master Seal®, are trademarks of Aztec Washer Co., Inc. For technical support call: 1-800-WASHER 5 (927-4375) (outside CA only) CA callers: (858) 513-4350