



Signs Tags & Markers

The Only Sign System to be UL Tested to 30 years ... NO CHANGE!











Vol. III Hablamos Espanol

PRODUCTS, INC.



PRODUCTS, INC.


EVERLAST®

Patent#s 4835890, 5265364 & Others Pending The Remarkable Difference!

Most signs, markers and tags have screen printed or hot stamped copy. The thickness of ink, paint or stamping foil is less than 0.002 in., offering little resistance to UV radiation, corrosion, abrasion or impact.

EVERLAST, in contrast, has copy that is deeply and solidly embedded at a thickness of the part... 0.230 inches. ... A thickness more durable than 40 coats of paint!

EVERLAST's "molded-in" copy is abrasion proof, unaffected by the most severe climatic conditions, and inert to environmental chemicals. **EVERLAST** withstands temperatures from -40 to 200 degrees Fahrenheit.



How to Specify **EVERLAST**

Signs, tags or markers (as applicable) with injection molded characters, integral with locking grids. pigments and UV stabilizers molded throughout the thickness of the part. Characters are as thick as the part itself.



EVERLAST® Indestructible

8 Reasons To Buy EVERLAST®

- The Only Solution to Long-Term-Legible Signs, Tags and Markers! Enormous savings! No Sign replacement costs. Huge Labor savings for the department that installs signs.
- Quaranteed to cut your costs! Think about it. It costs at least \$20 per hour in labor to replace a sign ...

Not to mention the replacement cost of the new sign! **EVERLAST** eliminates the need to replace your signage.

3 The Only Sign System to be tested by Underwriters Laboratories. Test results remarkably showed ... 30 Years No Change!



FREE Holes, Corners, Color and Shape!

Because **EVERLAST** is injection molded, everything is done at once, holes, corners, colors and shape. Better quality, less cost!

Legal Liability virtually eliminated!

Because EVERLAST will be legible for 30 plus years, people will always be able to read the sign... Liability and negligence issues are sharply reduced.

- 6 EVERLAST Injection Molded with high-impact, deluxe polyolefins. Not only does this mean "High Quality", it is also helpful to the environment. Unlike competitive plastic products that break down and emit toxins into the environment, EVERLAST does not breakdown or emit toxins.
- Withstands temperatures from -40 to 220 degrees Fahrenheit! EVERLAST's "molded-in" copy is abrasion proof, unaffected by the most severe climatic conditions, and inert to environmental chemicals. UV stabilizers are "molded-in" throughout the thickness of the sign.
- 8 Will NEVER delaminate ... Fiberglass or other signs that have overlays, coatings or a core... will almost always delaminate in harsh environments. Don't by fooled by material that is sandwiched together like most fiberglass and coated signs. Water, mold, and other elements seep in, crack open the edges and make the sign look ... "cloudy".





"Why My Signs **Are The Best** You Can Buy!"

Ken Nelson B.S. Industrial Engineering ... MIT **CEO Tech Products, Inc.** Inventor and Patent Holder For EVERLAST®

After spending 34 years in the identification products business, I'd seen laminates, adhesives, and paints fade, wear and fail. I had an epiphany one day and came up with an idea for tags and signs that could withstand the elements and extremely harsh conditions, year after year. After much testing and refining, that brainstorm developed into

EVERLAST, a product of which I am extremely proud because it delivers what it promises.

EVERLAST products are made of thick, high impact polyolefins with copy and pictograms that are permanently embedded and impervious to sun, wind, rain, fumes, acid and alkali solutions, salt water, temperature variations or humidity.

EVERLAST is the only sign and identification product to be subjected to the rigors of UL testing to prove its extreme durability. Over the past decade, hundreds of astute companies, utilities and government entities have saved thousands of dollars in signage replacement costs by specifying **EVERLAST** for their identification and accident prevention signs.

Isn't it time you learned more about **EVERLAST**? Please give us a call at 1-800-221-1311.

Compare Our 10 x 14 inch Signs!



- Solid, Injection Molded!.
- 1/4" Thick.
- The letters go *Through-The-Sign*.

Looks Good ... Always!! Legible ... Always!

Our EVERLAST Sign





EVERLAST ... The <u>Only</u> Sign System to Undergo 🕕 UL Testina



EVERLAST withstands 30 years of Tough Conditions with no change.

Underwriters Laboratories Inc.

Results Prove!

UL performed numerous durability tests on EVERLAST signs in compliance with UL and ASTM standards. EVERLAST signs were subjected to 30 years worth of UV exposure, salt spray, vibration, abrasion, temperature variation, fumes and more.

Test results ... no change in color or legibility. To receive a copy of the full UL report, please call us at

What This

1. You won't have to go out into the field and replace signs!

Means To

You will save ... tons of money ... Thousands of dollars.!

You! 3. You will reduce your legal liability.

Customers Praise EVERLAST®

Purchasing "Great product. I only wish we had **Agent** started buying your signs sooner. Everlast will save us a fortune in replacement costs."

Company "Thank you EVERLAST! Liability is a major concern in these litigious times. It is comforting to know that we don't have to worry about your warning signs fading or chipping."

Maintenance

Director of "We've never seen anything like it. Our maintenance crew is more than happy to install your signs, because they know they won't have to do the job again every few years."

Safety "I was about to reorder some EVERLAST safety signs because workers splattered them with paint. Your salesperson said, just rub the paint off with sandpaper, the signs will be fine. We tried it and it worked. Amazing. Everyone should be using EVERLAST."

Diesel Generation Manager

"You may any time have people contact me about your product. As you know, we live in a very harsh environment and have been using your tags and signs for many years. They not only hold up to the UV rays of the sun, but the constant exposure to salt and winds. Thank you for making such a great product"

Randy Jordan, Manager of Diesel Generation, NCEMC North Carolina Electric Membership Corp.







Plastic Injection Molded

Materials & Thickness Polypropylene Plastic

Legibility Color Lifetime Lifetime

World's Most Durable Sign







EVERLAST The ONLY Solution! to Long-Term-Legible Signs, Tags & Markers



Substation Signs





WARNING

HIGH

VOLTAGE

KEEP OUT

A DANGER Keep Out High voltage May cause Injury or death ES10140214D

WARNING

ES10140214W

A DANGER

ELECTRICAL

HAZARD

A DANGER

DO NOT SPRAY

A PELIGRO

ALTO VOLTAGE

NO ROCIAR DENTRO DE ESTA CERCA

HIGH VOLTAGE

Keep Out

May cause Injury or death

A DANGER Confined 2 Entry By Permit Only

10×14"

A DANGER HIGH **VOLTAGE**

In Stock!

ES10140222D A PELIGRO

PROHIBIDA

LA ENTRADA

ES10140230D

A DANGER Keep Out High voltage Equipment

ES10140215D

ALTO VOLTAJE

FS10140208P

A DANGER

Keep Out! High Voltage

WARNING **KEEP OUT** HIGH VOLTAGE INSIDE MAY CAUSE INJURY OR DEATH

ES10140201X

WARNING

ES1014201X

KEEP OUT

HIGH VOLTAGE INSIDE MAY CAUSE INJURY OR DEATH

ES10140219D

HAZARDOUS VOLTAGE KEEP OUT

VOLTAGE PELIGROSO MANTENGASE FUERA

ES10140272D



ES1014282DP



ES10140231D



ES1014252DP

ES1014275DP

Custom ...

10x14"

AWARNING

High Voltage Inside

For Your Safety
KEEP OUT

Personnel Only Call 308-697-3315 To Report Vandalism O Unauthorized People In



ES10140213D

A WARNING

DO NOT ENTER

AUTHORIZED

PERSONNEL ONLY

FS10140213W

A DANGER

BURN, OR CAUSE DEATH.
DO NOT ENTER THIS ENCLOSURE!

ES10140226D

A DANGER

HIGH

VOLTAGE

KEEP AWAY

ES10140261D

HAZARDOUS

KEEP OUT!

KEEP OUT HIGH VOLTAGE INSIDE MAY CAUSE INJURY OR DEATH PENINSULA LIGHT COMPANY (263) 857-5950

A DANGER

VOLTAGE

HIGH

KEEP OUT



Substation Signs

A DANGER HIGH **VOLTAGE** KEEP OUT







Fall River Rural Electric 208-652-7431







Substation Signs



ES0710994D



ES0710995D



ES0710992W



7 x 10"

FED BY UNDERGROUND

ES0710991D

A DANGER **TWO WAY**

> **FEED** ES0710993D

(800) 221-1311 (718) 442-4900 Fax:







Plastic Injection Molded

Materials & Thickness Polypropylene Plastic

1/4"

Legibility Color Lifetime Lifetime

World's Most Durable Sign





KEEP OFF. HIGH VOLTAGE ABOVE MAY CAUSE INJURY OR DEATH ES10140220D

A DANGER

ELECTRIC

WIRES

KEEP OFF

ES10140248D

A DANGER Keep Off! Hazardous Voltage Above You can be electrocuted or fall off.

ES10140211D

A WARNING

ES10140211W

Keep Off!

Hazardous Voltage

A DANGER Hazardous Voltage Above Keep Off!

ES10140271D

A DANGER

ES10140230D

HIGH

VOLTAGE

A DANGER DO NOT **A** DANGER HAZARDOUS VOLTAGE KEEP OFF A PELIGRO VOLTAGE PELIGROSO MANTENGASE ALEJADO ES10140283D

CLIMB ES1014xxxxD

... 10x14" stock!

A DANGER **HIGH VOLTAGE** UNDERGROUND **CABLE**

ES10140249D



ES10140284DP

Transmission Signs Custom ...











10x14"









Underground Distribution Custom ... 10x14"









General Use Signs



ACTIVE MATERIAL RADIATION A UTHORIZED PERSONNEL ONLY

ES10140260X



ES10140278D

NOTICE NO **TRESPASSING**

Write On

10x14"

ES10140273N



WORK THIS SIDE HIGH VOLTAGE BEHIND

ES10140wopD

A DANGER

ES10140274X

ES10140290X

PERSONNEL ONLY

TRESPASSING

ES10140273W

ES10140217N A WARNING NO

A DANGER NO SMOKING \ WITHIN 25 FEET

ES10140286D

A DANGER RESTRICTED AREA NO SMOKING **ANY TIME**

ES10140246D



(800)



In Stock!

Plastic Injection Molded

Materials & Thickness Color Legibility Lifetime Lifetime Polypropylene Plastic 1/4"









Save Money!!! Half Moon New Name & Phone # Decal-Overlay

... 10x14" **Pipeline Signs**

A DANGER HARD HAT **AREA**

ES10140207D

A DANGER

Entry By Permit Only

FS10140222D

ES10140221D

PRIVATE

PROPERTY

NO TRESPASSING

VIOLATORS WILL

BE PROSECUTED

ES10140216X

WARNING

ES10140225W

NΩ

TRESPASSING

Confined

Space

A DANGER **PUMPING UNIT**

STARTS AUTOMATICALLY

ES10140235D

A CAUTION Hydrogen Sulfide H,S May Be Present

ES10140254C

DANGER DANGER RESTRICTED AREA NO SMOKING NO SMOKING OPEN FLAMES

ES10140246D

A CAUTION **BURIED** GAS LINE

ES1014BGPC

WARNING NO **TRESPASSING**

ES10140223X

A CAUTION

No Unauthorized Vehicles in Dike

ES10140255C

A CAUTION Benzene

may be present

ES10140264C

A DANGER

NO **SMOKING**

ES10140291D

DO NOT **OPERATE** VALVE

ES10140001

A WARNING NO **TRESPASSING**

ES10140273W

WARNING

YOUR NAME & TEL: NO. CUSTOM SAMPLE 3

NOTICE NO **TRESPASSING**

ES10140273N

A DANGER

Hot work permit

required beyond

ES10140265D

A CAUTION

THIS FOLLIPMENT

STARTS AND STOPS

AUTOMATICALLY

ES10140281C

A DANGER

ES10140286D

A DANGER

Flammable

No smoking

Materials

SMOKING (

WITHIN 25 FEET

this point

In Stock!

WARNING **DO NOT ENTER** AUTHORIZED PERSONNEL ONLY

ES10140274X

WARNING Keep Out! High Voltage High Voltage Equipment Inside

ES10140215W

A DANGER DO NOT ENTER **AUTHORIZED**

PERSONNEL ONLY

ES10140213D

A WARNING DO NOT ENTER **AUTHORIZED PERSONNEL ONLY**

ES10140268D ES10140213W

NOTICE **AUTHORIZED PERSONNEL** ONLY

ES10140217N

Custom

Pipeline Signs



CUSTOM SAMPLE 1

WARNING UNDERGROUND PETROLEUM **PIPELINE** YOUR NAME TEL: NO.

CUSTOM SAMPLE 2



CUSTOM SAMPLE 7

WARNING



CUSTOM SAMPLE 13

WARNING

CUSTOM SAMPLE 9

CUSTOM SAMPLE 15

10x14" CITY OF LAS CRUCES PELIGRO

CUSTOM SAMPLE 4

CAUTION

₿ GAS

PIPELINE IN CASE OF AN EMERGENCY, CALL 1250-552-2300 OR 1-800-230-6510

CUSTOM SAMPLE 10





CUSTOM SAMPLE 6



CUSTOM SAMPLE 11



CUSTOM SAMPLE 12



CUSTOM SAMPLE 16



Don't See The Sign You Want? Call 800-221-131







1/4"

Thick

UL Tested!

No Change!

30 Years

Underwriters

Laboratories Inc.

Plastic Injection Molded

World's Most Durable Sign

CAUTION

EYE

PROTECTION

REQUIRED

ES10140277X

A DANGER

CONSTRUCTION

AREA

ES10140278D

WARNING

NO

TRESPASSING

ES10140223X

HARD

HAT

AREA

A DANGER

ES10140207D

Materials & Thickness 1/4" Polypropylene Plastic

EVERLAST

KEEP OFF!

VOLTAGE

ABOVE

HAZARDOUS

Indestructible

Through-The-Sign

Letters Go

A DANGER

Color

Legibility Lifetime Lifetime

A DANGER HARD 6 HAT **AREA**

ES10140207D

A DANGER

SMOKING (

ES10140221D

A DANGER

Entry By Permit Only

ES10140222D

NARNING

ES10140201X

A DANGER

ELECTRICAL

HAZARD

FS10140272D

A DANGER

CONSTRUCTION

AREA

ES10140278D

A DANGER

sмокіна 🕰

ES10140221D

NO HUNTING

WITHOUT WRITTEN PERMISSION VIOLATORS WILL BE PROSECUTED

FS10140200X

NO

OPEN FLAMES

KEEP OUT

HIGH VOLTAGE INSIDE

Confined

Space

OPEN FLAMES

A DANGER Ear Protection Required (

ES10140236D

A DANGER

PUMPING UNIT

STARTS

AUTOMATICALLY

ES10140235D

PRIVATE

PROPERTY

NO TRESPASSING

VIOLATORS WILL

BE PROSECUTED

ES10140216X

A DANGER

HIGH

VOLTAGE

KEEP OUT

FS10140206D

WARNING

NO

TRESPASSING

FS10140273W

CAUTION

EYE

PROTECTION

REQUIRED

ES10140277X

A DANGER

FS10140286D

A WARNING

THIS DOOR

MUST BE

KEPT CLOSED

ES10140238W

SMOKING (

WITHIN 25 FEET

Industrial and

A CAUTION Eye protection required

Construction Signs... 10x14"

beyond this point ES10140218C

A DANGER

HIGH

VOLTAGE

ES10140230D

NOTICE

AUTHORIZED

PERSONNEL

ONLY

ES10140217N

A DANGER

ES10140215D

NOTICE

NO

TRESPASSING

FS10140273N

WARNING

FS10140276X

A DANGER

NO

KEEP OUT ~_

Keep Out

High voltage

Equipment

Inside

A DANGER

A PELIGRO PROHIBIDA LA ENTRADA ALTO VOLTAJE

In Stock!

ES10140208P

WARNING Space TRESPASSING

12 **Entry By Permit Only**

ES10140222D

ES10140225W

WARNING NO

TRESPASSING

A WARNING

FS10140215W

WARNING

DO NOT ENTER

AUTHORIZED PERSONNEL ONLY

Keep Out

High voltage

Equipment

Inside

ES10140223X

A DANGER **Flammable** Materials

ES10140268D

WARNING **AUTHORIZED**

FS10140222D

WARNING

DO NOT ENTER PERSONNEL ONLY

ES10140274X

A DANGER

CONSTRUCTION **AREA**

ES10140278D

A DANGER

PERSONNEL ONLY

EMPLOYEES

ONLY

ES1014

NΩ

A DANGER Confined a

WARNING EYE PROTECTION REQUIRED

ES10140277X

No smoking

PERSONNEL ONLY

ES10140274X

A CAUTION

THIS EQUIPMENT STARTS AND STOPS

AUTOMATICALLY

ES10140281C

A DANGER **RESTRICTED AREA** NO SMOKING

ES10140246D

SMOKING ANY TIME

ES10140291D

A DANGER

KEEP GATE CLOSED

ES10140240D

A WARNING

MEN WORKING **ABOVE**

ES10140

DO NOT ENTER **AUTHORIZED**

ES10140213D

Don't See
The Sign You Want?
Call 800-221-1311

EVERLAST The ONLY Solution! to Long-Term-Legible Signs, Tags & Markers

EVERLAST° The ONLY Sign System To Be WUL Tested to NO CHANGE ... 30 years!





In Stock!

Plastic Injection Molded

Materials & Thickness Polypropylene Plastic

Color Lifetime Lifetime

Legibility

A DANGER A DANGER NO SMOKING OPEN FLAMES

HazMat Signs

HazMat Signs

ES10140246D

RESTRICTED AREA NO SMOKING ANY TIME

A CAUTION

ES10140264C

Benzene

may be

present

A DANGER NO **SMOKING**

ES10140291D

A DANGER

ES10140268D

Flammable

Flamma-Materials

No smoking

A DANGER NO SMOKING WITHIN 25 FEET

A CAUTION

Hydrogen Sulfide

May Be Present

10x14"

ES10140254C

... 10x14" In Stock!

CAUTION RADIATION AREA UTHORIZED PERSONNEL ONLY

ES10140286D ES10140260X

A DANGER

CHEMICAL STORAGE AREA KEEP OUT

World's Most Durable Sign

1/4"





A DANGER

A DANGER

HAZARDOUS MATERIALS

Flammable

AA

BB

CC

A DANGER

PROPANE STORAGE AREA

A DANGER

NITROGEN STORAGE NO SMOKING **NO OPEN FLAME**

Acid≂

ES10140221D

WARNING

THIS DOOR

MUST BE

CLOSED

ES10140238W

A DANGER **ASBESTOS**

A DANGER Caustic ~

Biohazard/

H₂S

A CAUTION **HAZARDOUS** MATERIAL STORAGE AREA

A CAUTION

A DANGER

CHEMICAL
UNLOADING AREA **AUTHORIZED** PERSONNEL ONLY



A DANGER **ASBESTOS**

DUST CANCER & LUNG DISEASE HAZARD

A DANGER

DIESEL CHEMICAL STORAGE FUEL **AREA**

A DANGER

FLAMMABLE KEEP **HEAT & FIRE AWAY**

A DANGER

FLAMMABLE LIQUIDS STORED HERE

A **Flammable Materials**

A DANGER

FLAMMABLE MATERIALS NO SMOKING

A DANGER

EXPLOSIVES STORED HERE

A DANGER **Flammable**

Liquids 🚜

A DANGER

FUEL STORAGE NO SMOKING

A DANGER

GASOLINE

A DANGER

HAZARDOUS CHEMICALS

A DANGER

PESTICIDE STORAGE AREA

In Stock!

Traffic Signs ... 10x14"



ES10140229X

NO PARKING TOW AWAY ZONE

ES10140233X

A DANGER **KEEP GATE** A DANGER STOP PROCEED SLOWLY

> ES10140240D ES10140237D



ES10140004

EVERLAST. When You Absolutely, Positively Must Have A Sign, Tag or Marker that you'll Never Need to Replace!

EVERLAST The ONLY Solution! to Long-Term-Legible Signs, Tags & Markers



(800) 221-1311







Plastic Injection Molded

Materials & Thickness Legibility Color Polypropylene Plastic Lifetime Lifetime 1/4"

World's Most Durable Sign



Telecom Signs 10x14"



A WARNING

NO

TRESPASSING

ES10140225W

A DANGER

DO NOT ENTER

AUTHORIZED

PERSONNEL ONLY

A CAUTION Eye protection

WARNING

NO

TRESPASSING

ES10140223X

WARNING

DO NOT ENTER

AUTHORIZED

PERSONNEL ONLY





WARNING

NO

TRESPASSING

ES10140273W

NOTICE

AUTHORIZED

PERSONNEL

ONLY

ES10140217N



PRIVATE PROPERTY NO TRESPASSING VIOLATORS WILL BE PROSECUTED

ES10140216X

ES10140222D

NOTICE NO

TRESPASSING

A WARNING **MEN WORKING ABOVE**

ES10140



WARNING **DO NOT ENTER** AUTHORIZED PERSONNEL ONLY

FS10140273N

A DANGER **EMPLOYEES** ONLY

ES10140274X ES1014










EVERLAST ** Indestructible

Custom Signs



- Select Format (right)
- Select Your Wording
- Include Your Company Name & Phone Number.
- Select A Graphic Below





























Small, one-time tooling charge applies ... Call for details 800-221-1311

We will mostly MEET or BEAT ... the price of any lower quality sign (like Lexan, fiberglass or porcelain)! Call us.

Here are some samples:



A CAUTION **AUTHORIZED PERSONNEL** ONLY

WARNING NO **TRESPASSING** Dole Pineappi 800-999-9999

AUTHORIZED PERSONNEL ONLY



50 100 1000 25 ITEM 7" x 10" Sign **Call For Pricing** 10" x 14" Sign







Numbers & Letters

1", 2", 3", 6", 8" & 12"



3" Character


Mount Horizontal or Vertical Mount in Aluminum or Poly Tag Holders

Solid Black Polypropylene characters.. Letters are "molded in" ... not simply painted or screened.

EVERLAST withstands saltwater, acid rain, groundwater, chemicals, alkalies & acid solutions and temperatures from -40 to 200 degrees F.

Yellow, Orange or Black Background. White or Black Numbers & Letters.


Other colors available!




0.08" Thick 0.89" x 1.6" Size Tag Size

Actual Size

2" Character



2.6" x 1.6" Size



0.125" Thick 3 1/2" x 2 1/2" Size

Also >>

Why Does Every Major Power & Telecom Company Use EVERLAST?

Answer: ... It is *The Only* Sign System to be *UL Tested!*

0.08" Thick

1" Character



EVERLAST withstands 30 years of Tough Conditions with no significant change.

Underwriters Laboratories Inc.

Test Results Prove!

UL performed numerous durability tests on EVERLAST signs in compliance with UL and ASTM standards. EVERLAST signs were subjected to 30 years worth of UV exposure, salt spray, vibration, abrasion, temperature variation, fumes and more. Test results ... no change in color or legibility. To

receive a copy of the full UL report, please call us at 800-221-1311.

What This Means ... To YOU!!

- 1. You won't have to go out into the field and replace tags!
- 2. You will save ... tons of money ... Thousands of dollars.!
- 3. You will reduce your legal liability.







Numbers & Letters

Horizontally Mounted









EVERLAST ... 1" Pole & Cable Tags Horizontally Mounted

Solid black polypropylene characters are permanently embedded in the bright yellow, orange or white polypropylene substrate. You can cut it, scratch it, even dig into it with little or no effect on the embedded character.



PRODUCTS, INC

ITEM ID#	10,000	5,000	1,000	<1,000
ELHKXxxx (A-Z, 0-9)		Call For	r Pricing	

Available in orange, or yellow.

X ... Use O or Y to designate Orange or Yellow.

xxx ... Use to designate the number or letter.

EVERLAST ... Poly or Alumi Tag Holders

Hold 1 to 30 of our 1" tall characters. Holders have holes for nails and are slotted for mounting with cable ties. For larger capacity, please call 800-221-1311.





ITEM ID#					Holds 8		
(POLY) PH1xx (ALUM) AH1xx		Cal	ll For Prid	cing			

xx ... Use to designate quantity to hold.

Vertically Mounted

0.70" Character



0.08" Thick



EVERLAST ... 1" Pole & Cable Tags. Vertically Mounted


Solid black polypropylene characters are permanently embedded in the bright yellow, or orange polypropylene background. (Also white on black). You can cut it, scratch it, even dig into it with little or no effect on the embedded character.



XX ... KO =Black on Orange KY=Black on Yellow WK=White on Black xxx ... Use to designate the number or letter.



Hold 1 to 30 of our 0.70" tall characters. Holders have holes for nails and are slotted for mounting with cable ties. For larger capacity, please call 800-221-1311.



Characters are "Molded-In"



В	
2	3
EAST	WEST
٥	

ITEM ID# Holds Holds Holds Holds Holds Holds Holds Holds Holds 6 8

(POLY) PH1xx (ALUM) AH1xx

Call For Pricing

11





Characters are

"Molded-In"

A U

0


1.6" x 0.89" wide Tag



0.08" Thick

EVERLAST ... Special Tags & Symbols

Solid black polypropylene characters are permanently embedded in the bright yellow polypropylene substrate. You can cut it, scratch it, even dig





A



Vertically Mounted

45 7.2 KV





A

В

0

W

Е

0.89" x 1.6" wide



0.08" Thick



EVERLAST The ONLY Solution! to Long-Term-Legible Signs, Tags & Markers





POLE

SWITCH GEAR	TO CABLE POLE	TO TRANS	TO RISER	RISER	FUSED
----------------	---------------------	-------------	-------------	-------	-------

PEDESTAL 7.2 K	12 KV	RED	BLUE	YELLOW
----------------	-------	-----	------	--------

WAY EED		AMPS		FEEDER		SOURCE		BYPASS	floor	JUNCTION BOX
------------	--	------	--	--------	--	--------	--	--------	-------	-----------------

2-F


(800) Tel:



Numbers & Letters * Horizontally Mounted







3D 1" Pole & Cable Tags

Injection molded polyolefin tags with high-relief characters. They are hot stamped with UV stable, outdoor quality foil. Their 3-Dimensional black characters on a yellow background make them sharp, high-contrast identification markers legible even in dimly lit areas. The highly raised characters are ideal for underground applications where silt, oil or dirt may cover the markers. The tags slide into aluminum or poly holders.

ITEM ID#	10,000	5,000	1,000	<1,000
3DHYxxx (A-Z, 0-9)	Ca	all For P	ricing	


Available in yellow. xxx ... Use to designate the number or letter.

Poly or Aluminum 1" Tag Holders

Hold 1 to 30 of our 1" tall characters. Holders have holes for nails and are slotted for mounting with cable ties. For larger capacity, please call 800-221-1311.

ITEM ID#	Holds 2	Holds 3	 Holds 5		Holds 7	Holds 8	Holds 9	 Holds 12 - 30	
(POLY) PH1xx (ALUM) AH1xx	_		Cal	l For Pi	ricing				

xx ... Use to designate quantity to hold.




0.06" Thick

Raised Letter
Injection Molded

1 "

Numbers & Letters Vertically Mounted



0.08" Thick



3D 1" Pole & Cable Tags.

Injection molded polyolefin tags with high-relief characters. They are hot stamped with UV stable, outdoor quality foil. Their 3-Dimensional black characters on a yellow background make them sharp, high-contrast identification markers legible even in dimly lit areas. The highly raised characters are ideal for underground applications where silt, oil or dirt may cover the markers. The tags slide into aluminum or poly holders.



xxx ... Use to designate the number or letter.

Poly or Aluminum 1" Tag Holders

Hold 1 to 30 of our 0.70" tall characters. Holders have holes for nails and are slotted for mounting with cable ties. For larger capacity, please call 800-221-1311.

ITEM ID#		Holds 3			Holds 7			Holds 12 - 30
(POLY) PH1xx (ALUM) AH1xx	-		C	all For	Pricing	7		

xx ... Use to designate quantity to hold.





Геl: (800) 221-1311 Геl: (718) 442-4900 Fax: (718) 442-2124



Numbers & Letters











1 Inch **Embossed** Characters




0.06" Thick Stainless Steel





Deep Embossed

Vertically Mounted



1" Stainless Steel **Embossed Character**



0.06" Thick **Stainless Steel**

3D Stainless Steel, <u>1" Pole & Cable Tags</u>

Deep Embossed, stainless steel, tags with high-relief characters. The highly raised characters are ideal for underground applications where silt, oil or dirt may cover the markers. The tags slide into stainless steel tag holders.

ITEM ID# 10.000 5,000 1,000 <1,000

ST1SSxxx (A-Z, 0-9) **Call For Pricing**

xxx ... Use to designate the number or letter.

Stainless Steel 1" Tag Holders

Hold 1 to 15 of our 1" tall characters. Holders have holes for nails or screws. For larger capacity, please call 800-221-1311.

ITEM ID# Holds Holds Holds Holds Holds Holds Holds Holds (Stainless) SS1Hxx **Call For Pricing**

xx ... Use to designate quantity to hold.

3D Stainless Steel, 1" Pole & Cable Tags

Deep Embossed, stainless steel, tags with high-relief characters. The highly raised characters are ideal for underground applications where silt, oil or dirt may cover the markers. The tags slide into stainless steel tag holders.

10,000 5,000 1,000 <1,000 ST1SSxxx (A-Z, 0-9) **Call For Pricing**

xxx ... Use to designate the number or letter.

Stainless Steel 1" Tag Holders

Hold 1 to 15 of our 1" tall characters. Holders have holes for nails or screws. For larger capacity, please call 800-221-1311.



ITEM ID# Holds Holds Holds Holds Holds Holds Holds Holds Holds 4 6 (Stainless) SS1Vxx **Call For Pricing**











1" Character 1.5"


Metal. Relective Pole & Cable Tags

Screen-printed, black characters on a 3M. engineer grade, yellow reflective sheeting. It has a 0.020 aluminum backing plate that can easily slide into our holders. Also great for shelf labeling and indoor areas that need to be seen with flashlights.

ITEM ID# 10,000 5,000 1,000 <1.000 SIHKYRxx (A-Z, 0-9) **Call For Pricing**

xx ... Use to designate the number or letter.

Horizontally Mounted



Vertically Mounted

Poly or Aluminum 1" Tag Holders

Hold 1 to 30 of our 1" tall characters. Holders have holes for nails and are slotted for mounting with cable ties. For larger capacity, please call 800-221-1311.

ITEM ID#	Holds 2	Holds 3				Holds 8		Holds 12 - 30
(POLY) PH1xx (ALUM) AH1xx	_		Cal	l For Pi	ricing			

xx ... Use to designate quantity to hold.

Numbers & Letters

Vertically Mounted





Metal, Reflective Pole & Cable Tags.

Easy to use and forever visible, these identification tags are great for your warehouse or anywhere you need a numbering system. They slide in and out of the holders easily to reconfigure your storeroom or you can clamp them closed to keep the numbers in place.

ITEM ID# 10.000 5.000 1.000 <1.000 SIVKYRxx (A-Z, 0-9) Call for Pricing.

xx ... Use to designate the number or letter.

Poly or Aluminum 1" Tag Holders

Hold 1 to 30 of our 0.70" tall characters. Holders have holes for nails and are slotted for mounting with cable ties. For larger capacity, please call 800-221-1311.

ITEM ID# Holds Holds Holds Holds Holds Holds Holds Holds 6 (POLY) PH1xx **Call For Pricing** (ALUM) AH1xx







2" Character



0.08" Thick 2.6" x 1.6" Overall Size







EVERLAST ... 2" Tall Numbers & Letters

Solid black polypropylene characters are permanently embedded in the bright yellow and orange polypropylene substrate. You can cut it, scratch it, even dig into it with little or no effect on the embedded character.

ITEM ID#	1000	500	250	100
EL2KXxxx (A-Z, 0-9)	C	all for P	ricing	

Available in orange or yellow.

X ... Use O or Y to designate Orange or Yellow xxx ... Use to designate the number or letter.





EVERLAST ... Poly or Aluminum 2" **Tag Holders**

Hold 2, 3, 4, 5, 6 of our 2" tall characters. Used for tagging single or multiple cables in most any environment. Holders are slotted for mounting with a cable tie. For larger capacity, please call 800-221-1311.



Tag Holders for Horizontal Mounting

_						
PROD#	Qty	Holds 2	Holds 3	Holds 4	Holds 5	Holds 6
(Poly) PH2xxHP (Alum) CH2xxHP	up to 99	-	Call f	or Prici	ng	
(Poly) PH2xxHP (Alum) CH2xxHP	- 100-249 -	-	Call f	or Prici	ng	
(Poly) PH2xxHP (Alum) CH2xxHP	250-499		Call f	or Prici	ng	

xx ... Use to designate quantity to hold.



Tag Holders for Vertical Mounting

PROD#	Qty	Holds 2	Holds 3	Holds 4	Holds 5	Holds 6		
(Poly) PH2xxVP (Alum) AH2xxVP	up to 99	-	Call f	or Prici	ng			
(Poly) PH2xxVP (Alum) AH2xxVP	- 100-249 -	-	Call for Pricing					
(Poly) PH2xxVP (Alum) AH2xxVP	_ 250-499 -	-	Call f	or Prici	ng			








3 1/2" x 2 1/2" Size

3" Character



1/8" Thick Tags







EVERLAST ... 3" Tall Numbers & Letters

Solid black polypropylene characters are permanently embedded in the bright yellow, orange or white polypropylene substrate. You can cut it, scratch it, even dig into it with little or no effect on the embedded character.



ITEM ID#	1000	500	250	100		
EL3KXxxx (A-Z, 0-9) Call for Pricing						
Available in orange, or X Use O or Y to de xxx Use to designate	yellow. esignate Ora te the numb	ange or Ye er or letter	llow.			

Come in boxes of 50 each.







EVERLAST ... Poly or Aluminum 3" Tag Holders

Hold 2, 3, 4, 5, 6 of our 2" tall characters. Used for tagging single or multiple cables in most any environment. Holders are slotted for mounting with a cable tie. For larger capacity, please call 800-221-1311.





Tag Holders for <u>Horizontal Mounting</u>

PROD#	Qty	Holds 2	Holds 3	Holds 4	Holds 5	Holds 6	Holds 7
(Poly) PH3xxHP (Alum) AH3xxHP	- up to 99	Call for Pricing					
(Poly) PH3xxHP (Alum) AH3xxHP	- 100 -2 49 -	Call for Pricing					
(Poly) PH3xxHP (Alum) AH3xxHP	_ 250-499		Cal	l for Pri	cing		

xx ... Use to designate quantity to hold.





Longer lengths available Call for special pricing.

Tag Holders for **Vertical Mounting**

								-
PROD#	Qty	Holds 2	Holds 3	Holds 4	Holds 5	Holds 6	Holds 7	É
(Poly) PH3xxVP (Alum) AH3xxVP	up to 99		Ca	ll for Pri	icing			
(Poly) PH3xxVP (Alum) AH3xxVP	- 100-249 -		Ca	ll for Pri	icing			
(Poly) PH3xxVP (Alum) AH3xxVP	_ 250-499 -		Ca	ll for Pri	icing			











EVERLAST ... 6" Tall Numbers & Letters

For outdoor use, all numbers and letters are "molded-in" and UV protected...not simply painted or screened. Deluxe, polyolefinplastic, EVERLAST signs withstand saltwater, acid rain, groundwater, chemicals, alkalies, acid solutio temperatures from -40 to + 200 degrees F.

ITEM ID# 1000 500 250 100 EL6KYxxx (A-Z, 0-9) Call for Pricing

Available in yellow.

xxx ... Use to designate the number or letter.

Cop	y Item	Сору	Item	Сору	Item	Сору	Item
1	EL6KY001	Α	EL6KYA	K	EL6KYK	U	EL6KYU
2	EL6KY002	В	EL6KYB	L	EL6KYL	l v	EL6KYV
3	EL6KY003	С	EL6KYC	M	EL6KYM	w	EL6KYW
4	EL6KY004	D	EL6KYD	N	EL6KYN	X	EL6KYX
5	EL6KY005	E	EL6KYE	0	EL6KYO	Υ	EL6KYY
6	EL6KY006	F	EL6KYF	P	EL6KYP	Z	EL6KYZ
7	EL6KY007	G	EL6KYG	Q	EL6KYQ	(Blank)	EL6KY011
8	EL6KY008	Н	EL6KYH	R	EL6KYR	` - `	EL6KY012
9	EL6KY009	1	EL6KY	S	EL6KYS	1.	EL6KY013
0	EL6KY010	J	EL6KYJ	T	EL6KYT	Ø	EL6KY014

Aluminum ... Number & Letter Holders

Hold 1, 2, 3, 4, 5, 6, 7, 8 or 9 of our 6" tall characters. Excellent for long lasting, quick change signs... especially in outdoor environments. Holders can be attached using nails, bolts, rivets, magnets or metal banding.

Aluminum Tag Holders for Horizontal Mounting

ITEM ID#	Qty	Holds 2	Holds 3	Holds 4	Holds 5	Holds 6	Holds 7
	up to 99		Ca	II for Pr	icina		
AHE6xxHP	100 - 249	Call for Pricing <u>Custom Holders & Sizes</u> To Fit Your Needs					
	250 - 499						

xx ... Use to designate quantity to hold.

Aluminum Tag Holders for Vertical Mounting


ITEM ID#	Qty	Holds 2	Holds 3	Holds 4	Holds 5	Holds 6	Holds 7
	up to 99		C	II for Dr	doina		
AHE6xxVP	100 - 249	 Call for Pricing <u>Custom Holders & Sizes</u> To Fit Your Ne 					Noodel
	250 - 499						Neeus!

xx ... Use to designate quantity to hold.

Aluminum Tag Holder Diagram.

Holder can be attached using nails, bolts, rivets, magnets, or metal banding. Hole and/or slot configuration made to customer's specifications.













Indestructible Numbers & Letters Horizontally or Vertically Mounted





EVERLAST ... 8" Tall Numbers & Letters

For outdoor use, all numbers and letters are "molded-in" and UV protected...not simply painted or screened. Deluxe, polyolefinplastic, EVERLAST signs withstand saltwater, acid rain, groundwater, chemicals, alkalies, acid solutions and temperatures from -50 to + 220 degrees F.

\Box			<u> </u>
		48	-/1
ш		- 11	
	D	DE	DE

ITEM ID#	1000	500	250	100
EL8KYxxx (A-Z, 0-9)	(Call for P	ricing	

Available in yellow.

xxx ... Use to designate the number or letter.

Cop	y Item	Сору	Item	Сору	Item	Сору	Item
1	EL8KY001	Α	EL8KYA	K	EL8KYK	U	EL8KYU
2	EL8KY002	В	EL8KYB	L	EL8KYL	v	EL8KYV
3	EL8KY003	С	EL8KYC	M	EL8KYM	w	EL8KYW
4	EL8KY004	D	EL8KYD	N	EL8KYN	l x	EL8KYX
5	EL8KY005	E	EL8KYE	0	EL8KYO	Υ	EL8KYY
8	EL8KY008	F	EL8KYF	P	EL8KYP	z	EL8KYZ
7	EL8KY007	G	EL8KYG	Q	EL8KYQ	(Blank)	EL8KY011
8	EL8KY008	Н	EL8KYH	R	EL8KYR	` - `	EL8KY012
9	EL8KY009	1	EL8KY	S	EL8KYS	/	EL8KY013
0	EL8KY010	J	EL8KYJ	Т	EL8KYT	Ø	EL8KY014

Aluminum ... Number & Letter Holders

Hold 1, 2, 3, 4, 5, 6, 7, 8 or 9 of our 8" tall characters. Excellent for long lasting, quick change signs... especially in outdoor environments. Holders can be attached using nails, bolts, rivets, magnets or metal banding.



ITEM ID#	Qty	Holds 2	Holds 3	Holds 4	Holds 5
	up to 99				
AHEXXHP	100 - 249	С	1		
	250 - 499	_			

xx ... Use to designate quantity to hold.


Aluminum Tag Holders for Vertical Mounting


Alullillulli Tay Holders for <u>vertical Woullilly</u>							
ITEM ID#	Qty	Holds 2	Holds 3	Holds 4	Holds 5		
	up to 99						
AHExxVP	100 - 249	Call for Pricing]		
/(IIIII//	250 - 499	_ oun for t floring					

xx ... Use to designate quantity to hold.

Aluminum Tag Holder Diagram.

Holder can be attached using nails, bolts, rivets, magnets, or metal banding. Hole and/or slot configuration made to customer's specifications.














EVERLAST... 12" Numbers & Letters

For outdoor use, all numbers and letters are "molded-in" and UV protected...not simply painted or screened. Deluxe, polyolefinplastic, Everlast signs withstand saltwater, acid rain, sand storms, chemicals, alkalies, acid solutions and temperatures from -40 to + 220 degrees F.

PROD#	100	200	500	1000	2500
EL12KYxx		С	all For Pricin	ng	

Available in yellow or orange. xx ... Use to designate the number or letter.





Won't Wear Out!

EVERLAST ... Aerial Surveillance A-Frames

With 12" numbers and letters that won't wear out!

Our A-frames (dog houses) are made of strong, extruded aluminum parts. They have pre-punched holes and come with vandal proof nuts and bolts. They are shipped unassembled and therefore are less expensive, easier to ship and easier to carry. (Or, we can pre-assemble). Because these frames are attached to posts or stakes of various shapes & sizes, the attachment brackets will be made to fit the application.

Aerial Surveillance A-Frames only.

PROD#	Holds	25	50	100	250	500	1000
AS22	2 + 2 Tags			all For I	Dricina		
AS33	3 + 3 Tags		C	an i-Oi i	ricing		







3 1/2" x 2 1/2" Size



EVERLAST... Cable Tags & Markers


2 ½"x 3½"

For outdoor use, all words and logos are "molded-in" and UV protected...not simply painted or screened. Deluxe, polyolefin-plastic, **EVERLAST** signs withstand saltwater, acid rain, groundwater, chemicals, alkalies, acid solutions & temperatures from -40 to + 200 degrees



ITEM ID#	1000	500	250	100			
EL3XXxxx (A-Z, 0-9)	Call For Pricing						

Available in orange, yellow or white...



EVERLAST ... Fiber Optic Tags In Holders

For outdoor use, all words and logos are "molded-in" and UV protected...not simply painted or screened. Deluxe, polyolefin-plastic, Everlast signs withstand saltwater, acid rain, groundwater, chemicals, alkalies, acid solutions and temperatures from -40 to + 200 degrees F.







PROD# 1 BAG 4 BAGS 10 BAGS 20 BAGS 40 BAGS
ELP-FOT Call For Pricing

Prices include tag and holder. Available in orange or yellow.







EVERLAST... Custom Tags

Custom-worded tags are available through special order. Call for more information and pricing. Min. qty. 1,000.



Call for custom wording & logos. 800-221-1311

Available in yellow, orange, blue.
Call for other colors & quantity pricing. 800-221 13

Call for other colors & quantity pricing 800-221-1311

PHASE 2

0

CAUTION PUT YOUR WORDS WARNING

Do not remove this ground wire. Should it become loose or need to be removed, contact local Telephone Company repair service.

CAUTION

• FIBER OPTIC CABLE • 1-888-778-9890

UNDERGROUND FIBER OPTIC CABLE CALL BEFORE YOU DIG 1-888-778-9890

Calendered Vinyl ... Cable Tags & Markers

Sizes: 1 3/4" x 3 7/8"

1 3/4" x 5 3/4" 1 1/2" x 3"

Cable ties included. .020 Thick. Holes are .167" on each end, or oval hole on one end. Outdoor durability to 5 years. Custom printing.

ITEM ID#	1000	500	250	100
CalTag (A-Z, 0-9)		Call For	Pricing	

Available in orange, yellow, red, white, black, blue and green backgrounds.



Metal Pole Markers

Century Tel




Pole Ownership / Identification

Embossed Metal Pole Markers

Rectangle-Round-End... or Circular

Unpainted, embossed aluminum or brass. Raisied embossed copy last the life of the pole. The highly defined characters are legible forever. Please specify size.

Serialization available.





Inspection tags.
Any Diameter





Metal Pole Plates



Embossed Metal Plates

TECH-3D, deep embossed ... Metal Pole Plates are available in aluminum or stainless steel. Raised embossed copy will last the life of the pole. Square or round corners. Holes for mounting..

- Warning
- Joint Ownership
- Do Not Dig
- Buried Fiber Optic Cable
- Call Before You Dig

Embossed Materials & Thickness

Aluminum .025", .040", .050", .063" Stainless Steel .030" .060"

Background & Copy Colors

Background &	COPY COIOIS
Yellow	
White	
Black	
Red	
Orange	
Dk Blue	
Green	
Brown	
Peacock Blue	
Gold	
Silver Color	of Metal

Cable & Valve Tags



Embossed Metal Cable & Valve Tags

TECH-3D Embossed <u>"UnPainted"</u> **Cable & Valve Tags** are easily read without paint or ink for contrast. Ideal for labeling or identifying: Use Tech's stamped, consecutive numbering option for your products' serial numbers, etc.

Custom Shapes Available!

Embossed Materials & Thickness

Aluminum .025",	.032",	.050",	.063"
Stainless Steel	.030"		.060"
Brass	.032"		.060"
Cold Rolled Stee	1.035"	.047"	.059"
Tinplate .015"			
Hot Dipped Gal	vanize	od .03	35"

22

Tel: (800) 221-1311 Tel: (718) 442-4900 Fay: (718) 442-2124



Numbers & Letters

Horizontally or Vertically Mounted




TOIA PHF04

NEW!

6 Line Holder

"Joint Use" Marking

PHF206 Two Line Holder



FastTags... Miniature MarkersThe marking system with ... Endless Applications!

No matter what it is you have to identify, FASTTAGS can do it. These 3D-Tags with highly-raised characters remain legible ... even in low light, oily or dusty environments... even if they are painted over! They are available with orange or yellow background colors. The raised characters are hot stamped with the highest quality UV stable foil.

The same tags and holders can be used both vertically or horizontally. This eliminates the need for dual inventories. The holders can be mounted using cable ties, nails, screws or adhesive.

Comes in packs of 10 Cards ... 25 letters per card.

The tags are available with yellow or orange background colors, are non conductive and non corroding. Assembling the polymer tags into the holder is a breeze, no more fumbling and frustration. Fasttags

Char/Card 10-49 50-99 100-249 250-499 500+

3DFYx	x 25	Call For Pricing							
Poly Fast	tag Holders	Call for hig	gher quantitie	9S.					
PROD#		Holds 2	Holds 4	Holds 6	Holds 10	Holds 15	Holds 20		
	Holds One Line	Call For Pricing							

Ask about our 6 Line Fasttag Holders.

Ask about our FASTTAG 3D Company Name Strips CASCADE Great for Joint Use projects!

• CASCADE •



BBBB

Call For Pricing

PROD#

Each Standard Kit Contains:

PHF2xx Holds Two Lines

- Yellow Canvas Organizer
- Fasttags Cards: 2 each of: 0-9, Blank, Dash; 1 each of: A-Z
- 50 One Line - 6 Tag Capacity Poly Holders
- 100 Snap in Pluas
- 100 Tie Straps 8 in. long (wraps around 2 in, Diameter)

Custom Kits Available

ASTTAGS

The key feature is the flexible, tough, compact carrying case that allows the user to clip the entire kit on a cable, conduit, pipe etc., making the miniature marker system available at their fingertips.



The bottom pocket neatly stores special character cards and accessories







Phase Markers





3½"x 2½" 1/8" Thick



EVERLAST... 3" Tall Character ... Phase Markers

Mount in Aluminum or Poly Tag Holders or nail through prepunched holes. Solid Polypropylene plastic. Letters are "molded in" ... not simply painted or screened.

EVERLAST withstands saltwater, acid rain, groundwater, chemicals, alkalies, acid solutions and temperatures from -40 to 200 degrees Fahrenheit



PROD#		500	1000	2500
EL3KYAO EL3KYBO EL3KYCO	AØ Phase Marker BØ Phase Marker CØ Phase Marker			
EL3KYA EL3KYB EL3KYC	A Phase Marker B Phase Marker C Phase Marker	Ca	II For Pricit	ng
EL3KYAO1 EL3KYBO2 EL3KYCO3	Ø1 Phase Marker Ø2 Phase Marker Ø3 Phase Marker			

PHASE MARKERS

1 ½"x ½" 0.08" Thick



EVERLAST... 1" Tall Character ... Phase Markers

Solid black polypropylene characters are permanently embedded in the bright yellow, orange or white polypropylene substrate. You can cut it, scratch it, even dig into it with little or no effect on the embedded character.

Characters are "Molded-In"

DEFECTIVE POLE MARKERS

3½"x 2½" 1/8" Thick



Do Not Climb

Pole To Be Replaced



Do Not Climb

Call for custom logos. 800-221-1311

EVERLAST... Defective Pole Markers

Mount in Aluminum or Poly Tag Holders or nail through pre-punched holes.

> Solid White Polypropylene characters.. Letters are "molded in" ... not simply painted or screened.

> Everlast withstands saltwater, acid rain, groundwater, chemicals, alkalies, acid solutions and temperatures from -40 to 200 degrees F.



Proceed With Caution

2500

PROD# 500 1000 EL3WR048 Proceed With Caution **EL3WR049** Do Not Climb **EL3WR050** Do Not Climb

Pole To Be Replaced

Call For Pricing





High Voltage Sign





Recessed Score

Lets you "breakaway" the sign into 2 separate pieces ... for alternative mounting.

EVERLAST ... High Voltage Signs

3 1/2" x 14" **EVERLAST** High Voltage Signs meet California (and some other state's) requirements.

Why pay for 2 journeymen and a bucket truck every 2 to 5 years ... to replace signs that can't be read? **EVERLAST** will remain legible at least 30 years!...we guarantee it!

Deluxe, polyolefin-plastic, **EVERLAST** signs withstand saltwater, acid rain, groundwater, chemicals, alkalies, acid solutions and temperatures from -40 to 200 degrees Fahrenheit. Letters are "molded-in" and go all the way through-the-sign!

ITEM ES0314001

25	50	100	250	500	1000
Call for pr	icina & oth	er quantitie	s!800-22	21-1311.	



EVERLAST... Ground Markers


In Sizes: 5"x 7" & 5" x 10"

High impact polypropylene with excellent cold impact resistance. UV protectors and antioxidants added to material provide complete protection and weather resistance in all climates.

PROD#	500	1000	2500
ELS5x7	Ca	II For Pricing	y
ELS5x10	_	n i oi i iionig	,

PROD#

PSTAKE 12" PLASTIC STAKES



Wrap Around



Snap around cables or pipes from 1/2" to 4" in diameter!

Wrap-Around Cable Markers

Several Colors ... Lengths from 4" to 10"

Use these wrap-around markers to mark your cables and pipes. Simply uncurl and apply. These sturdy markers hug the wire and never let go. You can also write on them with a Sharpie pen. These come in lengths of 4" to 10" and can snap around cables or pipes from 1/2" to 4" in diameter. Outdoor grade, UV stabilized, calendered vinyl.

Please specify color: Orange, Yellow, Red, Black, Green or White...

PROD#	Length	Pipe Diameter	25-99	100-249	250-499	500-999	1000-4999	5000+
SOM1x	4"	1/2" to 1"				. 54	nd.	
SOM2x	7"	1" to 2"			Call Fo	r Pricii	19	1
SOM3x	8"	2" to 3"			Call	,.]
SOM4x	10"	3" to 4"]

Small setup charge applies.





Tel: (800) 221-1311 Tel: (718) 442-4900

Reflective Decals

<u>1", 1.5", 2.5", 3.75"</u> Tall Characters

<u>Standard</u> **Engineer Grade Reflective**

7 Year Outdoor Durable

Ask about our New "High Intensity Reflective" 5/8" x 5/8" square, pressure sensitive. In cards of 15



9	9	9	9	9
9	9	9	9	9
9	9	9	9	9



High Intensity Reflective

10 Year Outdoor Durable

















Ideal For ... Telecom Pedestals! Reflective Decals ... 1", 1.5", 2.5", 3.75" Tall Characters

Standard Reflective or Highly Reflective!

Use where high visibility is required ... (darkened areas or at night). All markers have a black background with brilliant reflective legend containing optical lens elements enclosed within a transparent resin. The outer surface is smooth. Stick on, pressure sensitive adhesive conforms to the adhesive requirements of FP-79 (Class 1) and LS-300C (Class 1).

These 3M decals meet all ANSI and MUTCD standards.

- 7 Year Outdoor Durable
- **1** 3M Engineer Grade Material
- 7.5 mil thickness.

	PROD#	Size Character	Decal	DECALS/Pk	1 - 49	50-99	100 - 249
	SR10- (0-9) (A-Z)	1"	7/8" x 1.5"	25			nd
Standard	SR15- (0-9) (A-Z)	1.5"	1 3/8" x 1 7/8"	25		or Prici	n y
Reflective	SR25- (0-9) (A-Z)	2.5"	1 3/4" x 2 7/8"	25	Call P	יוע -	
	SR37- (0-9) (A-Z)	3.75"	2 7/8" x 4 5/16"				

- 10 Year Outdoor Durable
- 3M High Intensity Material
- 7.5 mil thickness.

Highly Reflective

Size Character PROD# DECALS/Pk 100 - 249 Decal 1 - 49 50-99 HR10- (0-9) (A-Z) 7/8" x 1.5" 25 Call For Pricing HR15- (0-9) (A-Z) 1.5" 1 3/8" x 1 7/8" 25 HR25- (0-9) (A-Z) 2.5" 25 1 3/4" x 2 7/8" HR37- (0-9) (A-Z) 3.75" 2 7/8" x 4 5/16" 25



Weather Decals

utdoor Mylar Decals





1", 2" & 3" Tall Characters










DECALS

1" Character 7/8" x 1.5" Decal

Actual Size 2" Character

7/8" x 2.25" Decal



Indoor / Outdoor Decals ... 1", 2" & 3" Tall Characters. All Weather Mylar ... Numbers & Letters

Tech's decals are overlaid with a clearcoat, polyester laminate. These all weather, solvent resistant decals are pressure sensitive with permanent acrylic adhesive. Clear and durable with a temperature range of -50°F to Minimum application temperature 41°F. Excellent dimensional stability, and no measurable shrinkage.

All available in numbers 0 through 9 and letters A hrough Z... Black letters on Yellow, White or Orange background.

Easy-to-handle ... Cards!

88888888

25

Come in packs of 25.

> PROD# BACKGROUND DECALS/CARD 1 CARD 151BYN- (0-9) YELLOW 10 Call For Pricing 1" 151BYL- (A-Z) YELLOW 10 150BWN- (0-9) WHITE 10 Character 150BWL- (A-Z) WHITE 10 152BON- (0-9) **ORANGE** 10 7/8" x 1.5" 152BOL- (A-Z) **ORANGE** Decal 10 Call For Pricing YELLOW 10 251BYN- (0-9) 251BYL- (A-Z) YELLOW 10 2 250BWN- (0-9) WHITE 10 250BWL- (A-Z) Character WHITE 10 252BON- (0-9) **ORANGE** 10 7/8" x 2.25" Decal 252BOL- (A-Z) **ORANGE** 10 351BYN- (0-9) YELLOW 6 Call For Pricing 351BYL- (A-Z) YELLOW 6 350BWN- (0-9) WHITE 6 350BWL- (A-Z) WHITE 6 Character

6

Decal

1.5" x 3.5"

1.5" x 3.5"

Decal

352BON- (0-9)

352BOL- (A-Z)


ORANGE

ORANGE

3M REFLECTIVE & MYLAR All Weather Decals

Carrier-Strip Pole Markers







(Engineer Grade) Standard Reflective on Aluminum Carrier Strip.

All Weather, Black on Yellow Mylar on Aluminum Carrier Strip.

Carrier Strips are: 1 ½" x ...any length.

All Weather Reflective... Decals


7/8" wide by 1 1/2" tall...with 1" tall numbers

Tech's Reflective Decals use 3M's, Engineer's grade materials to give 7-Year plus life in the field. Stick-on, pressure sensitive adhesive conforms to the adhesive requirements of FP-79 (Class 1) and LS-300C (Class Decals are 7/8" wide by 1 ½" tall...with 1" tall numbers and letters. Decals are easily placed on Tech's aluminum carrier strips for fast, long lasting pole identification.

Call for pricing.



Aluminum Carrier Strips



Aluminum Carrier Strips

Use Tech's, Aluminum Carrier Strips with Tech's <u>(3M)</u> <u>Reflective or Outdoor Mylar</u> "All Weather Decals.

Carrier strips are 1 ½"by any length and can be used Horizontally or Vertically.



Round Reflectors



Round Reflectors

Maximize visibility of your Equipment, Poles, Trucks, Barricades, and Traffic paths with Tech's, Round Reflectors. These 3 1/4 inch reflectors come in a solid 1/4" plastic housing for long outdoor durability. 3/16" center hole for attaching with nail, screw, nut & bolt.

Call For Pricing

28

Tel: (800) 221-1317 Tel: (718) 442-4900







Vinyl, Mylar, Lexan SIGNS, LABELS, DECALS

į	Materials	& Thickness	Color	Legibility
	Vinyl	.002" to .004" (2 to 4 mil)	5-7 yrs	5-7 yrs
	Mylar	.002" to .004" (2 to 4 mil)	5-7 yrs	5-7 yrs
	Lexan	.005" to .020" (5 to 20 mil)	7-10 yrs	7-10 yrs



AUTHORIZED PERSONNEL ONLY





Entry By Permit Only

For areas where you... Can't Drill Holes! Simply peel and stick. Self-sticking permanent acrylic adhesive. Withstands -40 degree to 180 degree F temperature with dimensional stability. Overlaminate protects signs from the sun.











NARNING CAR



AUTHORIZED **PERSONNEL** ONLY

WARNING

Tampering with or damaging this meter, meter

box, or seal is unlawful. Violators will be

prosecuted. Also death or injury may occur.

HIGH PLAINS

POWER, INC.

14866

WARNING!

City of Sylvania 912-564-7411

A WARNING

NO SMOKING





A DANGER **Keep Out**

High voltage Inside May cause

> A CAUTION AUTHORIZED PERSONNEL ONLY

WARNING

IT IS UNLAWFUL TO POST ANY SIGN, FLYER, OR THE LIKE ON A TRAFFIC SIGNAL POLE, TRAFFIC CONTROLLER CABINET OR ANY OTHER TRAFFIC CONTROL DEVICE.

VIOLATORS WILL BE PROSECUTED VIOLATORS WILL BE PROSECUTED
ACCORDING TO COLORADO LAWS C.R.S
43-1417(3)(a) UNDER THE COLORADO
DEPARTIMENT OF TRANSPORTATION
MODEL TRAFFIC CODE WHICH MAY CARRY
A FINE UP TO \$1000.

CO. DEPT FORE EXCAVATING OR IN EM399 SOUTHERN

A WARNING

HARD **HAT**

AREA











OPEN

PRIVATE PROPERTY



A WARNING







A WARNING

Confined 2

Entry By Permit Only



Hazardous Voltage inside.. Can shock, burn, or cause death.

Keep out.
If open or unlocked, electric power and light company.



Hazardous Voltage. Will shock, burn, or cause death.

Keep out. If open or unlocked, immediately call: City of Fairhope 334-928-8003 or 334-928-2



WARNING MAINTAIN 8 FOOT CLEARANCE FROM THIS SIDE AND 3 FOOT FROM OTHER SIDES WITH FENCES AND SHRUBS.

ELECTRICAL EQUIPMENT KEEP OUT



4 1/2" x 8 1/2" <u>Size</u>



Energized Electrical Equipment







A WARNING





A CAUTION Underground power cables are located in this area.



Obstructions may be damaged or removed during service restoration or

29

HARD HAT **AREA**

Don't See The Sign or Label You Want? Call 800-221-1311





www.techproducts.com

SEAL-IN-PLASTIC ... WRITE-ON, CABLE TAGS





Write & Seal... Cable Tags

Simply peal back the plastic... Write your message and Seal!

13/4" x 4 'Size

Other Colors & Sizes Available!

Keep Information Protected from Oil, Dust, Dirt & Water Simply ... Write & Seal.



SEAL-IN-PLASTIC ... WRITE-ON, TAGS



Peel & Seal-In-Plastic ... Tags

Accepts ... Handwritten information, or seal-in preprinted card, or pre-print the tag itself! Color code with 7 different colors. *Brass eyelet (standard size) on every tag.* .010 inch plastic seals with clear polyester cover laminate. Just "Peel and Seal".

Keep Information Protected from Oil, Dust, Dirt & Water Insert Your Card and Seal





PRICE PER PACK OF 25

	PROD#	COLOR	Tags Per Pk	1-3 Pks	4-9	10-19	20-39	40-99	100+
	PAS101	White	25						
1 3/4"	PAS106	Green	25				1.00	ı]
	PAS104	Red	25				Pricing)]
X	PAS103	Orange	25			Call For	•		1
3 1/4"	PAS102	Yellow	25						1
3 1/4	PAS107	Lt Blue	25						1
	PAS105	Lt Green	25						1

PRICE PER PACK OF 25

	PNUD#	COLOR	lags rei FK	1-3 FKS	4-9	10-19	20-39	40-99	100+	
	PAS201	White	25							
	PAS206	Green	25						1	
2 1/4"	PAS204	Red	25				pricing		1	
	PAS203	Orange	25			Call For	F1.		1	
X	PAS202	Yellow	25			Gan]	
4 1/4"	PAS207	Lt Blue	25]	
, .	PAS205	Lt Green	25						1	

PRICE PER PACK OF 25

	PROD#	COLOR	Tags Per Pk	1-3	4-9	10-19	20-39	40-99	100+
	PAS301	White	25						
3 1/4"	PAS306	Green	25				_]
3 1/4	PAS304	Red	25			Call For	pricing		1
X	PAS303	Orange	25			call For	100		1
= 4/0!!	PAS302	Yellow	25		'	Can			1
5 1/2"	PAS307	Lt Blue	25						1
	PAS305	Lt Green	25						1

4" x 6" Size and Other Sizes Available!

Call For: Other Sizes & "Pre-Printed" Peel & Seal Tags!

30

Tel: (800) 221-1311 Tel: (718) 442-4900

Fax: (718) 442-2124



TechBrite Reflector Strips





TechBrite Reflector Strips

2" x 12" or 1.5" x 12 inch sizes. These aluminum reflector strips are perfect for identifying poles at night, delineating curb sides and helping traffic flows. TechBrite reflector strips use 3M's Engineer's grade material on .020 anodized aluminum.





3M Metal Reflective 2" & 3"

Numbers & Letters

Horizontally or Vertically Mounted



3M, Metal Reflective, Numbers & Letters

Durable, UV stabilized, baked enamel, black paint on 3M's highly reflective, outdoor, engineer grade .material. Available in characters 0-9 and A-Z, symbols and standard or custom wordings and designs. Horizontal or vertical mounting in channel holders. Available with holes for direct mounting.

See page 15 for our 1" reflective numbers and letters.

Call for Pricing!

3M REFLECTIVE Guy Guards

Guy Wire Markers





3M Reflector ... Guy Guards

Tech's, Guy Wire Guards <u>add to the safety of any area</u>. Made of high impact, UV stabilized plastic, Tech's guy wire makers are available in yellow, white, grey, orange or reflective and are REA approved. Available with several attachment options including a large stainless clamp, plastic tie wrap, poly strap with buttons, a plug option or you can order with no attachment.

Normal inside diameter is 1 1/4"
Outside diameter is 1.775"
Length 8 feet
Standard packaging is 25 per pack



Tel: (800) 221-1311 Tel: (718) 442-4900



PRODUCTS, INC.

Poly Dome Markers




Poly Dome Markers

Poly-Domes are mounted to white posts. Both the domes and posts are UV treated. Printing and graphics on both sides of dome. Graphics are chemically etched into the dome. Poly-Domes are 16" high with a $3 \frac{1}{2}$ " diameter. Poly dome posts come in 6', 7' and 8' lengths with a wall thickness of 0.216". (Other lengths are available)

Available in Orange, Yellow, Green or White. Print colors are black and white.

ITEM	Description	Length	25	100	500	1000
PDM0001	Dome + Post	6'		Call For F	ricing	
PDM0002	Dome + Post	7'		Call For F	ricing	
PDM0003	Dome + Post	8'		Call For F	ricing	

Utility Markers



Cable & Pipeline Markers

Sizes: 3.75" x 66" 3.75" x 72"

Colors: Orange, Yellow, White, Red and Blue



The line marker is made from <u>high impact fiberglass</u>. Specially formulated for UV protection. The uniquely designed symmetrical three rib profile will flex upon impact and return to its original upright position.

We can also provide a line marker that uses a specially formulated <u>UV plastic</u>. This lightweight, curve-shaped marker is designed for areas with heavy traffic and/or large mowers.

Copy and graphics can be custom made and added to sign before delivery.

Call For Pricing ... 1-800-221-1311

Flexi-Guide Posts



Flexi-Guide ... Flexible Highway Delineator Posts

These "<u>Driveable</u>", impact resistant, posts are available with a number of standard and special options, including <u>reflective sheeting</u>, <u>message decals</u>, <u>custom colors and lengths</u> and <u>various anchors</u>.

TECHFlex-D (Double Curve) & TECHFlex-S (Single Curve) standard colors are White, Yellow & Grey. Posts and delineators are packaged in boxes of 25 pieces; 500 pieces per pallet. All TECHFflex-S posts meet U.S. DOT specifications.

Made with high performance plastic using engineering thermoplastics these markers meet the challenges of various soils, climate and traffic control requirements.

Call For Pricing ... 1-800-221-1311

Tel: (800) 221-1311 Tel: (718) 442-4900

Fax: (718) 442-2124









Aluminum Post Reflectors ... Attach to Sign Posts!

<u>3 1/8" Wide x 30" High.</u> These 0.080" thick aluminum reflectors increase sign visibility day and night. Use on standard U-Channel, square or round sign posts. Installs easily with nuts and bolts. Promotes safety ... All the time!

Safety First!

Comes in red (Engineer Grade) reflective or fluorescent/yellow green (Diamond Grade)..one side.



Tech's Conspicuity Tape Reflective!

2" Wide x 150' Long Rolls. Alternating 11" bands of red and 7" bands of white prismatic reflective. Sub surface printing protects the color form UV and solvents for superior durability. Bright red color provides excellent visibility even during daylight hours. Exceeds NHTSA requirements for marking vehicles.

7 Year Warranty!



ANSI Compliant Hard Hats

Fully Adjustable! ... Squeeze Lock Suspension

Comes with Front replacement sweatband. Six point, deluxe, nylon strap suspensions. Meets ANSI Z89, 1-1997 type 1, Class E, G & C specs.





Tech's...Bird B-Gone Bird Flight Diverter Protects Birds from Collisions with wires.

- Fast Installation (Hot Stick available for power and telephone lines).
- Fully tested and developed by biologists to be the most effective diverter.
- Uses materials that glow at night up to 10 hours.
- Spins in the wind ... Alerting birds of obstructions.
- Rugged spring loaded clamp prevents slippage.
- Unique "Moon Shine" system reflects UV + visible light even in low light/fog conditions.











Tel: (800) 221-1311 Tel: (718) 442-4900

TECH

Reflective Safety Clothing



Class II garments. Where traffic speeds exceed 25 mph. Suitable for railway workers, school crossing guards, parking and toll gate personnel, airport ground crews and law enforcement personnel directing traffic.



Class III garments provide the highest level of visibility. Where traffic speed exceeds 50 mph. The standard recommends these garments for all roadway construction personnel and vehicle operators, utility workers, survey crews, emergency responders, railway workers and accident site investigators



ANSI 107 Compliant Reflective Vests

Machine washable. Bright, lightweight polyester. 2" 3M reflective tape. Two 360 degree horizontal stripes, two vertical shoulder stripes. Hook & Loop closures.

#OGVNYzz

Fluorescent Yellow or Orange. Flr Yellow Sizes: Small to 10X Flr Orange Sizes: Small to 6X



Plus ANSI 107 Compliant Flame With Flame Retardant

PRODUCTS.INC.



100% Modacrylic with FR 3M reflective tape. Machine washable. Two 360 degree horizontal stripes, two vertical shoulder stripes. *Flame retardant* binding, thread, hook & loop. Meets ASTM1506 requirements.

#OGVNFRYzz

Fluorescent Yellow.

Fluorescent Yellow Sizes: Small to 6X



Economy Vest ... MUTCD compliant. Mesh Safety Vest

(Vinyl Coated 100% Polyester) With or without Reflective Stripe.

100% polyester mesh in DayGlow red/orange. Flat weave construction. 7 oz., Vinyl coated. 3/4"x2" front velcro closure. 3/4" x 8" elastic side straps. 1 3/8" verticial yellow strip front and back. Conforms to MUTCH Sect 6F-3, VI-60 (C) Rev. 5.

#OGVENOzz

DayGlow Orange.

DagGlow Orange Sizes: Small to 6X



ANSI 107 Compliant Reflective Vests ... Short Sleeve Our Most popular ... Short Sleeve

Bright, lightweight polyester fabric. Includes 2" 3M reflective tape. Two horizontal stripes plus two vertical shoulder stripes plus four sleeve stripes. Hook & loop closure. Machine washable.

#OGSSYzz

Fluorescent Yellow or Fluorescent Orange. Fluorescent Yellow Sizes: Small to 6X Fluorescent Orange Sizes: Small to 6X ANSI CLASS
3

#OGSSOzz

Hook & loop closure

Four Sleeve stripes

Reflective striping and background material compliant with Class 3 configuration.

Lightweight material

Flame resistant under NFPA 701.



ANSI 107 Compliant Reflective Sweatshirt

#OGSLOzz

Fluorescent Yellow or Flr. Orange. Fluorescent Yellow Sizes: Small to 6X Fluorescent Orange Sizes: Small to 6X Crew Neck Class 3 sweatshirt keeps wearers warm, but not too warm, and protected in high risk work environments and a wide range of weather conditions. Designed with two bands of 2" wide 3M Scotchlite reflective tape on each arm plus two vertical shoulder stripes plus one 360* reflective band that encircles the torso. Independently Certified to meet the ANSI Class 3 standard. Fabric: Made of Whisk-It(TM) treated 100% polyester, specially engineered to open up sealed fibers and create a moisture transport tunnel which continuously moves perspiration away from body. Machine washable.



ANSI 107 Compliant Reflective T-Shirt

100% polyester with Whisk-It treatment to open up sealed yarn fibers which whisk away perspiration from the body. Cooler and more comfortable than cotton. *Fluorescent Yellow or Flr. Orange*. Fluorescent Yellow Sizes: Small to 6X Fluorescent Orange Sizes: Small to 6X



ANSI 107 Compliant Reflective Bomber Jacket

Classic aviator style bomber jacket. Fluorescent Yellow PVC coated polyester plus 3M Scotchlite reflective tape. Nylon lining. Removable inner polar fleece.

#OGBLYzz

Fluorescent Yellow.

Fluorescent Yellow Sizes: Small to 6X




Tel: (800) 221-1311 Tel: (718) 442-4900 Fax: (718) 442-2124





PRODUCTS.INC.

Warning Flags




Warning Flags

Custom print your flags with the legend of your choice. 5" x 4" flag with your choice of plastic, steel or fiberglass shaft. Standard shafts are 18" long. Call for others sizes.

Available in Yellow, Blue, Green, White, Orange, Brown or

Snow Poles



Heavy Duty... Snow Poles

Made from the strongest plastic polyolefins, Tech's snow poles withstand temperatures to as low as -76 F.

Available in standard 5, 6, 8 and 10 foot lengths. Mount easily with our Nylon Tie Straps (up to 36" lengths).

Colors: Fluorescent Orange, Fluorescent Yellow, Fluorescent Yellow-Green, Maintenance Orange, Yellow, Red, Blue, Green and Black.

Optional Reflectors are also available. Please call 1-800-221-1311.

Use to Mark

- Road snow removal
- Culverts & Drains
- Fire Hydrants
- Junction Boxes
- Snowmobile courses.
- Cross Country Ski courses.
- Snow fencing
- Walk paths

Shelf / Aisle Signs



EVERLAST ... Shelf, Street and Pole Signs



1 or 2 Sided. Solid black polypropylene characters are permanently embedded in the bright yellow, orange or white polypropylene substrate. You can cut it, scratch it, even dig into it with little or no effect on the embedded character.

Extruded Aluminum Tagholder.















Mount Horizontally or Vertically



Nuts & Bolts







EVERLAST ... Nuts, Bolts & Washers

NBA 5/16th" Aluminum Break-A-Way Nut. Requires a standard wrench or Visegrip for installation. When nut is

tight, keep twisting firmly to break off hex head.

o10-036500 BOW2 <u>5/16th" x 2" One Way Vandal-Resistant Bolt.</u> Zinc plated steel head of bolt cut away for one way tightening

only with straight edge screw driver. Use with NBA <u>Call</u> breakaway nut. <u>1-800-221-1311</u>

SAVE1 2" x 3" Square Washer for other shapes

010-022501 SAVE1 2" x 3" Square Washer.


Ribbed aluminum. One 3/8" diameter hole. mount & sizes!

between sign and post.

020-0203 Threaded, Aluminum Wire Fence Brackets. 1 1/2"x 4".

Comes with two 5/16" x 2" one way screws.

Pole Sign-Fasteners





Tech Stainless Steel, Sign Fasteners & Straps

Flanged, heavy duty bolt fasteners with stainless steel bands for attaching signs, markers and reflectors to round poles.



36

Tel: (800) 221-1311 Tel: (718) 442-4900 Fax: (718) 442-2124









STEEL U-Channel Posts







Composite U-Channel Posts



6, 7 or 8 Foot, Steel, U-CHANNEL POSTS

Our U-Channel sign posts are approved by the Federal Highway Administration (FHWA) and the American Association of State Highway and Transportation Officials (AASHTO). They comply with the mechanical requirements for grade 60 steel of ASTM A499 and the chemical requirements for grade 1080 steel of ASTMA576.

Posts are available in Green Baked enamel or Galvanized. Posts weigh approximately 2 pounds per foot.

3/8" diameter holes start 1" from top of post and are spaced every 1 inch, center to center.

Item ID#	Description	Length	25	50	100	
Post-Green-6	Green Baked Enamel	6 Foot	Call Fo	r Pricing		
Post-Green-7	Green Baked Enamel	7 Foot	Call Fo	r Pricing		
Post-Green-8	Green Baked Enamel	8 Foot	Call Fo	r Pricing		
Post-Galv-8	Galvanized Steel	8 Foot	Call Fo	r Pricing		

Mount Signs up to 24" x 24"

6, or 8 Foot, Composite U-Channel Posts

1/8" thick composite material.
5 times stronger than steel posts.
75% lighter than steel posts.
Maintenance free. Never rusts.
Green, White or Yellow.
Molded Point bottom for quick installation.


<u>Standard sizes:</u> 6', or 8'. Call for other sizes and colors.

Closed U-Channel profile allows for <u>placing **Reflector-Strips** on front.</u> Posts come drilled 1" down from top every 3" to 21". Posts can be easily drilled with additional holes.

FREE with each post: 2 Steel nuts, bolts & nylon washers.

Call For Pricing!

Composite Square Post



Mount Signs up to 36" x 36"

8 or 10 foot, Composite Square Posts

1/4" thick composite material, 5 times stronger than steel posts.
75% lighter than steel posts.
Maintenance free. Never rusts.
Green or White.
Quick Install with 2 1/4" ground sockets.
2 1/4" ground sockets available.

2 1/4" ground sockets available.

<u>Standard sizes:</u> 8' or 10' Call for other sizes and colors.

Square profile allows for you to place <u>Reflector-Strips</u>. on front of post. Posts can be easily drilled with additional holes. Will not conduct electricity or interfere with radar.

Call For Pricing!





「el: (800) 221-1311 「el: (718) 442-4900 Fax: (718) 442-2124





Storage Boxes

SB3




EVERLAST ... Storage Boxes.

All steel construction with molded plastic compartments. 18" x 12" x 3" high.



ITEM ID#	Description	Capacity	1-5	6-10	11-25	26 +
SB1	For 1" and 2" char. Size Tags	21 Compartments				
SB3	For 3" char. Size Tags	20 Compartments		Call for	Pricing	
SBA	Adjustable Size Compartments					



Tie Straps (Cable Ties)

Heavy Duty, nylon, tie straps for all types of fastening applications.

Item	Overall	Tensile	Price	Price
Code	Length	Strength	Each	Bag
TSB-6/30-100	6 in.	30lbs.		
TSB-8/30-100	8 in.	30lbs.		
TSB-11/50-100	11 in.	50lbs.	Call	Call
TSB-14/50-100	14 in	50lbs.	for	for
TSB-14/175-100	14 in	175lbs.	Pricing	Pricing
TSB-18/175-100	18 in	175lbs.	- moning	- moning
TSB-21/175-100	21 in.	175lbs.		
TSB-24/175-100	24 in.	175lbs.]
TSB-30-175-100	30 in.	175lbs.		

Tie Cutter & Tightener Gun

Nails & Washers



Nails & Washers

Round, square or spiral, aluminum nails. Round, copper nails. All nails are 1.5 inches long.

Neoprene washers.

Part	Item	Quant.	Price
Description	Code	per Box	per Box
Aluminum, round shank	NALRD15	580	
Aluminum, square shank	NALSQ15	580	Call
Aluminum, spiral shank	NALSP15	580	for
Copper, round shank	NCORD15	170	Pricing
Neoprene washers	WNEO	650	

Tel: (800) 221-1311 Tel: (718) 442-4900







Numbers & Letters

Horizontally or Vertically Mounted






EVERLAST ... 6" Number & Letter ... Tower Markers

Our aerial observation tags and markers are superior to everything on the market bot for their ling lasting, high visibility and low cost to maintain. The **EVERLAST** system is designed and proven to last in the harshest environmental conditions and the transmission tower has to be among the worst of these conditions. The manpower and time lost replacing fading markers and tags is huge. Do not put up unproven tags that will fade in 10 or 20 years. Use **EVERLAST** and never worry about your transmission tower tags again.



Call for pricing!...800-221-1311.





EVERLAST ... Crossing Signs

10" x 14" **EVERLAST** Crossing Signs signal trouble areas. UL tested to last over 30 years. Will never chip, tear, corrode or delaminate. Thick 1/4" construction ... Won't bend in the wind.

Withstands saltwater, acid rain, chemicals, alkalies and acid solutions. Withstands temperatures from -40 to 220 degrees fahrenheit. UV stabilizers are "molded-in" throughout the thickness of the sign. **EVERLAST** when you absolutely, positively need a sign that you will never have to replace!

thickness of the sign. **EVERLAST** when you absolutely, positively need a sign that you will never have to replace!


ITEM 1 10 25 50 100 250

EL12KYX Call For Pricing

We will mostly MEET or BEAT the price of any

We will mostly MEET or BEAT ... the price of any lower quality sign (like Lexan, fiberglass or porcelain)! Call us

EVERLAST° Indestructible Vault Markers



EVERLAST ... Vault Markers

EVERLAST ... Underground Vault Markers are a combination of "2-Inch" and "3-Inch" EVERLAST numbers and letters ... Inserted into a 3 inch Poly Tagholder Cross. A 3/8" diameter hole is used to attach the marker. These markers are UL tested to remain legible for a least 30 years!





Tel: (800) 221-1311 Tel: (718) 442-4900 Fax: (718) 442-2124



ainted Name & Data Plates



square... to 1 x 6 foot Sizes

Embossed Materials & Thickness	Legibility
Aluminum .025", .032", .050", .063"	Lifetime
Stainless Steel .030" .060"	Lifetime
Brass .032" .060"	Lifetime
Cold Rolled Steel .035" .047" .059"	Lifetime
Tin Plated Steel .015"	Lifetime
Hot Dipped Galvanized .035"	Lifetime

TECH-3D Embossed Name and Data Plates! Never wear away!!! Durable and UV resistant. Superior and more durable than aluminum foil, Mylar or Vinyl film labels. Provided with self adhesive backing or mounting holes. Holes can be .125", .22", .25", .31" or please specify. Square or rounded edges.

TECH-3D Embossed "UnPainted" Name and Data Plates are easily read without paint or ink for contrast. Ideal for labeling or identifying:

- **Boilers**
- Fuel Storage Tanks
- Electrical Equipment
- **Motors**
- Hot Water Heaters
- Refrigeration Units
- Air Conditioners
- Truck Bodies
- **Trailers & Containers**
- Mobile Equipment
- Chassis
- **Axles**
- Food Processing Equipment
- Metal Doors & Frames
- Windows & Frames

The deep embossing of TECH-3D Embossed "UnPainted" Name and Data Plates makes them legible for ever ... Even when painted over.

Use Tech's stamped, consecutive numbering option for your products' serial numbers, etc.

Stamping Presses Available!

- 1. Return Lever
- 2. Thickness adjust
- 3. Impression depth
- 4. Operating handle














Large Name & Data Plates

Over 48 Square Inches ... To 6 foot lengths.







Silver Color of Metal

Custom Colors Available.

Background Colors:
See Above.

Brown Peacock Blue

Gold

Holes or Adhesive Backing

Square or Round Corners

Odd Shapes

Thickness of Material: See Above.

TECH-3D Embossed Name and Data Plates! Never wear away!!! Durable and UV resistant. **Baked enamel colors.** Superior and more durable than aluminum foil, Mylar or Vinyl film labels. Provided with self adhesive backing or mounting holes. Holes can be .125", .22", .25", .31" or please specify. Square or rounded edges.

<u>Since 1948</u>, we have been supplying customers with name and data plates with cast-like, highly raised, embossed copy. The bold, 3-dimensional letters formed in our very high tonnage presses cannot be destroyed by scratching, abrasion or overpainting. Printed, anodized and even etched plates cannot match the permanent legibility of TECH-3D Embossed Name and Data Plates!









Tel: (800) 221-1311 Tel: (718) 442-4900 Fax: (718) 442-2124



Aluminum Data Plates

Embossed Materials & Thickness Legibility Aluminum .025", .040", .050", .063"



- Background Colors: See Above.
- Holes or Adhesive Backing
- Square or Round Corners
- Odd Shapes
- Thickness of Material: See Above.




Name Plates

Embossed Materials & Thickness Legibility Aluminum .025", .040", .050", .063" Lifetime

- Brilliant, baked enamel colors
- Highly raised copy & deep relief!
- 1/2" square to 6 feet!




800-221-1311



PRODUCTS.INC.

1/2 inch square to 6 feet sizes!







Brass

Data Plates

Embossed Materials Thickness Legibility

Brass .032" .060" Lifetime

Background & Copy Colors


Yellow
White
Black
Red
Orange
Dk Blue
Green
Brown
Peacock Blue
Gold Color of Metal

- Background Colors: See Above.
- Holes or Adhesive Backing

Custom Colors Available.

- Square or Round Corners
- **Odd Shapes**
- <u>Thickness of Material:</u> <u>See Above.</u>





Brass or Anodized Aluminum Name Plates

- Brilliant, baked enamel colors
- Highly raised copy & deep relief!
- 1/2" square to 6 feet!



800-221-1311







Stainless Steel

Data Plates

Embossed Materials & Thickness Legibility
Stainless Steel .030" .060" Lifetime

CERTIFIED BY:

CAMBRIDGE, MININ.

MAX. ALLOWABLE WORKING PRESSURE

PSI AT PSI

MIN. DESIGN METAL TEMPERATURE

OF AT PSI

MFR'S, SERIAL NO.

VEAR BUILT

OWNER'S SERIAL NO.

D.O.T. SPECIFICATION MG-331

MAT'L. SPECIFICATION MG-331

WATER GAPACITY-LBS.

ORIGINAL TEST DATE

DESIGN PRESSURE

P.S.I.G. TEMP. OF.

TAIK VOLUME

GAL. O.D. III.

SUPFACE AREA SO.D.T. D.R.

MFD SHELL THK. III. SHELL MIN.

MFD HEAD THK. III. SHELL MIN.

OVERALL LOTH. FST. III.

MAX. DESIGN DERSYNCE

VAPOR PRESSURE OF CONTENTS NOT TO

EXCEED 215 P.S.I.G. AT 100 OF

8" x 13"
3D Embossed, Stainless Steel Data Plate.

Stainless Steel Name Plates

Yellow White Black Red Orange Dk Blue Green Brown Peacock Blue Gold Silver Color of Metal

Custom Colors Available.

- Background Colors: See Above.
- Holes or Adhesive Backing
- Square or Round Corners
- Odd Shapes
- <u>Thickness of Material:</u> See Above.





1/2 inch square to 6 feet sizes!







Tel: (800) 221-1311 Tel: (718) 442-490(Fax: (718) 442-2124





Aluminum & Stainless Steel

Danger & Caution Signs

Embossed Materials & Thickness Legibility Aluminum .025", .040", .050", .063" Lifetime Lifetime Stainless Steel .030" .060"

- Brilliant, baked enamel colors
- Highly raised copy & deep relief!
- 1/2" square to 6 feet!

TECH-3D Embossed Danger, Warning and Caution Signs comply with 0SHA & ANSI regulations for potential hazards. They remain legible for the life of your product. The 3-dimensional legibility is unaffected by dirt, oil, grease ... Or even over-painting.

Note 1: For harsh outdoor environments and <u>lifetime color and legibility</u> see our EVERLAST Indestructable, Injection-Molded Signs on the following pages.

Note 2: For areas where long term legibility is not a prime consideration, we also offer Accident Prevention Signs in screen printed flat metal, Lexan, Mylar, Vinvl or foil.







TECH-3D° 3" & 6" Numbers & Letters Horizontally or Vertically Mounted

Embossed ... Metal Numbers & Letters

Deep Embossed, black characters on yellow aluminum. The highly raised characters are ideal for underground applications where silt, oil or dirt may cover the markers. Can be used for both Horizontal or Vertical mounting

ITEM ID#	1000	500	250	100
SI3YExx (A-Z, 0-9) 3" Embossed Metal		Call for F	Pricinal	
SI6YExx (A-Z, 0-9) 6" Embossed Metal		<u>Oun for f</u>	menig.	



Hold 1, 2, 3, 4, 5, 6, 7, 8 or 9 of our 3" tall characters. Excellent for long lasting, quick change signs... especially in outdoor environments. Holders can be attached using nails, bolts, rivets, magnets or metal banding.

Aluminum Channel Holders... For 3" Metal Tags for Horizontal or Vertical Mounting

ITEM ID#	Qty	Holds 2	Holds 3	Holds 4	Holds 5	Holds 6	Holds 7
	up to 99						
CH30xyM	100 - 249	<u>.</u>	Call for	r Pricin	<u>g!</u>		
,	250 - 499						

x ... Use to designate quantity to hold.

y ... Use to designate either Horizontal (y=H) or Vertical (y=V)

Aluminum Channel Holders... For 6" Metal Tags for Horizontal or Vertical Mounting

Tot Honzontal of Vertical mounting							
ITEM ID#	Qty	Holds 2	Holds 3	Holds 4	Holds 5	Holds 6	Holds 7
CH60xyM	up to 99 100 - 249 250 - 499	_	Call foi	r Pricin	<u>g!</u>		








Pole Tags Anodized Aluminum

Materials & Thickness Legibility .032" Anodized Aluminum Lifetime

- 1.5 x 8 inch. Anodized aluminum pole tags. These tags are one piece and sequentially numbered.
- The numbers and letters are "deep engraved" for long term, permanent legibility.
- Optional bar codes can be engraved at bottom of tag or attached using pressure sensitive labels.
- The pole tags fit snugly into Tech's aluminum tag holders.
- Mount Horizontally or Vertically!





Traffic Signs **MUTCD COMPLIANT!**

Materials and Thickness

.063", .080" Aluminum

Legibility Subject to Use

Durability &

All Tech traffic signs are MUTCD compliant and are manufactured to U.S. Bureau of Public Roads Standards. Tech uses the industry standard 3105 and 5052 Alloy Grade aluminum on all its traffic control signs.

Please specify Engineer's Grade Reflective or High Intensity reflective aluminum.

See Page 37 for U-Channel **Mounting Posts**





46







PRODUCTS.INC.

Parking Lot Stencils



NO SMOKING

Heavy Duty ... Parking Lot Stencils Handicap Stencil

Stencils are made of 1/8" thick plastic. Paint is applied using spray, brush or roller. When finished, paint will flake off stencil for easy cleaning. Great for parking lots, warehouses, schools, etc.

Letter or Number ... Stencils

Stencils are made of 1/8" thick plastic. Paint is applied using spray, brush or roller. When finished, paint will flake off stencil for easy cleaning. Great for parking lots, warehouses, schools, etc.

Part	Letter/Number/Size
Sten01xx	1" Letter/Number
Sten02xx	2" Letter/Number
Sten03xx	3" Letter/Number
Sten05xx	4" Letter/Number
Sten06xx	6" Letter/Number
Sten08xx	8" Letter/Number
Sten10xx	10" Letter/Number
Sten12xx	12" Letter/Number
Sten18xx	18" Letter/Number
Sten24xx	24" Letter/Number
Sten30xx	30" Letter/Number
Sten36xx	36" Letter/Number
Handi1	24" x 32" Handicap Stencil
Handi2	38" x 44" Handicap Stencil

Use "xx" at end of part number to designate which number or letter you are ordering.

Made out of tough

cast-aluminum.

Embossed Metal Tape System



Features

Features a front scissor cutoff and a built-in holepunching device that creates a hole for hanging and tacking.

Imprints 1/2" (12 mm) wide metal and vinyl tapes that withstand weather, temperature and corrosion.

Metal Tape Embossing System Embossed ... Labeling Made Easy Industrial Strength Labeler

Tapes:

Aluminum or Stainless Steel

1/2" Aluminum with /Adhesive Tape Backing

Size: 1/2" x 12'

.011" Thick.

TECH PRODUCTS INC

1/2" Aluminum Tape (No Adhesive)

Size: ½" x 16'

.005" Thick.

TURN OFF •

1/2" Stainless Steel Tape (No Adhesive)

Size: 1/2" x 21'

.005" Thick.

A/25267

Write-On Markers




Write-On Markers

2" x 2 ½" ... 0.030" thick

Great for fast underground marking, these flexible, write-on, polyester markers come in standard 2" x 2 1/2" sizes.

Colors are: White, Blue, Green, Yellow and Blue.

Two, 1/4" holes are standard.











Tel: (800) 221-1311 Tel: (718) 442-4900 Fax: (718) 442-2124

ATTENTION MAILROOM:

If the addressee is no longer with your organization, please forward to the Standards Engineer or Purchasing Department. Thank you!

PRST STD U. S. POSTAGE PAID TECH PRODUCTS