


make the right connection



EPIC[®] Connector Kits McMaster-Carr[®] Cross Reference



LAPP GROUP

Standard EPIC® HBE Kits

Kit includes all components needed to make electrical connection. Inserts are screw terminated with wire protection. Rated current 16 amp. Screw termination wire gauge range 20-14 AWG. Hoods and bases standard grey. Meets IP65, NEMA 4 and NEMA 12.



Lapp Part Number	McMaster-Carr Part Number	Termination Type	Number of Contacts	Entry Size
Side Entry Hoods with Single Lever Panel Mount Base with Cover				
61000030	3240K11	Screw	6	1/2" NPT
61000031	3240K15	Screw	6	1/2" NPT
61000032	3240K16	Screw	10	1/2" NPT
61000033	3240K17	Screw	16	3/4" NPT
61000034	3240K18	Screw	24	3/4" NPT
61000035	3240K19	Screw	48	1-1/4" NPT
Top Entry Hoods with Single Lever Panel Mount Base with Cover				
61000036	3240K21	Screw	6	1/2" NPT
61000037	3240K22	Screw	10	1/2" NPT
61000038	3240K23	Screw	16	1/2" NPT
61000039	3240K24	Screw	24	3/4" NPT
61000040	3240K25	Screw	48	1-1/4" NPT
Side Entry Hood with Double Lever Panel Mount Base with Cover				
61000041	3240K12	Screw	10	1/2" NPT
61000042	3240K13	Screw	16	3/4" NPT
61000043	3240K14	Screw	24	3/4" NPT
Top Entry Hood with Double Lever Panel Mount Base with Cover				
61000044	3240K26	Screw	10	1/2" NPT
61000045	3240K27	Screw	16	3/4" NPT
61000046	3240K28	Screw	24	3/4" NPT
61000047	3240K29	Screw	32	1-1/4" NPT

Technical data for HBE Series Inserts

Temperature Range:	-40°C to +100°C
Voltage:	600V
Current:	16 Amp/Contact
Wire Size:	20-14 AWG

Approvals



Vibration Resistant EPIC® Connector Kits


Kit includes all components needed to make electrical connection. Inserts have vibration resistant cage-clamp termination. Rated current 16 amp. Wire range 20-14 AWG. Hoods and bases standard gray. Meets IP65, NEMA 4, NEMA 12. Not available in plastic housing; metal only.



Lapp Part Number	McMaster-Carr Part Number	Termination Type	Number of Contacts	Entry Size
Side Entry Hood with Single Lever Panel Mount Base with Cover				
61000048	3240K33	Cage Clamp	6	1/2" NPT
Top Entry Hood with Single Lever Panel Mount Base with Cover				
61000049	3240K32	Cage Clamp	6	1/2" NPT
Side Entry Hood with Double Lever Panel Mount Base with Cover				
61000050	3240K35	Cage Clamp	10	1/2" NPT
61000051	3240K37	Cage Clamp	16	3/4" NPT
61000052	3240K39	Cage Clamp	24	3/4" NPT
Top Entry Hood with Double Lever Panel Mount Base with Cover				
61000053	3240K34	Cage Clamp	10	1/2" NPT
61000054	3240K36	Cage Clamp	16	3/4" NPT
61000055	3240538	Cage Clamp	24	3/4" NPT

EPIC® ULTRA Kits for Harsh Environments

Kit includes all components needed to make electrical connection. Inserts are screw terminated with wire protection. Rated current 16 amp. Screw termination wire gauge range 20-14 AWG. Housing and base material is a corrosion-resistant, nickel-plated die cast zinc. Stainless steel latches and bolts. Integral stain relief accommodates cable diameter range of 6-21 mm depending on housing style. Meets IP65, NEMA 4, NEMA 4X, NEMA 12.



Lapp Part Number	McMaster-Carr Part Number	Termination Type	Number of Contacts	Entry Size
Side Entry Hood with Single Lever Panel Mount Base with Cover				
61000056	3240K41	Screw	6	6-13 mm OD
Side Entry Hood with Double Lever Panel Mount Base with Cover				
61000057	3240K42	Screw	10	6-13 mm OD
61000058	3240K43	Screw	16	11-21 mm OD
61000059	3240K44	Screw	24	11-21 mm OD



ÖLFLEX®

UNITRONIC®

EPIC®

SKINTOP®

ETHERLINE®

HITRONIC®

SILVYN®

FLEXIMARK®

For more information or to connect with your local

Lapp Group representative please visit

www.lappusa.com/epickits



LAPP GROUP

