Workshop Solutions One call for complete peace of mind

Thermobile Manual Ignition Heaters Waste Oil Heaters



2 YEARS WARRANTY ONLY WITH WORKSHOP SOLUTIONS

AT400 Waste Oil Heater with Flue Kit, 85,000-143,000 Btu/hr 594 77 1350

Only £2,095.00 Weekly From: £10.81

AT500 Waste Oil Heater with Flue Kit, 123,000-210,000 Btu/hr 594 77 1360

Only £2,595.00 Weekly From: £13.39

AT307 Waste Oil Heater with Flue Kit, 68,000-102,000 Btu/hr 594 77 1340

INCLUDING FOC SPARES KIT (WORTH £50)*

Only £1,495.00 Weekly From: £7.71

OFFERS END 26 FEBRUARY AT306 Waste Oil Heater with Flue Kit, 68,000-102,000 Btu/hr 594 77 1330

HERMOBILE

Only £1095.00 Weekly From: £5.65

THERMOBILE

AT306 THERMO Thermo Waste Oil Heater with Flue Kit, 68,000-102,000 Btu/hr 594 77 1750

> **Only £1,195.00** Weekly From: £6.17

AT306THE

THERMOBIL


January Garage Equipment Offers



Hofmann Megalift 4000

2 Post Electro-hydraulic Lift

Whilst stocks last 577 77 0710





INCLUDES DELIVERY AND STANDARD INSTALLATION

Liftmaster Sprinter

3 Tonne Mid-Rise Scissor Lift 581 77 0030



The Sprinter Express Mobil II offers flexibility both in terms of floor space use, and activities in the workshop.

Thanks to the optional Mobile-Set, you can move the lift without any problem, opening up additional floor-space to revenue-generation. Meanwhile, the generous 3 tonne lifting capacity with one meter lifting height covers 90% of all activities in the workshop. The Sprinter Express Mobil II picks up the vehicle at the sill boards.

- Super ductile polymer pads protect the car's under body
- The hydraulic system of the lift works with two independent cylinders
- The anti-skid lifting platforms are galvanised and adjustable from 1400 mm to 1932 mm
- A special safety device in the hydraulic circuit substitutes the conventional security latches and protects the lift from bagging
- The mechanic synchronisation is done by torsion bars at the bottom of the lift
- The high performance oil submerged power unit with push buttons guarantees short lifting and lowering times
- The Sprinter Express Mobil II works electro-hydraulically and can be Installed without screws on almost every flat and solid surface





PRICES INCLUDE DELIVERY AND COMMISSIONING

Werther Olimp 2500

584 77 0040

Affordable computerized wheel balancer for cars and light commercial vehicles. Suitable for light duty use. Ideal for entry into wheel servicing as an extension to other services already carried out by the workshop. Affordable price means it can also double up as a back-up to a heavier-duty machine.

- Self-diagnosing and self-calibrating capability means that the balancing accuracy will be consistent
- 'Static' motorbike wheel program for faster operation (motorcycle attachments required not included)
- User-friendly cover panel with weight holder
- 3 ALU functions select the position of alloy wheel weights
- ALU S function allows the user to choose the position of alloy wheel weights
- Power Supply 1 Phase
- Rim Width Capacity 15" 20"
- Rim Diameter Capacity 10" 24"
- Motor Spin Speed 200 rpm
- Balancing accuracy -/+ 1g

Supplied with standard set of balancing cones and quick-locking handle.

WERTHER

Only £895.00