800-558-2808 imperialsupplies.com

# with Imperial<sup>®</sup> Cutting Tools & Abrasives



Dn Over 750 ITEMSI

National Distributor of Quality Maintenance Supplies Since 1958 **FEATURING** Cutting and Abrasive Safety Items & Tools

IN EFFECT 12/1/16 THRU 12/31/16 OR WHILE QUANTITIES LAST



# Call your Dedicated Account Advisor for more information.



Sabre<sup>®</sup> Drill Bit Indexes

#### Sabre® Drill Bit Indexes

Part No.	Туре	No. of Pieces	Qty.
80636	135° Sabre® Mechanics Length Drill 1/16 to 1/2 by 64ths	29	1
80635	135° Sabre <sup>®</sup> Mechanics Length Drill 1/16 to 1/2 by 64ths (3/8" Reduced Shank)	29	1
80637	135° Sabre <sup>®</sup> Jobber Length 1/16 to 1/2 by 64ths (3/8" Reduced Shank)	29	1
80638	135° Sabre <sup>®</sup> Jobber Length 1/16 to 1/4 by 64ths	13	1
80640	135° Sabre <sup>®</sup> Jobber Length 1/16 to 1/2 by 64ths	29	1

More Drill Bit Indexes Available!

# Imperial<sup>®</sup> Drill Bit Centers





Drill Bit Centers

Includes 14 popular sizes. All centers are size matched for stackability. Dimensions: 14-3/4" W x 8" H x 7-1/2" D

Heavy Duty Cabinet Center

Part No.	Туре	No. of Pieces	Qty.
60649	135° Cobalt Self-Centering	75	1
80497	135° Sabre® Drill Bit Center	88	1
80634	135° Sabre <sup>®</sup> Mechanics Length	88	1
80649	135° Heavy-duty	75	1
70649	135° General Duty	75	1

#### Sabre® Jobber Length Drill Bits

Industrial heavy-duty web strengthens the bit and reduces flexing. M2 high speed steel. Unique flute design improves chip ejection and coolant flow to the drill point, which allows for faster drilling while remaining cool. 135° splitpoint eliminates wandering.

Part No.	Size	Overall Length	Qty.
80400	1/16"	1-7/8"	6
80401	5/64"	2"	6
80402	3/32"	2-1/4"	6
80403	7/64"	2-5/8"	6
80404	1/8"	2-3/4"	6
80405	9/64"	2-7/8"	6
80406	5/32"	3-1/8"	6
80407	11/64"	3-1/4"	6
80408	3/16"	3-1/2"	6
80409	13/64"	3-5/8"	6
80410	7/32"	3-3/4"	6
80411	15/64"	3-7/8"	6
80412	1/4"	4"	6
80413	17/64"	4-1/8"	6
80414	9/32"	4-1/4"	6
80415	19/64"	4-3/8"	6
80416	5/16"	4-1/2"	3
80417	21/64"	4-5/8"	3
80418	11/32"	4-3/4"	3
80419	23/64"	4-7/8"	3
80420	3/8"	5"	3
80421	25/64"	5-1/8"	3
80422	13/32"	5-1/4"	3
80423	27/64"	5-3/8"	3
80424	7/16"	5-1/2"	2
80425	29/64"	5-5/8"	2
80426	15/32"	5-3/4"	2
80427	31/64"	5-7/8"	1
80428	1/2"	6"	1





#### Sabre® Mechanics **Length Drill Bits**

135° self-centering split-point eliminates walking and provides quicker penetration. Shorter overall length and reduced flute length provides increased rigidity. M2 tool steel. Ideal for drilling in high carbon steel, stainless steel and other hard metals. 111

Part No.	Size	Overall Length	Qty.	
80460	1/16"	1-7/8"	6	ASSORTMENT
80461	5/64"	2"	6	AVAILABLE
80462	3/32"	2-1/4"	6	
80463	7/64"	2-3/8"	6	
80464	1/8"	2-1/2"	6	#80636
80465	9/64"	2-5/8"	6	
80466	5/32"	2-3/4"	6	and and
80467	11/64"	2-7/8"	6	
80468	3/16"	3"	6	
80469	13/64"	3-1/8"	6	1.11
80470	7/32"	3-1/4"	6	
80471	15/64"	3-3/8"	6	
80472	1/4"	3-1/2"	6	
80473	17/64"	3-5/8"	6	
80474	9/32"	3-3/4"	6	1
80475	19/64"	3-7/8"	6	
80476	5/16"	4"	3	
80477	21/64"	4-1/16"	3	
80478	11/32"	4-1/8"	3	
80479	23/64"	4-3/16"	3	
80480	3/8"	4-1/4"	3	
80481	25/64"	4-5/16"	3	
80482	13/32"	4-3/8"	3	
80483	27/64"	4-7/16"	3	
80484	7/16"	4-1/2"	2	
80485	29/64"	4-5/8"	2	
80486	15/32"	4-3/4"	2	
80487	31/64"	4-7/8"	1	
80488	1/2"	5"	1	



#### Sabre® 3/8" Reduced **Shank Drill Bits**

All the features of Sabre® Bits but with a 3/8" reduced shank for smaller drills.

Part No.	Size	Overall Length	Qty.
80429	25/64"	5-1/8"	1
80430	13/32"	5-1/4"	1
80431	27/64"	5-3/8"	1
80432	7/16"	5-1/2"	1
80433	29/64"	5-5/8"	1
80434	15/32"	5-3/4"	1
80435	31/64"	5-7/8"	1
80436	1/2"	6"	1





# **Eye Protection**

Imperial<sup>®</sup> I-Panther Safety Glasses

Molded plastic frame with wrap around lens style for protection. Meets ANSI Z87.1.2010 requirements. 99.9% UV protection.

Part No.	Frame	Lens	Qty.
5160-2	Black	Clear	2
5160-4	Black	Clear	12
5161-2	Black	Grey	2
5161-4	Black	Grey	12
88269-2	Black	Indoor/Outdoor	2
88269-4	Black	Indoor/Outdoor	12



# FAX 1-800-553-8769 /

#### **Titanium Nitride-Coated Drill Bits**

Titanium Nitride coating increases surface hardness and has higher heat-resistance. Great for air drills. Point design and parabolic flute permit tighter hole tolerance. Wide flute results in more manageable chips and improved coolant flow.


Part No.	Size	Overall Length	Qty.
60700	1/16"	1-7/8"	6
60701	5/64"	2"	6
60702	3/32"	2-1/4"	6
60703	7/64"	2-5/8"	6
60704	1/8"	2-3/4"	6
60705	9/64"	2-7/8"	6
60706	5/32"	3-1/8"	6
60707	11/64"	3-1/4"	6
60708	3/16"	3-1/2"	6
60709	13/64"	3-5/8"	6
60710	7/32"	3-3/4"	6
60711	15/64"	3-7/8"	6
60712	1/4"	4"	6
60713	17/64"	4-1/8"	6
60714	9/32"	4-1/4"	6
60715	19/64"	4-3/8"	6
60716	5/16"	4-1/2"	3
60717	21/64"	4-5/8"	3
60718	11/32"	4-3/4"	3
60719	23/64"	4-7/8"	3
60720	3/8"	5"	3
60721	25/64"	5-1/8"	3
60722	13/32"	5-1/4"	3
60723	27/64"	5-3/8"	3
60724	7/16"	5-1/2"	3
60725	29/64"	5-5/8"	3
60726	15/32"	5-3/4"	3
60727	31/64"	5-7/8"	1
60728	1/2"	6"	1



#### Imperialloy™ Crown Series Cobalt Alloy Drill Bits

Designed to drill through the hardest materials such as stainless steel, spring steel and titanium. Manufactured to Aerospace NAS-907B specifications.

Part No.	Size	<b>Overall Length</b>	Qty.	
60563	1/16	1-7/8	5	
60564	5/64	2	5	
60565	3/32	2-1/4	5	
60566	7/64	2-5/8	5	
60567	1/8	2-3/4	5	
60568	9/64	2-7/8	5	
60569	5/32	3-1/8	5	
60570	11/64	3-1/4	5	
60571	3/16	3-1/2	5	
60572	13/64	3-5/8	5	
60573	7/32	3-3/4	5	
60574	15/64	3-7/8	5	
60575	1/4	4	5	
60576	17/64	4-1/8	3	
60577	9/32	4-1/4	3	
60578	19/64	4-3/8	3	
60579	5/16	4-1/2	3	
60580	21/64	4-5/8	3	
60581	11/32	4-3/4	3	
60582	23/64	4-7/8	3	
60583	3/8	5	2	
60584	25/64	5-1/8	2	
60585	13/32	5-1/4	2	
60586	27/64	5-3/8	2	
60587	7/16	5-1/2	1	
60588	29/64	5-5/8	1	
60589	15/32	5-3/4	1	
60590	31/64	5-7/8	1	
60591	1/2	6	1	



Web design resists breakage under stress. 135° splitpoint will not wander at the starting surface. No center punching is required. Premium grade high speed steel.

Part No.	Size	Overall Length	Qty
80562	3/64"	1-3/4	10
80563	1/16"	1-7/8	10
80564	5/64"	2	10
80565	3/32"	2-1/4	10
80566	7/64"	2-5/8	10
80567	1/8"	2-3/4	10
80568	9/64"	2-7/8	5
80569	5/32"	3-1/8	5
80570	11/64"	3-1/4	5
80571	3/16"	3-1/2	5
80572	13/64"	3-5/8	5
80573	7/32"	3-3/4	5
80574	15/64"	3-7/8	5
80575	1/4"	4	5
80576	17/64"	4-1/8	5
80577	9/32"	4-1/4	5
80578	19/64"	4-3/8	5
80579	5/16"	4-1/2	5
80580	21/64"	4-5/8	3
80581	11/32"	4-3/4	3
80582	23/64"	4-7/8	3
80583	3/8"	5	3
80584	25/64"	5-1/8	3
80585	13/32"	5-1/4	3
80586	27/64"	5-3/8	3
80587	7/16"	5-1/2	2
80588	29/64"	5-5/8	2
80589	15/32"	5-3/4	2
80590	31/64"	5-7/8	1
80591	1/2"	6	1



# Eye Protection

On-the-Job Products

# Venture II® Safety Glasses

#5125, #5126, #5127 (Qty 1)

Lenses are coated for superior scratch-resistance. Nose buds secure the glasses on face and prevent slipping. Provides 99.9% UV protection. Meets ANSI Z87.1.2010 requirements. Fully adjustable temples.



#### **DeWalt® Cordless Drill/Driver Kit** #914779-2

Series: 20V MAX. (2) 1.5 ah Li-ion batteries included. Chuck Size: 1/2". Maximum power: 300UWO. Chuck: keyless. Contains: (2) Battery packs, compact charger and contractor bag. Qty: 1



#### **Drill Doctor Model 500X**

E-Z Align System<sup>™</sup> assures correct sharpening alignment even with small bits. 135° bits and 118° bits. Sharpens 3/32" to 1/2" standard twist bits; high-speed steel, masonry, carbide, cobalt, tin-coated and split-point.

Part No.	Description	Qty.
80380	Drill Doctor Model 500X	1
80381	180 Grit Sharpening Wheel	1
80382	500X Accessory Chuck	1
80383	500X Replacement Chuck (right)	1
80384	500X Replacement Chuck (left)	1

# Stay Sharp. Know Your Drill Bits.

135° Bits are intended for hardened materials and cut less aggressively than 118° Drill Bits. 118° bits are used for soft materials such as wood. 118° bits are capable of penetrating steel but the steeper cutting angle will dull quicker.



#### **Cutting Wax**

Multi-purpose lubricant which effectively removes heat and lubricates while withstanding tremendous



pressures. Environmentally safe. Ideal for metal sawing, drilling, tapping, pipe threading and as a cement form releasing agent. Effective on stainless steel, aluminum, ferrous, non-ferrous and many exotic alloys.

Part No.	Size	Qty.
6537	2 oz	2
6538	17 oz	1

# Imperial<sup>®</sup> Cutting Oil Liquid

Extends cutting tool life while speeding the cutting process. Helps eliminate friction heat, galling and seizing. Use on drill bits, taps, reamers and other cutting tools.

Part No.	Net Weight	Qty.
7636	4 oz	2



# **Extends Cutting Tool Life**

#### Imperial<sup>®</sup> Cutting Oil #6513, #6513-1

Specially formulated, reinforced cutting compound clings to exact work area. Ideal for all types of drilling, tapping, reaming, sawing and threading operations. Greatly extends cutting tool life, while speeding cutting process. Virtually eliminates friction heat, galling and seizing. Excellent for use on all metals including aluminum, stainless steel, brass and copper.

Net Weight: 11-3/4 oz. Qty: 12 & 6.



#### **Premium Spiral Point Taps**

High-speed steel. Ideal for tapping through holes.

Part No.	Size	Qty.	Part No.	Size	Qty.
60801	#6-32	1	60818	5/8"-11	1
60802	#8-32	1	60819	5/8"-18	1
60803	#10-24	1	60820	3/4"-16	1
60804	#10-32	1	60821	3/4"-10	1
60805	#12-24	1	60825	M6 x 1.0	1
60806	1/4"-20	1	60826	M8 x 1.25	1
60807	1/4"-28	1	60827	M8 x 1.0	1
60808	5/16"-18	1	60828	M10 x 1.50	1
60809	5/16"-24	1	60829	M10 x 1.25	1
60810	3/8"-16	1	60831	M12 x 1.75	1
60811	3/8"-24	1	60833	M12 x 1.25	1
60812	7/16"-14	1	60834	M14 x 2.0	1
60813	7/16"-20	1	60835	M14 x 1.50	1
60814	1/2"-13	1	60837	M20 x 2.50	1
60815	1/2"-20	1			

#### **High Speed Steel Adjustable Round Die**

Used for cutting and repairing external threads. Adjusting screw allows cutting slightly undersized threads.

Part No.	Thread Size	Diameter	Qty.	Part No.	Thread Size	Diameter	Qty.	Part No.	Thread Size	Diameter	Qty.
60902	#6-32	1"	1	60914	7/16"-20	1"	1	60929	M5 x 0.8	13/16"	1
60903	#8-32	1"	1	60915	1/2"-13	1-1/2"	1	60930	M6 x 1.0	1"	1
60904	#10-24	1"	1	60916	1/2"-20	1-1/2"	1	60931	M7 x 1.0	1"	1
60905	#10-32	1"	1	60917	9/16"-12	1-1/2"	1	60932	M8 x 1.25	1"	1
60907	1/4"-20	1"	1	60918	9/16"-18	1-1/2"	1	60933	M10 x 1.5	1"	1
60908	1/4"-28	1"	1	60919	5/8"-11	1-1/2"	1	60934	M12 x 1.75	1"	1
60909	5/16"-18	1"	1	60920	5/8"-18	1-1/2"	1	60935	M14 x 2.0	1-1/2"	1
60910	5/16"-24	1"	1	60921	3/4"-10	2"	1	60936	M16 x 2.0	1-1/2"	1
60911	3/8"-16	1"	1	60922	3/4"-16	2"	1	60937	M18 x 2.5	1-1/2"	1
60912	3/8"-24	1"	1	60923	7/8"-9	2"	1	60938	M20 x 2.5	1-1/2"	1
60913	7/16"-14	1"	1	60924	7/8"-14	2"	1				

# **Tap Wrench & Socket**

#### **Tap Wrench & Socket**

Sliding T-handle for extra leverage.

-		9		#70000
#70299, #70296		#70209, #70210		#70202, #70295
Part No.	Description	Tap Capacity	Qty.	
70202	T-Handle Wrench	1/16" – 1/4"	1	
70295	T-Handle Wrench	1/4" – 1/2"	1	
70299	Straight Handle Wrench	10" X 2-1/4"	1	
70296	Straight Handle Wrench	18" X 1-3/4"	1	
70209	Socket	1/16 " – 1/4"	1	
70210	Socket	1/4" - 1/2"	1	

# Tap & Die Sets

#### **58-Piece Fractional** Tap & Die Set

Contains 23 taps and 23 dies. National coarse, fine and pipe threads, plus die stocks, tap wrenches, screw extractors, pitch gauge and screw driver.

Part No.	Qty.
70290	1 Set



#### **58-Piece Metric** Tap & Die Set Contains 23 taps and 23 dies. T-handle tap wrench, heavy-duty straight handle adjustable tap wrenches, thread pitch gauge,



screwdriver, hex die stocks and screw extractors.



**Spiral Point Taps** 

Manufactured out of premium high speed steel. Spiral point tap pushes chips forward, requiring less effort.



1	60937	M18 x 2.5	1-1/2"	1
1	60938	M20 x 2.5	1-1/2"	1
1				
Ro	und D	ie Stock	K	
Round Die	Stock			
Holds round	d adjustab	le dies.		
AMPLANTER 6	and the second	100 Mar	and a second second	THE R. P. LEWIS CO.
		and the second s	A STATE OF THE OWNER	NO.SOLO

Part No.	Size	Diameter	Qty
60960	#2	13/16"	1
60961	#3	1"	1
60962	#5	1-1/2"	1
60963	#6	2"	1

Reamers



#### Imperialloy<sup>™</sup> Reamers

For enlarging and aligning existing holes. Cuts stainless steel and tough alloys. Deburrs welded and punched holes. Left hand helix, right hand cut. Comes with a stop collar. Must use cutting oil.



Part No.	Cutting Diameter	Pilot Drill Hole Size	Shank Size	Qty.
80498	3/8"	1/4"	3/8"	1
80499	7/16"	1/4"	7/16"	1
80500	1/2"	5/16"	1/2"	1
80505	9/16"	5/16"	1/2"	1
80501	5/8"	5/16"	1/2"	1
80502	3/4"	1/2"	1/2"	1
80503	7/8"	5/8"	1/2"	1
80504	1"	3/4"	1/2"	1

#### Reamer Set

Enlarges and aligns existing holes. Cuts stainless steel and tough alloy. Deburrs welded and punched holes. Left hand helix, right hand cut. Comes with a stop collar. Applications: used in steel erection, automotive,



truck and trailer manufacturing and repair.

Part No.	Sizes	Qty.
81848	3/8", 1/2", 5/8", 3/4"	1

Don't forget cutting oil! See page 5.

# **Step Drill Bits**

#### **Step Drill Bits**

Replaces as many as 13 separate drill bits. Automatically enlarges and deburrs holes. Industrial grade high-speed steel.

Part No.	No. of Holes	Size Range	Increments	Shank Diameter	Qty.
80450	13	1/8" - 1/2"	1/32"	1/4"	1
80454	9	1/4" - 3/4"	1/16"	3/8"	1
80451 ★	8	9/16" - 1"	1/16"	3/8"	1
80452	12	3/16" - 7/8"	1/16"	3/8"	1
80453	6	3/16" - 1/2"	1/16"	1/4"	1

\* Requires Pilot. Others have self starting point.

# **Annular Cutters**

#### **High Speed Annular Cutters**

Provides cleaner cuts. Guide pin provides positive slug ejection. Use in conjunction with magnetic drill presses.

Part No.	Diameter	Material	Depth of Cut	Cutting Geometry	Pilot Pin	Qty
61000	1/2"	High Speed Steel	1"	Standard	61030	1
61001	9/16"	High Speed Steel	1"	Standard	61030	1
61002	5/8"	High Speed Steel	1"	Standard	61030	1
61020 ★	5/8"	Cobalt	2"	Stack Out	61031	1
61003	11/16"	High Speed Steel	1"	Standard	61030	1
61021 ★	11/16"	Cobalt	2"	Stack Out	61031	1
61004	3/4"	High Speed Steel	1"	Standard	61030	1
61022 ★	3/4"	Cobalt	2"	Stack Out	61031	1
61005	25/32"	High Speed Steel	1"	Standard	61030	1
61006	13/16"	High Speed Steel	1"	Standard	61030	1
61007	7/8"	High Speed Steel	1"	Standard	61030	1
61023 ★	7/8"	Cobalt	2"	Stack Out	61031	1
61008	1"	High Speed Steel	1"	Standard	61030	1
61024 ★	1"	Cobalt	2"	Stack Out	61031	1
61009	1-1/8"	High Speed Steel	1"	Standard	61030	1
61010	1-1/4"	High Speed Steel	1"	Standard	61030	1
61011	1-3/8"	High Speed Steel	1"	Standard	61030	1





#61020 - 61024

#### Pilot Pins

Part No.	Diameter	Depth of Cut	Qty	
61030	1/4"	1"	1	
61031	1/4"	2"	1	

\* Stack-cut geometry allows cutting through multiple layers without stopping.

FAX 1-800-553-8769 

THRU 12/31/16 OR WHILE QUANTITIES LAST

#### **Industrial Reciprocating Saw Blades**

Bi-metal blades for extra strength and flexibility. Matrix HSS edge with flexible alloy back. 1/2" shank fits standard reciprocating saws.

Part No.	Blade Type	Length	Thickness	TPI	Best Application	Qty.
71532	А	4"	.035	14	1/8"+ Ga. Metal, Fiberglass, Pipe	5
71533	A	6"	.035	10	Nail-Embedded Wood, Large Pipe	5
71534	A	6"	.035	14	1/8"+ Ga. Metal, Fiberglass, Pipe	5
71535	А	6"	.035	18	1/8"+ Ga. Metal	5
71536	А	6"	.035	24	Thin Sheet Conduit, Tube Conduit	5
71537	А	8"	.035	10	Nail-Embedded Wood, Large Pipe	5
71538	А	8"	.035	14	Stainless Tube, Cast Pipe	5
71539	В	6"	.050	6	Heavy-Duty, Extra-Fast Wood Cutting	5
71543	A	12"	.050	6	Heavy-Duty, Extra-Fast Wood Cutting	5
80763	В	12"	.050	14	Heavy-Duty, Extra-Fast Wood Cutting	5
80761 ★	А	9"	.062	10	Wood, Metal, Nail Embedded Wood	3
80762 ★	А	9"	.062	6	Wood, Metal, Nail Embedded Wood	3



BLADE TYPE A

**On-the-Job** 

**Products** 

\* Heavy-Duty Demolition

# **Reciprocating Saws**

### DeWalt<sup>®</sup> Cordless Reciprocating Saw Kit

#913492-4



Volts: 18. Features lithium-ion battery. Has variable speed cutting, 4-position blade clamp with metal reinforced blade change, and accepts 1/2" shank blades. Qty: 1

# **Circular Saw Blades**

# Metal Devil<sup>®</sup> Metal Cutting Circular Saw Blades

#80614 - #80616

Diameters 7-1/4", 10" & 12", Arbor Sizes 5/8" & 1"

Metal-cutting carbide-tipped circular saw blade. Applications: Angle iron, steel plate, channel, I-beams, pipe and other ferrous metal shapes and parts. Best performance when used with a metal-cutting circular saw.

#### Heavy-Duty Industrial Carbide Saw Blades

#71578 - #71579, #71597, #80797, #80798, #71590, #80619, #80796 Diameters 5-3/8", 6-1/2", 7-1/4", 10", Arbor Sizes M10 & 5/8"

Designed for heavy duty framing and cutting of tough materials. Alternate top bevel ground for fast clean cutting. For use on trailer floors, plywood, hardboard, plastic laminates, formica, masonite and similar hard materials.

# **Circular Saws**

#### DeWalt<sup>®</sup> Cordless Circular Saw Kit #914932-6

Volts: 20. Easy-access bevel adjustment and spindle lock for fast, convenient blade changes. Qty: 1



Milwaukee<sup>®</sup> Cordless Circular Saw #912919-6

Volts: 18. Easy-access bevel adjustment and a spindle lock help provide fast, convenient blade changes on this saw. Battery not included. Qty: 1



7-71/4"

Milwaukee<sup>®</sup> Cordless Reciprocating Saw Kit #913492-6

Volts: 18. Features variable-speed cutting for use with a wide range of materials. Keyless blade clamp for quick blade changes. Accepts 1/2" shank blades. Qty: 1



# Fasy Open Litility Knife

#### Utility Knife #7004

Heavy-duty zinc body. Includes one blade. Opens using a screwdriver. Non-slip co-molded rubber handle. Qty: 1

#### Easy Open Utility Knife #7016

Heavy-duty zinc body. Includes one blade. Easy open button to change blade. Non-slip co-molded rubber handle. Qty: 1

#### **Deluxe Retractable Scraper**

#7002 (Qty 4), #7002-4 (Qty 50)

Best push lock button system available. Use for cutting, trimming and scraping.



#### **Utility Blades**

#7003 Blades (Qty 100), #7023 Blades with Dispenser (Qty 10), #7010 Blades with Dispenser (Qty 100)

Double notch back.



Designed to fit Utility Knives, #7004 and #7016

# Hand Protection



Cut Resistant Gloves #88279-88283-4

Level 3 cut resistance. Black nitrile dipped. HPPE-High performance polymide material. Size: S - 2XL. Qty: 1 & 12 pr.

Razor Blades

#7000 (Qty 100), #7000-4 (Qty 1,000) High quality. More cuts per blade.



Designed to fit Deluxe Retractable Scraper, #7000

#### **Plastic Razor Blades**

For use on surfaces where a metal blade can cause scratches. Includes blade holder. Reversible, double-edged blade.

Part No.	Color	Compound	Uses	Qty.
6993	- Orange	Softest	Auto paint, other plastics, finished wood,	25
6993-4	Ulange	SUITEST	painted surfaces, soft surfaces	100
6996	- Blue	Medium	Fiberglass and gelcoat, gaskets, soft metals,	25
6996-4	Diue	Medium	bathtubs, uneven surfaces	100
6999	- Yellow	Llord	Windows, glass, granite, marble, tile, metals,	25
6999-4	Tellow	Hard	unfinished wood, rigid surfaces	100
6998	Plastic Ra	zor Blade Handle		1





# The Cutting Edge

Imperial's line of cut-off wheels delivers a **range of sizes, thicknesses and performance levels** to ensure you're getting the **best fit** product for every application. Cut-off wheels are designed to give the user a **fast, comfortable cut while providing long life** and **performance advantages** over conventional products.

Our **GOOD** products feature the performance you expect from an Imperial product at a competitive price point. Our **BETTER** cut-off wheels offer the best of both worlds; high quality construction at a budget-conscious price. The **BEST** wheels offer top-of-the-line solutions with impressive performance.

#### 3M<sup>™</sup> Green Corps<sup>™</sup> Cut-Off Wheels

High performing, long lasting wheel used for cutting sheet metal, frame rails, clamps and rusted bolts. Constructed with premium grade abrasives.

Part No.	Dia.	Wheel Thickness	Arbor Size	Max RPM	Qty.
73622	3" Disc	1/32"	3/8"	35,000	5
73745	3" Disc	1/16"	3/8"	28,000	5
73623	3" Disc	1/16"	3/8"	28,000	5
73623-4	3" Disc	1/16"	3/8"	28,000	50
73624	4" Disc	1/32"	3/8"	26,250	5
74780	4" Disc	1/16"	3/8"	21,000	5

#### Norton® NorZon® Plus Cut-Off Wheels

Combination of zirconia alumina and ceramic alumina for extended life. Three times the life over standard aluminum oxide wheels. For use with die grinders or right angle grinders.

Part No.	Dia.	Wheel Thickness	Arbor Size	Max RPM	Qty.
74698	3" Disc	1/32"	1/4"	25,465	5
74699	3" Disc	1/16"	1/4"	25,465	5

#### Norton<sup>®</sup> Medallion Cut-Off Blades

Zirconia alumina with fiberglass reinforcement. Used to cut sheet metal, steel rod and spot weld grinding. Can operate at higher speeds than conventional blades for faster and cleaner cuts. For use with Cut-off Wheel Arbor Set, Part No. 71469.

Part No.	Dia.	Wheel Thickness	Arbor Size	Max RPM	Qty.
73328	3" Disc	1/32"	3/8"	25,000	5
73329	3" Disc	1/16"	3/8"	25,000	5
73330	3" Disc	3/16"	3/8"	25,000	5

#### **Cut-Off Wheels**

For cutting steel body panels, muffler clamps or other general purpose uses. For use with die grinders. Always wear full face protection. CAUTION: Cut-off wheels should never be used to cut fiberglass. Use with Cut-Off Wheel Holder Set, Part No. 71469.

Part No.	Dia.	Wheel Thickness	Arbor Size	Max RPM	Qty.
72908	3" Disc	1/32"	1/4"	25,465	5
72909	3" Disc	1/16"	1/4"	25,465	5
72910	3" Disc	1/32"	3/8"	25,465	5
72910-4	3" Disc	1/32"	3/8"	25,465	100
72911	3" Disc	1/16"	3/8"	25,465	5
72911-4	3" Disc	1/16"	3/8"	25,465	100
72912	3" Disc	1/8"	3/8"	25,465	5
72913	3" Disc	1/32"	3/8"	19,100	5
72914	4" Disc	1/16"	3/8"	19,100	5
72914-4	4" Disc	1/16"	3/8"	19,100	100
72915	4" Disc	1/8"	3/8"	19,100	5



#### 3M<sup>™</sup> Clean and Strip Discs

Removes rust and paint fast. Use with hand drills. Aggressive mineral cleans faster; durable web design lasts longer. Roloc<sup>TM</sup> Holder is quick and convenient. Three dimensional abrasive web conforms to work area.



**On-the-Job** 

**Products** 

Part No.	Cross Ref.	Description	Dia.	Face Width	Max RPM	Qty
71951	07460	Clean & Strip Disc	4"	1/4"	8,000	2
71475	07466	Clean & Strip Disc	4"	1/2"	8,000	2
71476	07500	Roloc™ Holder	1"			1

#### Scotch-Brite<sup>™</sup> Roloc<sup>™</sup> Coating Removal Disc TR

Heavy duty, semi-open web used to clean rust and paint. Extra coarse grade silicon carbide. Use with hand drills.

Part No.	Cross Ref.	Dia.	Max RPM	Qty.
71822	07461	3"	15,000	2
71829	18470	4"	11,000	2

#### Norton<sup>®</sup> Bear-Tex<sup>™</sup> Speed-Lok<sup>®</sup> TR Rapid Strip Discs

Excellent for removal of rust, undercoating and seam sealers on undercarriages, wheel wells and door jams. Nylon open web construction resists loading. Three-dimensional abrasive web conforms to work area and is safer than wire bristle tools. Use with Roloc<sup>™</sup> Holder, Part No. 71476, 73220 or 73226. Use with hand drills.

DEWALT

ORTER

Part No.	Cross Ref.	Dia.	Max RPM	Qty.
73309	11782	2"	15,800	10
73310	11781	3"	12,000	10

# **Cordless Cut-Off Tool Kits**

#### DeWalt<sup>®</sup> Cordless Cut-Off Tool Kit #912851-8

Size: 4-1/2". Volts: 20. No Load RPM: 8,000. Battery: (2) Li-ion 31AC52. Includes contractor bag. Features: 2-position side handle, Quick-Change<sup>™</sup> wheel release, trigger switch. Cut metal and perform light-duty grinding and sanding applications with this cordless grinder/cut-off tool. Qty: 1

# t-Off Tool Kit

#### Porter Cable® Cordless Cut-Off Tool Kit

#920942-5

Size: 4-1/2". Volts: 20. No Load RPM: 8,500. Battery not included. Features high-performance motor for aggressive cutting, removal and finishing. Cast metal gear housing helps despite heat during extended use. Spindle lock allows for quick and easy wheel changes. 3-position side handle provides control in multiple positions. Qty: 1

FAX 1-800-553-8769 / THRU 12/31/16 OR WHILE QUANTITIES LAST

# **Innovative Grinding Solutions**

With an offering of over **700 abrasive products**, Imperial believes in helping you find the **right wheel for the job.** Our abrasives are categorized into **Good, Better and Best** tiers to help you determine the **perfect fit for each and every application**.

#### Norton<sup>®</sup> NorZon<sup>®</sup> Plus Grinding Wheel

Shape: Type 27 depressed center wheel. Applications: Stainless steel, steel and other ferrous metals. Abrasive material: Ceramic aluminum/zirconia alumina.

Part No.	Diameter	Wheel Thickness	Arbor Size	Max RPM	Qty.
74086	3" Disc	1/4"	3/8"	18,000	5
74084	4-1/2" Disc	1/4"	5/8" - 11	13,580	5
74085	4-1/2" Disc	1/4"	7/8"	13,580	5

#### Norton<sup>®</sup> Bluefire<sup>®</sup> Grinding Wheel

Shape: Type 27 depressed center wheel. Applications: Stainless steel and steel. Abrasive material: Zirconia alumina/aluminum oxide.

Part No.	Diameter	Wheel Thickness	Arbor Size	Max RPM	Qty.
74743	4-1/2" Disc	1/4"	7/8" Unhubbed	13,580	5
74749	5" Disc	1/4"	7/8" Unhubbed	12,225	1
74756	7" Disc	1/4"	5/8" - 11	8,600	5
74754	7" Disc	1/4"	7/8" Unhubbed	8,600	5

#### Norton<sup>®</sup> Gemini<sup>®</sup> XXL Grinding Wheel

Shape: Type 27 depressed center. Applications: Most materials including stainless and other hard alloys. Abrasive material: Aluminum oxide.

Part No.	Diameter	Wheel Thickness	Arbor Size	Max RPM	Qty.
74742	4-1/2" Disc	1/4"	5/8"-11	13,580	1
74752	6" Disc	1/4"	7/8" Unhubbed	10,185	1
74758	7" Disc	1/4"	5/8"-11	8,600	1
74757	7" Disc	1/4"	7/8"	8,600	1
74761	9" Disc	1/4"	7/8" Unhubbed	6,600	1

#### Norton<sup>®</sup> Gemini<sup>®</sup> Grinding Wheel

Shape: Type 27 depressed center. Applications: Stainless steel and steel. Abrasive material: Aluminum oxide.

Part No.	Diameter	Wheel Thickness	Arbor Size	Max RPM	Qty.
74744	4-1/2" Disc	1/4"	7/8" Unhubbed	13,580	1
74747	5" Disc	3/32"	7/8"	12,225	5
74751	6" Disc	1/8"	7/8" Unhubbed	10,185	5

#### Type 27 Depressed Center Grinding Wheel

Shape: Type 27 depressed center. Applications: Heavy weld grinding. Abrasive material: Aluminum oxide.

Part No.	Diameter	Wheel Thickness	Arbor Size	Max RPM	Qty.
71437	4" Disc	1/4"	5/8" Unhubbed	13,300	5
71434	4-1/2" Disc	1/4"	7/8" Unhubbed	11,900	5
71430	9" Disc	1/4"	5/8"-11	6,500	1




## **Grinding Wheel PPE**

#### Imperial<sup>®</sup> Impact **Mechanics Gloves**

Elastic cuff for secure, stayon fit. Synthetic leather palm and fingertips enhance grip. Heavy-duty fabric back for nick, abrasion and heat resistance. Sizes: M - 2XL



Part No.	Description	Size	Qty.
88004	Mechanics	Medium	1 pr.
88000	Mechanics	Large	1 pr.
88001	Mechanics	XL	1 pr.
88149	Mechanics	XXL	1 pr.
88005 ★	Impact	Medium	1 pr.
88002 ★	Impact	Large	1 pr.
88003 ★	Impact	XL	1 pr.
88012 ★	Impact	XXL	1 pr.



#### Imperial® I-Tab **Mechanics Gloves** #89160 - #89165

Synthetic leather palm and fingertips enhance grip. Padded knuckles for protection. Double stitched in high wear areas. Elastic cuff for secure stay-on fit. Heavy-duty fabric back for nick, abrasion and heat resistance. Size: M - XL. Qty: 1 pr.



#### **Heavy-Duty Face Shield**

Ratchet head gear with spark deflector secures 12" or 15-1/2" face shields. Soft, absorbent wrap-around foam cushioned sweatband gently hugs the natural shape of the head. Pin-lock size adjustment. Easily attachable shields ordered separately.

Part No.	Description	Qty.
5049	Visor Head Gear	1
5069	Clear Face Shield	1
5036	Dark Green Face Shield	1







#5036

# Safety Signage

#### Sign - Danger **Face Shield** #82710

Size: 7" x 10". Material: Plastic. Rounded corners. (4) 3/16" corner mounting holes. Qty: 1



MUST BE WORN WHEN OPERATING THIS MACHINE

#### Sign - Caution **PPE Required** #82711

Size: 7" x 10". Material: Plastic. Rounded corners. (4) 3/16" corner mounting holes. Qty: 1



**On-the-Job** 

**Products** 

**Cordless Cut-Off Grinder Kits** 

#### **New** Milwaukee<sup>®</sup> Cordless Cut-Off Paddle Grinder Kit #921481-8

Size: 4-1/2". Volts: 18. Max wheel diameter: 5". No Load RPM: 8,500. (2) Li-ion batteries included. Features: Corded power, slim design, overload protection, electronic clutch, tool-free guard and accessory changing, paddle switch. Qty: 1



#### New Bosch **Cordless Cut-Off Grinder Kit** #919074-5

Size: 4-1/2". Volts: 18. Max wheel diameter: 4-1/2". With its four-brush motor design and optimized gear design, it provides a 0-10,000 No-load RPM to handle cutting and grinding tasks in metal, masonry and tile. At only 5.3 lb., it has the best performance-to-weight ratio in its class. Qty: 1



#### Imperialok<sup>®</sup> Surface Conditioning Discs & Holders

Interchangeable with all major brands. For use with die grinders, rotary tools or hand drills.

73565       1" Disc       Very Fine       Gray       Type R        10         73566       1" Disc       Medium       Maroon       Type R        10         73567       1" Disc       Coarse       Brown       Type R        10         73568       1" Holder         Type R       40,000       1         73200       2" Disc       Medium       Maroon       H & L       -       10         73201       2" Disc       Coarse       Brown       H & L       -       10         73202       2" Holder       -       -       H & L       13,000       1         73217       2" Disc       Ultra Fine       Gray       Type R        10         73218       2" Disc       Medium       Maroon       Type R        10         73219       2" Disc       Coarse       Brown       Type R        10         73246       2" Disc       Coarse       Brown       Type S        10         73220       2" Holder       -       -       Type S        10         73220       2" Disc       Coarse <th>Part No.</th> <th>Diameter</th> <th>Grit</th> <th>Color</th> <th>Quick Lock Style</th> <th>Max RPM</th> <th>Qty.</th>	Part No.	Diameter	Grit	Color	Quick Lock Style	Max RPM	Qty.
73567       1" Disc       Coarse       Brown       Type R        10         73568       1" Holder         Type R       40,000       1         73200       2" Disc       Medium       Maroon       H & L       -       10         73201       2" Disc       Coarse       Brown       H & L       -       10         73202       2" Holder         H & L       13,000       1         73202       2" Holder         H & L       13,000       1         73217       2" Disc       Ultra Fine       Gray       Type R        10         73218       2" Disc       Medium       Maroon       Type R        10         73219       2" Disc       Coarse       Brown       Type R        10         73246       2" Disc       Coarse       Brown       Type S        10         73227       2" Disc       Medium       Maroon       Type S        10         73206       3" Disc       Medium       Maroon       Hege S        10         73207       3" Disc       Coarse </td <td>73565</td> <td>1" Disc</td> <td>Very Fine</td> <td>Gray</td> <td>Type R</td> <td>—</td> <td>10</td>	73565	1" Disc	Very Fine	Gray	Type R	—	10
73568       1" Holder       —       —       Type R       40,000       1         73200       2" Disc       Medium       Maroon       H & L       —       10         73201       2" Disc       Coarse       Brown       H & L       —       10         73202       2" Holder       —       —       H & L       13,000       1         73202       2" Holder       —       —       H & L       13,000       1         73217       2" Disc       Ultra Fine       Gray       Type R       —       10         73218       2" Disc       Medium       Maroon       Type R       —       10         73219       2" Disc       Coarse       Brown       Type R       —       10         73220       2" Holder       —       —       Type R       —       50         73246       2" Disc       Coarse       Brown       Type S       —       10         73227       2" Disc       Medium       Maroon       Type S       —       10         73227       2" Disc       Coarse       Brown       Type S       —       10         73206       3" Disc       Coarse       Brown </td <td>73566</td> <td>1" Disc</td> <td>Medium</td> <td>Maroon</td> <td>Type R</td> <td>_</td> <td>10</td>	73566	1" Disc	Medium	Maroon	Type R	_	10
73200       2" Disc       Medium       Maroon       H & L       -       10         73201       2" Disc       Coarse       Brown       H & L       -       10         73202       2" Holder       -       -       H & L       13,000       1         73202       2" Disc       Ultra Fine       Gray       Type R       -       10         73217       2" Disc       Medium       Maroon       Type R       -       10         73218       2" Disc       Medium       Maroon       Type R       -       10         73219       2" Disc       Coarse       Brown       Type R       -       50         73219       2" Disc       Coarse       Brown       Type R       -       50         73220       2" Holder       -       -       Type R       30,000       1         73245       2" Disc       Very Fine       Blue       Type S       -       10         73227       2" Disc       Coarse       Brown       Type S       -       10         73227       2" Disc       Coarse       Brown       Type S       -       10         73206       3" Disc       Coarse	73567	1" Disc	Coarse	Brown	Type R	_	10
73201       2" Disc       Coarse       Brown       H & L       -       10         73202       2" Holder       -       -       H & L       13,000       1         73217       2" Disc       Ultra Fine       Gray       Type R       -       10         73218       2" Disc       Medium       Maroon       Type R       -       10         73218       2" Disc       Medium       Maroon       Type R       -       10         73219       2" Disc       Coarse       Brown       Type R       -       50         73219       2" Disc       Coarse       Brown       Type R       -       50         73219       2" Disc       Coarse       Brown       Type R       -       50         73220       2" Holder       -       -       Type R       30,000       1         73245       2" Disc       Very Fine       Blue       Type S       -       10         73227       2" Disc       Coarse       Brown       Type S       -       10         73206       3" Disc       Medium       Maroon       H & L       -       10         73207       3" Disc       Coarse	73568	1" Holder	—	—	Type R	40,000	1
73202       2" Holder       —       —       H & L       13,000       1         73217       2" Disc       Ultra Fine       Gray       Type R       —       10         73218       2" Disc       Medium       Maroon       Type R       —       10         73218       2" Disc       Medium       Maroon       Type R       —       10         73218       2" Disc       Medium       Maroon       Type R       —       10         73219       2" Disc       Coarse       Brown       Type R       —       10         73219       2" Disc       Coarse       Brown       Type R       —       10         73219       2" Disc       Coarse       Brown       Type R       —       50         73245       2" Disc       Very Fine       Blue       Type S       —       10         73227       2" Disc       Coarse       Brown       Type S       —       10         73207       3" Disc       Medium       Maroon       H & L       —       10         73207       3" Disc       Medium       Maroon       H & L       —       10         73207       3" Disc       Grase	73200	2" Disc	Medium	Maroon	H & L	-	10
73217       2" Disc       Ultra Fine       Gray       Type R       —       10         73218       2" Disc       Medium       Maroon       Type R       —       10         73218       2" Disc       Medium       Maroon       Type R       —       10         73218       2" Disc       Medium       Maroon       Type R       —       50         73219       2" Disc       Coarse       Brown       Type R       —       10         73219       2" Disc       Coarse       Brown       Type R       —       10         73219       2" Disc       Coarse       Brown       Type R       —       50         73220       2" Holder       —       —       Type S       —       10         73245       2" Disc       Very Fine       Blue       Type S       —       10         73227       2" Disc       Coarse       Brown       Type S       —       10         73207       3" Disc       Medium       Maroon       H & L       —       10         73207       3" Disc       Kedium       Maroon       Type R       —       10         73208       3" Holder       —	73201	2" Disc	Coarse	Brown	H & L	-	10
73218       2" Disc       Medium       Maroon       Type R        10         73218-4       2" Disc       Medium       Maroon       Type R        50         73219       2" Disc       Coarse       Brown       Type R        10         73219-4       2" Disc       Coarse       Brown       Type R        10         73219-4       2" Disc       Coarse       Brown       Type R        50         73220       2" Holder         Type R       30,000       1         73246       2" Disc       Very Fine       Blue       Type S        10         73227       2" Disc       Medium       Maroon       Type S        10         73227       2" Holder         Type S       25,000       1         73206       3" Disc       Medium       Maroon       H & L        10         73207       3" Disc       Coarse       Brown       H & L        10         73208       3" Holder        -       H & L       13,000       1         73243       3" Disc       M	73202	2" Holder	—	—	H&L	13,000	1
73218-4       2" Disc       Medium       Maroon       Type R        50         73219       2" Disc       Coarse       Brown       Type R        10         73219-4       2" Disc       Coarse       Brown       Type R        10         73219-4       2" Disc       Coarse       Brown       Type R        50         73220       2" Holder         Type R       30,000       1         73246       2" Disc       Very Fine       Blue       Type S        10         73227       2" Disc       Medium       Maroon       Type S        10         73227       2" Holder         Type S        10         73206       3" Disc       Medium       Maroon       H&L        10         73207       3" Disc       Medium       Maroon       H&L        10         73208       3" Holder       -       -       H<&L	73217	2" Disc	Ultra Fine	Gray	Type R	_	10
73219         2" Disc         Coarse         Brown         Type R         —         10           73219-4         2" Disc         Coarse         Brown         Type R         —         50           73220         2" Holder         —         —         Type R         30,000         1           73246         2" Disc         Very Fine         Blue         Type S         —         10           73245         2" Disc         Medium         Maroon         Type S         —         10           73227         2" Disc         Coarse         Brown         Type S         —         10           73227         2" Holder         —         —         Type S         —         10           73227         2" Holder         —         —         Type S         _         10           73227         2" Holder         —         —         Type S         25,000         1           73206         3" Disc         Medium         Maroon         H & L         —         10           73208         3" Holder         —         —         —         H & L         13,000         1           73243         3" Disc         Medium         Maro	73218	2" Disc	Medium	Maroon	Type R	_	10
73219-4         2" Disc         Coarse         Brown         Type R         —         50           73220         2" Holder         —         —         Type R         30,000         1           73246         2" Disc         Very Fine         Blue         Type S         —         10           73245         2" Disc         Medium         Maroon         Type S         —         10           73227         2" Disc         Coarse         Brown         Type S         —         10           73227         2" Disc         Coarse         Brown         Type S         —         10           73227         2" Holder         —         —         Type S         —         10           73227         2" Holder         —         —         Type S         25,000         1           73206         3" Disc         Medium         Maroon         H & L         —         10           73207         3" Disc         Coarse         Brown         H & L         —         10           73208         3" Holder         —         —         H & L         13,000         1           73224         3" Disc         Kedium         Maroon	73218-4	2" Disc	Medium	Maroon	Type R	_	50
73220         2" Holder         —         —         Type R         30,000         1           73246         2" Disc         Very Fine         Blue         Type S         —         10           73245         2" Disc         Medium         Maroon         Type S         —         10           73245         2" Disc         Medium         Maroon         Type S         —         10           73227         2" Disc         Coarse         Brown         Type S         —         10           73221         2" Holder         —         —         Type S         25,000         1           73206         3" Disc         Medium         Maroon         H & L         —         10           73207         3" Disc         Coarse         Brown         H & L         —         10           73208         3" Holder         —         —         H & L         13,000         1           73847         3" Disc         Fine         Blue         Type R         —         10           73225         3" Disc         Coarse         Brown         Type R         —         10           73243         Bick         Yery Fine         Blue	73219	2" Disc	Coarse	Brown	Type R	_	10
73246       2" Disc       Very Fine       Blue       Type S        10         73245       2" Disc       Medium       Maroon       Type S        10         73227       2" Disc       Coarse       Brown       Type S        10         73227       2" Disc       Coarse       Brown       Type S        10         73221       2" Holder        Type S       25,000       1         73206       3" Disc       Medium       Maroon       H & L        10         73207       3" Disc       Coarse       Brown       H & L        10         73208       3" Holder         H & L       13,000       1         73208       3" Holder         H & L       13,000       1         73208       3" Holder         H & L       10       10         73224       3" Disc       Fine       Blue       Type R        10         73225       3" Disc       Coarse       Brown       Type R        10         73226       3" Holder        - <td< td=""><td>73219-4</td><td>2" Disc</td><td>Coarse</td><td>Brown</td><td>Type R</td><td>_</td><td>50</td></td<>	73219-4	2" Disc	Coarse	Brown	Type R	_	50
73245         2" Disc         Medium         Maroon         Type S          10           73227         2" Disc         Coarse         Brown         Type S          10           73221         2" Holder          Type S         25,000         1           73206         3" Disc         Medium         Maroon         H & L          10           73207         3" Disc         Coarse         Brown         H & L          10           73207         3" Disc         Coarse         Brown         H & L          10           73208         3" Holder           H & L         13,000         1           73208         3" Holder           H & L         13,000         1           73243         3" Disc         Fine         Blue         Type R          10           73224         3" Disc         Coarse         Brown         Type R          10           73226         3" Disc         Coarse         Brown         Type R          10           73225         3" Disc         Very Fine         Blue	73220	2" Holder	—	—	Type R	30,000	1
73227       2" Disc       Coarse       Brown       Type S        10         73221       2" Holder        Type S       25,000       1         73206       3" Disc       Medium       Maroon       H & L        10         73207       3" Disc       Coarse       Brown       H & L        10         73207       3" Disc       Coarse       Brown       H & L        10         73208       3" Holder         H & L       13,000       1         73208       3" Holder         H & L       13,000       1         73208       3" Holder         H & L       13,000       1         73208       3" Disc       Fine       Blue       Type R        10         73224       3" Disc       Coarse       Brown       Type R        10         73225       3" Disc       Coarse       Brown       Type R       20,000       1         73248       3" Disc       Very Fine       Blue       Type S        25         73247       3" Disc       Coarse       Brown	73246	2" Disc	Very Fine	Blue	Type S	—	10
73221       2" Holder       —       —       Type S       25,000       1         73206       3" Disc       Medium       Maroon       H & L       —       10         73207       3" Disc       Coarse       Brown       H & L       —       10         73208       3" Holder       —       —       H & L       13,000       1         73208       3" Holder       —       —       H & L       13,000       1         73208       3" Disc       Fine       Blue       Type R       —       25         73224       3" Disc       Medium       Maroon       Type R       —       10         73225       3" Disc       Coarse       Brown       Type R       —       10         73226       3" Holder       —       —       Type R       20,000       1         73226       3" Holder       —       —       Type S       —       25         73247       3" Disc       Very Fine       Blue       Type S       —       10         73222       3" Disc       Coarse       Brown       Type S       —       25         73249       3" Holder       —       —       T	73245	2" Disc	Medium	Maroon	Type S	—	10
73206       3" Disc       Medium       Maroon       H & L       —       10         73207       3" Disc       Coarse       Brown       H & L       —       10         73208       3" Holder       —       —       H & L       —       10         73208       3" Holder       —       —       H & L       13,000       1         73208       3" Holder       —       —       H & L       13,000       1         73224       3" Disc       Fine       Blue       Type R       —       25         73225       3" Disc       Medium       Maroon       Type R       —       10         73226       3" Disc       Coarse       Brown       Type R       —       10         73226       3" Disc       Coarse       Brown       Type R      10       10         73228       3" Disc       Very Fine       Blue       Type S      25       25         73248       3" Disc       Coarse       Brown       Type S      25       10         73222       3" Disc       Coarse       Brown       Type S      25       25         73249       3" Holder </td <td>73227</td> <td>2" Disc</td> <td>Coarse</td> <td>Brown</td> <td>Type S</td> <td></td> <td>10</td>	73227	2" Disc	Coarse	Brown	Type S		10
73207       3" Disc       Coarse       Brown       H & L        10         73208       3" Holder         H & L       13,000       1         73847       3" Disc       Fine       Blue       Type R        25         73224       3" Disc       Medium       Maroon       Type R        10         73225       3" Disc       Coarse       Brown       Type R        10         73226       3" Holder         Type R        10         73226       3" Disc       Coarse       Brown       Type R        10         73248       3" Disc       Very Fine       Blue       Type S        25         73247       3" Disc       Medium       Maroon       Type S        10         73222       3" Disc       Coarse       Brown       Type S        25         73249       3" Holder        Type S        25         73249       3" Holder        Type S       20,000       1	73221	2" Holder	—	—	Type S	25,000	1
73208         3" Holder         —         —         H & L         13,000         1           73847         3" Disc         Fine         Blue         Type R         —         25           73224         3" Disc         Medium         Maroon         Type R         —         10           73225         3" Disc         Coarse         Brown         Type R         —         10           73226         3" Holder         —         —         Type R         20,000         1           73248         3" Disc         Very Fine         Blue         Type S         —         25           73247         3" Disc         Medium         Maroon         Type S         —         10           73222         3" Disc         Coarse         Brown         Type S         —         25           73247         3" Disc         Coarse         Brown         Type S         —         25           73249         3" Holder         —         —         Type S         20,000         1	73206	3" Disc	Medium	Maroon	H & L		10
73847         3" Disc         Fine         Blue         Type R         —         25           73224         3" Disc         Medium         Maroon         Type R         —         10           73225         3" Disc         Coarse         Brown         Type R         —         10           73226         3" Holder         —         —         Type R         20,000         1           73248         3" Disc         Very Fine         Blue         Type S         —         25           73247         3" Disc         Very Fine         Blue         Type S         —         10           73222         3" Disc         Medium         Maroon         Type S         —         10           73224         3" Disc         Coarse         Brown         Type S         —         10           73222         3" Disc         Coarse         Brown         Type S         —         25           73249         3" Holder         —         —         Type S         20,000         1	73207	3" Disc	Coarse	Brown	H & L	—	10
73224         3" Disc         Medium         Maroon         Type R         —         10           73225         3" Disc         Coarse         Brown         Type R         —         10           73226         3" Holder         —         —         Type R         20,000         1           73248         3" Disc         Very Fine         Blue         Type S         —         25           73247         3" Disc         Medium         Maroon         Type S         —         10           73222         3" Disc         Coarse         Brown         Type S         —         10           73247         3" Disc         Coarse         Brown         Type S         —         10           73222         3" Disc         Coarse         Brown         Type S         —         25           73249         3" Holder         —         —         Type S         20,000         1	73208	3" Holder	_		H & L	13,000	1
73225         3" Disc         Coarse         Brown         Type R         —         10           73226         3" Holder         —         —         Type R         20,000         1           73248         3" Disc         Very Fine         Blue         Type S         —         25           73247         3" Disc         Medium         Maroon         Type S         —         10           73222         3" Disc         Coarse         Brown         Type S         —         10           73249         3" Holder         —         —         Type S         20,000         1	73847	3" Disc	Fine	Blue	Type R	_	25
73226         3" Holder         —         —         Type R         20,000         1           73248         3" Disc         Very Fine         Blue         Type S         —         25           73247         3" Disc         Medium         Maroon         Type S         —         10           73222         3" Disc         Coarse         Brown         Type S         —         25           73249         3" Holder         —         —         Type S         20,000         1	73224	3" Disc	Medium	Maroon	Type R	_	10
T3248         3" Disc         Very Fine         Blue         Type S          25           73247         3" Disc         Medium         Maroon         Type S          10           73228         3" Disc         Medium         Maroon         Type S          10           73229         3" Disc         Coarse         Brown         Type S          25           73249         3" Holder          Type S         20,000         1	73225	3" Disc	Coarse	Brown	Type R		10
73247         3" Disc         Medium         Maroon         Type S         —         10           73222         3" Disc         Coarse         Brown         Type S         —         25           73249         3" Holder         —         Type S         20,000         1	73226	3" Holder	_	_	Type R	20,000	1
73222         3" Disc         Coarse         Brown         Type S         —         25           73249         3" Holder         —         —         Type S         20,000         1	73248	3" Disc	Very Fine	Blue	Type S		25
73249 3" Holder — — Type S 20,000 1	73247	3" Disc	Medium	Maroon	Type S		10
	73222	3" Disc	Coarse	Brown	Type S		25
	73249	3" Holder	_	_	Type S	20,000	1
					an and Haldana		

Also Available - 4" Discs and Holders

#### $\mathbf{3M^{\intercal M}} \ \mathbf{Surface} \ \mathbf{Conditioning} \ \mathbf{Discs} \ \mathbf{\&} \ \mathbf{Holders}$

Use to quickly remove cork or paper gaskets and form-in-place gasket material; ideal for cleaning light oxidation.

Part No.	Diameter	Grit	Color	Quick Lock Style	Qty.
74778	2" Disc	Very Fine	Blue	Type R	25
69962	2" Disc	Fine	Gray	Type R	25
73421	2" Disc	Medium	Maroon	Type R	25
73422	2" Disc	Coarse	Brown	Type R	25
73306	2" Holder	-	-	Type R	1
73423	3" Disc	Medium	Maroon	Type R	25
73424	3" Disc	Coarse	Brown	Type R	25
73307	3" Holder	-	-	Type R	1
73426	4" Disc	Coarse	Brown	Type R	10
73429	4" Holder	-	-	Type R	1
69956	5" Disc	Very Fine	Blue	Hook & Loop	50
69953	5" Disc	Medium	Maroon	Hook & Loop	50
69954	5" Disc	Coarse	Brown	Hook & Loop	50
69957	5" Back-Up Pad	-	_	Hook & Loop	1

#### Norton<sup>®</sup> Surface Conditioning Discs

Can be used to clean, deburr, blend or finish. Ideal for removing rust, oxides and gaskets. Thick aluminum oxide abrasives for superior, consistent finish.

Part No.	Diameter	Grit	Color	Quick Lock Style	Qty.
73203	2" Disc	Fine	Blue	Type R	25
73204	2" Disc	Medium	Maroon	Type R	25
73205	2" Disc	Coarse	Brown	Type R	25
73220	2" Holder	-	-	Type R	1
73209	3" Disc	Fine	Blue	Type R	25
73210	3" Disc	Medium	Maroon	Type R	25
73211	3" Disc	Coarse	Brown	Type R	25
73226	3" Holder	-	-	Type R	1



# **Flap Wheels & Discs**



#### **Mounted Flap Wheel**

#### #71907 - #71909, #71973 - #71978, #71955 - #71958

Multi-purpose wheels used on metal, rubber, plastic and wood. Convenient for 1/4" and larger drills. For use with die grinders or rotary tools. Ideal for achieving a uniform finish on contoured parts. Diameters: 1" -3". Width: 1". Shank: 1/4". Grit: 60, 80, 120 & 180. Max RPM: 20,000, 23,800, 25,000 & 30,000. Qty: 1 & 2.

# Quick Change Flap Wheel

#72699 - #72707, #71911, #72712

For use with portable drills, die grinders and air tools. Diameters: 1" - 3". Width: 1". Grit: 60, 80 & 120. Max RPM: 20,000, 25,000 & 30,000. Qty: 1

Quick Change Flap Wheel Adapter Available - 1/4" Shank - #72708

#### Norton<sup>®</sup> Charger Flap Discs

#73396 - #73399

Premium blue zirconia abrasive for aggressive cut and long life. Ideal for blending welds. Angled face to allow maximum contact with work surface. Specifically arranged flaps for cooler cutting and softer finish. For use with right angle grinders. Type 29. Diameter: 4-1/2". Max RPM: 13,000. Arbor Size: 7/8". Grit: 36, 40, 60 & 80. Qty: 1

## **Bristle Discs**

#### 3M<sup>™</sup> Roloc<sup>™</sup> Bristle Discs

Remove paint, rust, scale, gasket and welding residues. Embedded plastic bristles with abrasives continually expose fresh abrasives as disc wears. For use with die grinders or hand drills.

Part No.	Cross Ref.	Diameter	Grit	Color	Max RPM	Qty.
69924	07540	1" Disc	36	Purple	30,000	6
69921	07530	1" Disc	50	Green	30,000	5
69922	07531	1" Disc	80	Yellow	30,000	5
69923	07532	1" Disc	120	White	30,000	5
74387	07536	2" Disc	36	Purple	25,000	4
73300	07524	2" Disc	50	Green	25,000	5
73302	07525	2" Disc	80	Yellow	25,000	5
73304	07528	2" Disc	120	White	25,000	5
73306	05539	2" Holder	-	-	-	1
73618	07537	3" Disc	36	Purple	18,000	3
73301	07526	3" Disc	50	Green	18,000	5
73303	07527	3" Disc	80	Yellow	18,000	5
73305	07529	3" Disc	120	White	18,000	5
73307	-	3" Holder	-	-	_	1





# Wire Abrasives

#### **End Brushes**

All brushes and wheels have a 1/4" shank. Can be used for rust or paint removal, weld cleaning, scale or slag removal.

Part No.	Style	Diameter	Trim Length	Max RPM	Wire Size	Fill Material	Qty
82238	- Solid End	3/4"	1"	20,000	.020"	Steel	1
82239	<ul> <li>Crimped Wire</li> </ul>	1"	1"	20,000	.020"	Stainless Steel	1
82309	Chiliped wire	1"	1"	20,000	.010"	Steel	1
82250	Hollow Center Crimped Wire	1-3/4"	11/16"	13,000	.012"	Steel	1
82240	- Knot Wire	1"	1"	20,000	.020"	Steel	1
82299	<ul> <li>End Brush</li> </ul>	3/4"	1-1/8"	20,000	.020"	Steel	1
82340		1"	1-1/8"	20,000	.014"	Stainless Steel	1

FAX **1-800-553-8769** / THRU 12/31/16 OR WHILE QUANTITIES LAST

# Surface Conditioning Pads



#### Imperial<sup>®</sup> Surface Conditioning Pads

Can be used in place of steel wool, emery cloth and wire brushes for cleaning, finishing and light deburring of metals and plastics. Made from non-woven nylon impregnated with abrasive grains. May be used wet or dry. Pads are washable and reusable.

Part No.	Size	Grade	Abrasive Type	Color	Qty.
73242	6" x 9"	Ultra Fine	Silicone Carbide	Gray	20
74078	6" x 9"	Very Fine	Aluminum Oxide	Maroon	20
73240	6" x 9"	Fine	Aluminum Oxide	Maroon	20
73241	6" x 9"	Medium	Aluminum Oxide	Green	20
73243	6" x 9"	Coarse	Aluminum Oxide	Brown	20

## **Cloth Rolls**



#### **Emery Cloth Rolls**

Use for general purpose metal sanding such as light clean-up rust removal jobs. Enclosed in a cardboard box dispenser.



Grit	Size	Qty.
Fine: 100-120	1-1/2" x 50' roll	1
Medium: 60-90	1-1/2" x 50' roll	1
Coarse: 40-50	1-1/2" x 50' roll	1
	Fine: 100-120 Medium: 60-90	Fine: 100-120         1-1/2" x 50' roll           Medium: 60-90         1-1/2" x 50' roll

Emery Cloth Sheets Also Available

#### **Premium Mechanics Cloth**

Tough and durable aluminum oxide abrasive with a full resin bond system for increased life. Ideal for cleaning and deburring metal surfaces. May be used dry or with oil. For hand use or with pads.

Part No.	Grit	Size	Color	Qty.
72442	60	1-1/2" x 150'	Black	1
72443	80	1-1/2" x 150'	Black	1
72444	120	1-1/2" x 150'	Black	1
72445	180	1-1/2" x 150'	Black	1
72446	240	1-1/2" x 150'	Black	1
72447	320	1-1/2" x 150'	Black	1
72396	400	1-1/2" x 150'	Black	1

# Waterproof Rolls

#### Waterproof Aluminum Oxide Rolls

Resists bonding degradation when exposed to water, cutting oils, grease, chemicals and other solvents. Ideal for deburring, cleaning and polishing metal parts exposed to fluids. May also be used dry. Heavy J-weight cloth backing. For hand use or with pads.

Part No.	Grit	Size	Qty.
72391	80-J	1" x 150' roll	1
72413	120-J	1" x 150' roll	1
72398	180-J	1" x 150' roll	1
72386	80-J	1-1/2" x 150' roll	1
72387	120-J	1-1/2" x 150' roll	1
72388	180-J	1-1/2" x 150' roll	1
72389	240-J	1-1/2" x 150' roll	1
72390	320-J	1-1/2" x 150' roll	1





# **Sanding Discs**







#### Imperialok<sup>®</sup> Sanding Discs & Holders

Features a compound layer of aluminum oxide for fast and easy cleaning. Excellent for engine repair work, polishing features, as well as gasket removal. Quick lock style is interchangeable with all major brands. For use on aluminum, steel, stainless steel, plastics, wood or painted surfaces.

Part No.	Diameter	Grit	Quick Lock Style	Max RPM	Qty.
73525	1" Disc	36	Type R	-	20
73526	1" Disc	50	Type R	_	20
73568	1" Holder	-	Type R	25,000	1
73280	2" Disc	36	Type R	-	20
73282	2" Disc	50	Type R	-	20
73284	2" Disc	80	Type R	-	20
73286	2" Disc	120	Type R	-	20
73288	2" Disc	240	Type R	-	20
73220	2" Holder	-	Type R	30,000	1
73290	3" Disc	36	Type R	-	20
73291	3" Disc	24	Type R	-	10
73292	3" Disc	50	Type R	-	20
73294	3" Disc	80	Type R	-	20
73296	3" Disc	120	Type R	-	20
73298	3" Disc	240	Type R	-	20
73226	3" Holder	-	Type R	20,000	1
73223	3" Disc	36	Type S	-	10
73249	3" Holder	-	Type S	20,000	1





#### Norton® Speed-Lok® NorZon® Cloth Sanding Discs

For light or medium pressure grinding, blending, and finishing. Heavy Y-weight backing. NorZon<sup>®</sup> Plus disc contains zirconia alumina. For use with die grinders, rotary tools and hand drills.

Part No.	Diameter	Grit	Mount Style	Qty.
73244	2" Disc	24	Type R	25
73271	2" Disc	36	Type R	25
73281	2" Disc	50	Type R	25
73283	2" Disc	60	Type R	25
73285	2" Disc	80	Type R	25
73220	2" Holder	-	Type R	1
73295	3" Disc	24	Type R	25
73287	3" Disc	36	Type R	25
73289	3" Disc	50	Type R	25
73297	3" Disc	60	Type R	25
73299	3" Disc	80	Type R	25





Type R Discs & Holder

#### Norton<sup>®</sup> Pressure Sensitive Adhesive Discs

Ideal for sanding paints, primers, plastics and fiberglass. Use with orbital sanders or low speed DA sanders.

Part No.	Diameter	Grit	Material	Qty.
74691	5" Disc	40	Zirconia Alumina	25/Box
74735	5" Disc	40	Zirconia Alumina	50/Box
74692	5" Disc	60	Zirconia Alumina	100/Roll
74693	5" Disc	80	Zirconia Alumina	100/Roll
74694	5" Disc	120	Zirconia Alumina	100/Roll
74695	5" Disc	220	Zirconia Alumina	100/Roll
73250	6" Disc	36	Zirconia Alumina	50/Box
73252	6" Disc	40	Zirconia Alumina	50/Box
73254	6" Disc	80	Aluminum Oxide	100/Roll
73255	6" Disc	100	Aluminum Oxide	100/Roll
73257	6" Disc	120	Aluminum Oxide	100/Roll
73259	6" Disc	180	Aluminum Oxide	100/Roll
73264	6" Disc	220	Aluminum Oxide	100/Roll
73267	6" Disc	240	Aluminum Oxide	100/Roll
73269	6" Disc	280	Aluminum Oxide	100/Roll
73273	6" Disc	320	Aluminum Oxide	100/Roll
73274	6" Disc	400	Aluminum Oxide	100/Roll
73276	8" Disc	36	Zirconia Alumina	25/Box
73279	8" Disc	80	Zirconia Alumina	25/Box

6" Block Also Available - #73215

FAX 1-800-553-8769 / THRU 12/31/16 OR WHILE QUANTITIES LAST

### Air Sander

Built-in silencer mutes noise while you work. Durable unit is lightweight and has a comfortable compact grip with 1-hand speed control. Used for feather edging, metal preparation and finish work on body filler. Includes a 6" foam-backed pad that accepts PSA sandpaper.

#### Ingersoll-Rand Air Sander #72488

General duty dual action air sander. Pad Size: 6". Air Flow: 17 CFM. Air Inlet: NPT 1/4". Average Air Flow: 4 CFM. Free Speed: 12,000 RPM. Required Pressure: 90 PSI. Minimum Hose Size: 3/8". Length: 10". Qty: 1

# Hand Protection

Imperial<sup>®</sup> Nitrile Disposable Gloves

. BLUE

4 MIL - #89096 - #89099 (No Powder), #89106 - #89108-4 (Lightly Powdered) 8 MIL - #89103 - #89105 (No Powder), #89115 - #89117-4 (Lightly Powdered) BLACK

4 MIL - #89191 - #89194-4 5 MIL - #89306 - #89309-4

6 MIL - #89235 - #89239-4

Ambidextrous design–glove fits either hand. Textured fingertips with rolled cuff. Thickness: 4 mil - 6 mil. Size: S - 2XL. Qty: 100, 1,000

# **Over 300 Respiratory Protection Products Available**



CALL 1-800-558-2808 / WWW.IMPERIALSUPPLIES.COM



On-the-Job Products

## **Hearing Protection**

In many industrial settings, hearing protection is vital to ensuring **your employees' safety and health**. Imperial offers a complete line of hearing protection devices. From ear plugs to industrial ear muffs, our products are designed to fit a wide range of uses.

Over 3,100 Safety Signs Also Available

#### **Tapered Disposable Ear Plugs**

Laboratory tested Noise Reduction Rate: 32 dB.

Part No.	Description	Qty.
4960	Ear Plugs without Cord	200 pr.
4961	Ear Plugs with Cord	200 pr.

Superfit Tapered Disposable Ear Plugs Laboratory tested Noise Reduction Rate: 33 dB.

	,	
Part No.	Description	Qty.
4902	Ear Plugs without Cord	200 pr.
4903	Ear Plugs with Cord	200 pr.

#### 3M<sup>™</sup> E-A-R<sup>™</sup> Reusable Ear Plugs

Flanged and tapered shapes.

Part No.	Description	Noise Reduction Rating NRR	Qty.
88203	Ultrafit <sup>™</sup> without Cord	27dB	25
88204	Ultrafit <sup>™</sup> with Cord	27dB	25
88237	Push-Ins™ with Cord	30dB	25

#### **Headband Ear Plugs**

Highest available noise reduction in a headband style earplug. Pivoting tips for optimum fit. Laboratory tested Noise Reduction Rate: 28 dB.

Part No.	Description	Qty.
88019-4	Headband Ear Plugs	10

#### Leightning® L3 Noise Blocking Ear Muff

Air flow control technology. Steel wire construction Snap-in ear cushions. Padded foam head band. Telescoping height adjustment. Laboratory tested Noise Reduction Rate: 30 dB.

Part No.	Color	Qty.
88134	Black	1
88178	HI-VIZ Green	1

#### Ear Muffs

Lightweight muffs offer excellent protection, comfort, durability and versatility for the user. Ear muffs equipped with foam-filled ear cushions. Laboratory tested Noise Reduction Rate: 25-26 dB.

Part No.	Qty.
5047	1





HEARING

PROTECTION





# **Cut Protection**

#### **Cut Resistant Sleeve**

Color: Black. Knitted sleeves stretch at the bottom for comfortable, outstanding protection against heat, cuts, slashes and abrasions. Can be worn on either arm. Sold individually. Size: Universal.

Part No.	Length	Qty.
918943-3	10"	1
919702-6	14"	1
916667-7	18"	1

# First Aid

# Class A First Aid Kit

#5891 (Poly Case) #5892 (Metal Case)

Class A meets minimum fill requirements for common industrial work zones. Kit provides supplies for major wounds, minor wounds, minor burns and eye injuries. Meets ANSI/ISEA Z308.1-2015. White case: 10" W x 3" D x 7" H. Qty: 1

# Class B First Aid Kit

#5893

The most comprehensive fill ever. Class B suggested for any work zone where PPE is required. Examples of high risk workplaces: construction, utilities, patrol car and fire house. Meets ANSI/ISEA Z308.1-2015. Metal white case: 14" W x 2.5" D x 9" H. Qty: 1

Class A & B Refill Kits Also Available



# Safety Signage

#### Safety Protection and Safety Record Signs

Part No.	Messaging	Size	Material	Qty.
82766	Caution - Eye Protection	7" H x 10" W	Recycled Polyester	1
82703	Danger - Eye/Ear Protection	7" H x 10" W	Plastic	1
82781	Notice - Safety Glasses	10" H x 14" W	Polyester	1
82780	Caution - Safety Glasses	7" H x 10" W	Plastic	1
912449-9	Safety Record Sign	20"H x 14"W	Polyethylene	1
913961-8	Job Safety Scoreboard	28"H x 20"W	Polyethylene	1



#912449-9







#82781

# Tap & Drill Bit Storage

#### Tap & Drill Bit Storage

Part No.	Description	Holds	Qty.
70648	Empty Steel Drill Bit Case	1/16" to 1/2" x 64ths	1
70653	Empty Steel Tap/Drill Case	Jobber Length; Holds National Coarse Taps/Drills	1
2350	Empty Steel Heavy- Duty Drill Bit Cabinet	1/16" to 1/2" x 64ths	1
#70648	#70	653 #235	0





#82766



# **Razor Blade Storage**

#### **Blade Bank**

Prevent injuries and reduce Worker Compensation claims when disposing of used razor blades and utility knife blades. Discard the entire container when full. HDPE Construction. Holds approximately 750 blades. Includes cable ties to attach bank to a post or angle iron.


 Part No.
 Qty.

 7071
 1





# Don't see the products you are looking for? No problem. We have that.



# We are ready to help you today.

# Unbeatable experience and knowledge to save you time and money, and keep you safe at work.

With access to over 30,000 Fleet Maintenance Products and over 1.5 Million Maintenance, Repair, Operations (MRO) products, simply tell your Dedicated Account Advisor what you want to add to your order.

#### **Benefits of the Program:**

- Vendor consolidation.
- No shipping costs.
- One phone call.
   One order. One invoice.

FAX 1-800-553-8769 / THRU 12/31/16 OR WHILE QUANTITIES LAST

# ON

Imperial is here to serve your needs, big or small.

Consider the floor plan on the next page, and think of the products you desire for your own shop. Contact your Dedicated Account Advisor with your Product Wish List; anything from a single extension cord to the most elaborate assortment drawer set-up. They will work on pricing and availability to make your wish come true!

#### Air Hose Reel #95910

Heavy-duty all-steel construction, durable powder coat finish. Auto retractable, spring return. Includes rubber hose. Perfect

for mounting on a wall, floor, or ceiling. Hose inside diameter: 1/2". Hose length: 50 feet. Reel Inlet: 1/2" FNPT. Hose Outlet: 1/2" MNPT. Maximum pressure: 300 psi. Use with air or water. Use with lead hose Part No. 95908. Qty: 1



#### Shelf Bins

Made of durable polypropylene material. **Reinforced edges** strengthen the bin. Wide label holder is molded into the front of the bin.



Part No.		Bin Description				Part No.	
Blue	Red	Width	Height	Depth	Qty.	Dividers	Qty.
	348	3-7/16"	3"	7-3/8"	24	N/A	
279	280	2-3/8"	4"	11-5/8"	24	N/A	
275	281	4-1/8"	4"	11-5/8"	24	285 ★	24
276	282	6-5/8"	4"	11-5/8"	12	286 ★	24
278	284	11-1/8"	4"	11-5/8"	12	288 ★	24
311	316	4-1/8"	4"	17-7/8"	12	285 ★	24
312	317	6-5/8"	4"	17-7/8"	12	286 ★	24
314	319	11-1/8"	4"	17-7/8"	12	288 ★	24
313		6-5/8"	4"	23-5/8"	6	286 ★	24

#### **New** Nightstick Multi-Purpose LED Work Light #84738

Xtreme Lumens<sup>™</sup> design. Dualbrightness flood. Three heavy-duty integrated magnets for multiple handsfree uses: one at the tip of the light, one at the mid-point of the body, and one built into the base. Magnet hook can be attached to either the body or tip magnets and can be rotated 360° for even more hands-free versatility. Water resistant. Impact and chemical resistant. Powered by integrated Lithium-ion battery. Includes both AC and DC power supply / charger. Qty: 1

# **Build Your Shop's Wish List**

Call your Dedicated Account Advisor Right Now! -800-558-2808

\* Dividers sold separately



#### **Dock Bumpers**

Made from black rubber. Delivers shock-proof protection in a variety of styles to suit your needs. Recessed bolt holes help eliminate the risk of damage on impact. Rounded corners reduce tearing and breaking.

Part No.	Length	Width	Depth	Hole Dia.	Shape	Qty.
4830			3-1/4"	1/2"	Rectangle	
4835	6-1/8"	3-5/8"	3-1/2"	3/8"	Rectangle	1
4832	8"	2-1/2"	2"	1/2"	Rectangle	1
4831	8"	5-1/2"	3-1/2"	1/2"	D-Shape	1
4834	12"	3-3/8"	2-1/8"	3/4"	Rectangle	1
4833	16"	2"	2-1/2"	1/2"	Rectangle	1



# Dayton<sup>®</sup> Wet/Dry Vacuum #915088-2

The vacuum motor on the Dayton® portable blower vacuum detaches for use as a powerful handheld blower. Delivers up to 265 mph air velocity with concentrator nozzle. Rustproof, dentresistant tank. Highefficiency collection bag filter for fine dust. Quiet operation motor housing. Lock-On® positive connection hose system. Onboard tool storage. Qty: 1

# yton® portable use er.

#### Portable Pressure Washer #915349-3

Suitable for washing cars, bikes, and outdoor equipment or spaces, this pressure washer has an automatic safety valve with pressure shutoff at the head. Features include a 3 piston axial pump and tempered stainless steel plungers. The TSS (Total System Shutdown) motor turns on and off when the spray gun is activated. Includes: 20 ft. high pressure hose, spray gun with adjustable spray nozzle, attachable soap bottle for use with cleaning detergent. Qty: 1



# Haldex Air Brake **Chambers & Slack Adjusters**

# **Brake Adjusters**

**OW** troducing

**New** Haldex<sup>®</sup> Automatic Brake Adjusters AA1 Constantly maintains optimum brake lining-to-drum clearance. Reduces stopping distances while increasing driver control and confidence under all conditions.


Part No.	Description	Spline Tooth Cour	Arm nt Length	Qty.
91708	Trailer	28	5-1/2"	1
91709	Trailer	28	6"	1
91710	Trailer	10	6"	1
91711	Tractor Drive Axle	28	5" & 6"	1
91712	Tractor Drive Axle	28	5-1/2"	1
91713	Tractor Drive Axle	10	5-1/2"	1
91714	Mack® Drive Axle	28	6"	1

**DURABLE &** 

FIARI

MILE AFTER MILE

RMANCF



# **Premium Actuators**

#### **New** Haldex<sup>®</sup> Gold Seal Actuators

Designed and built to deliver long-lasting durability and reliable performance mile after mile.

Part No.	Description	Stroke	Qty.
91702	Complete Chamber Type 30	Standard	1
91703	Complete Chamber Type 30	Long	1
91704	Piggy Back Kit Type 30 (Clamp & Diaphragm)	Standard	1

# **Economy Actuators**

#### **New** Midland<sup>®</sup> Economy Actuators

Part No.	Description	Stroke	Qty.
91706	Economy Type 30 Chamber	Standard	1

# **Parking Brake Lock**

#### **New** Parking Brake Locks

Made to lock your dashboard air brake controls. Secure your vehicle while parked, at idle or during maintenance. Will fit most types of vehicles equipped with air brakes. Made of high strength cast aluminum allov.

Туре	Keyed	Qty.
Dual Knob	Alike	1
Dual Knob	Different	1
Single Knob	Alike	1
Single Knob	Different	1
	Dual Knob Dual Knob Single Knob	Dual Knob         Alike           Dual Knob         Different           Single Knob         Alike




#91702



# **Rivet Gun**

**Air Hydraulic** with Vacuum 380L Heavy-duty polymer body.

Part No. Qty. 78270 1



Over 600 Rivets and Rivet Tools Available!

# Imperial<sup>®</sup> Refill Aerosol Machine

**New Imperial® Aerosol Chemical Refilling Machine** A simple to use, high performance refillable spray can system that allows your business to reduce costs and become environmentally friendly. Machine works entirely from compressed shop air, pressurizing and filling an aerosol can in 15-18 seconds. Cans may be used up to 1,200 times - the equivalent to 4 years or more with normal usage!

Part No.	Description	Qty
9020	Top-Refill™ Machine with Adaptor for 55 Gal. Drum	1
9021	Top-Refill <sup>™</sup> Cans	10
9021-7	Top-Refill™ Can	1
9022	Top-Refill™ Connector Kit for 55 Gal. Drum	1
9023	Top-Refill™ Connector Kit for 5 Gal. Pail	1
9024	Top-Refill™ Can Spray Nozzle - Fan	10
9025	Top-Refill™ Can Spray Nozzle - Stream	10



Works with Most Chemicals - Brake Cleaners / Penetrating Lubes / De-Icers / Glass Cleaners / Degreasers / & More!

# **Alkaline Batteries**

#### New Duracell<sup>®</sup> Coppertop<sup>®</sup> Alkaline Batteries with Duralock Power Preserve™ Technology Engineered to deliver just the right level of power for most

electronic needs. Manufactured for intermittent use; battery does not expel energy when the device is off, providing longer life. Contains no added mercury. Rated for reliable operation in extreme temperatures, from -4° F to 129° F. Individually date-coded for freshness.



Part No.	Battery Type	Qty.
7363*	AAA	24
7362*	AA	24
7361*	С	12
7360*	D	12
7364	9V	12

New Duracell<sup>®</sup> Quantum<sup>®</sup> Alkaline Batteries Duracell's longest lasting battery. Equipped with more active material than any other alkaline. Designed to last longer across a range of devices. Features Powercheck<sup>™</sup>, allowing you to see the remaining power on the battery at the push of a button. Individually date-coded for freshness.



Part No.	Battery Type	Qty.
7373*	AAA	24
7372*	AA	24
7371*	С	12
7370*	D	12
7374*	9V	12

\*Guaranteed for 10 years of storage!

# Cord Reels

**New Retractable Extension Cord Reels** Heavy duty industrial cord reel. Spring retractable with latch. Adjustable cord stop, 2-roller non-snag cord guide.

Part No.	Length	Lead-In Cord	Outlets	Qty.	
82516	75'	60"	1	1	
82517	75'	69"	3	1	
82519	40'	60"	3	1	
82520	50'	60"	1	1	
82521	50'	60"	3	1	



# FAX 1-800-553-8769 / THRU 12/31/16 OR WHILE QUANTITIES LAST



#### Imperial<sup>®</sup> Diesel Fuel Conditioner & Anti-Gel #5664, #5663

Compatible with the ultra low sulfur and standard diesel fuel. Re-liquifies gelled fuel, stabilizes fuel and cleans injectors. Lubricates upper cylinders. Net Weight: 30 oz. & 12 oz. QTY: 6 & 12.



#### Windshield Washer Cleaner and Anti-Freeze Concentrate #5521

Cleans windshield. Will protect the washer system down to -26° F. Net Weight: 12 oz. QTY: 12



#### Ice Melter<sup>®</sup> #910748-5 (Effective to -8°F) #910748-6 (Effective to -20°F)



Granulated Compound. Contains Calcium Magnesium Acetate. NSF C1 Registered. Meets USDA 1998 C1 Guidelines. Size: 50 lb. Qty: 1

#### Carb Compliant Windshield Washer Concentrate #5519

Cleans windshields and prevents freezing to 28° F. Formulated to meet VO requirements in California. Dilution: 12 oz per gallon of water. Net Weight: 12 oz. QTY: 12



#### **New** Imperial<sup>®</sup> De-Icer with Long-Reach Spray #6732

Melts ice and frost quickly from locks, wipers, windows, windshields or headlights. Super long-reach spray allows de-icing of hard-toreach windshields while safely standing on the ground. Spray will not harm a vehicle's finish. Size: 16 oz. Qty: 12



#### Snow Rake with Telescopic Handle #82291

The narrow squeegee-like edge contours to the vehicle surface. Quickly slices through deep snow or wet snow. Handle telescoping size: 27-1/2" to 48". Head size: 16-3/4" W x 6-1/4" H. Qty: 1

#### 25" Snow Brush Wood Handle with Scraper #82397

Constructed with high quality material for long lasting durability. Strong ice scraper with ice chippers removes ice quickly and easily. Qty: 24



#### 25" Super Deluxe Snow Brush with Scraper #82258

For removing snow and ice. Strong and lightweight. Chip resistant blade. Durable, locked-in brush. Hang tab for easy storage. Qty: 12





Universal Adhesive Heater Pad #6490 (150 Watt)

#6493 (250 Watt)

Silicone covered. Uses: Trucks, tractors, etc. Volts: 120. Size: 4" x 5". Qty: 1 pr.



#### **New** Dyneema<sup>®</sup> Winter Cut Resistant Glove #88098-4, #88099-4, #88030-4, #88031-4

Cut resistance equivalent to Kevlar® with 10 times greater abrasion resistance. Black latex palm. Cut level 5. Winter-lined. Size: S - XL. Qty: 12 pr.

# Hi-Viz Acrylic Knit Hat #5298

Safety, comfort and style without compromise. 100% acrylic shell. 3M<sup>™</sup> reflective thread stripe. Color: Yellow. Qty: 1



Carhartt® Acrylic Hats #913257 (Black) #913605-7 (Bright Green) Cap is stretchable rib-knit for warmth and comfort. Style: Watch cap. Qty: 1



#### Lighted Beanie #5215

Premium compression fleece. 4 LEDs: two aimed forward to light the distance and two angled down at 55°. Over 48 lumens. Easy on/off switch hidden in the band. Color: Black. Qty: 1

Featuring (4) LEDs for Bright Illumination

Carhartt<sup>®</sup> Insulated Jacket #920971-1 – #920972-1

Sierra jacket has an attached sherpa-lined hood with drawcord closure. Qty: 1



#### Imperial Crown<sup>™</sup> Winter Wiper Blades #83713 - #83724

High-quality construction to withstand heavy use. Features a protective rubber cover to prevent snow and ice from impeding the performance of the blade. High-quality extruded rubber blade for improved performance and durability in wet, icy weather conditions. Sizes: 13" - 24". Qty: 10



Imperial® All-Weather Extension Cords #73904\* (25'/15 AMP), #73906\* (25'/15 AMP), #73905\* (50'/15 AMP), #73907\* (50'/15 AMP), #71099 (15'/13 AMP), #73794 (25'/13 AMP), #73792 (100'/13 AMP)

All-weather cord with blue rubber-like jacket for increased flexibility in cold weather. Qty: 1

\*Lighted Receptacle

FAX 1-800-553-8769 /

THRU 12/31/16 OR WHILE QUANTITIES LAST

# GET ORGANIZEDI STOCK UP ON IMPERIAL'S TOP 20 Dest-selling assortment drawers

# Call Your Dedicated Account Advisor

for Full List of Assortments Available!

# 1-800-558-2808

#### Hex Washer Teks<sup>®</sup> Screws ASSORTMENT NO. 197-1

- 14 items; 1,103 total pieces.
- Sizes: #8 through #14 diameters.
- · Includes magnetic drives.



#### Black Nylon Cable Ties ASSORTMENT NO. 218-1

- 6 items; 500 total pieces.
- Lengths: 4", 7-1/2", 8", 11-1/2", 14-1/2", 15-1/4".
- All-environmental black styles.

#### Nylon Insulated Terminals ASSORTMENT NO. 131-1

- 22 items, 520 total pieces.
- For use with: 22-18, 16-14 and 12-10 AWG wire.
- Includes Rings, Spades, Quick Disconnects and Butt Connectors.
- · Color coded: Red, blue and yellow.



#### Air Brake Fittings for Nylon and Plastic Tubing

#### ASSORTMENT NO. 398-1

- 24 items; 235 total pieces.
- Sizes: 5/32", 1/4", 3/8" and 1/2" diameter tubing.
- DOT compliant.
- Includes: Nuts, Sleeves, Inserts, Unions, Male Connectors and Elbows.





National Distributor of Quality Maintenance Supplies Since 1958

#### PLACE YOUR ORDER TODAY Call your Dedicated Account Advisor 1-800-558-2808

Visit the Imperial website www.imperialsupplies.com

Imperial Supplies LLC 789 Armed Forces Drive PO Box 11008 Green Bay, WI 54307-1008



This non-transferable offer is limited to product availability. Maximum order restrictions may apply. Substitutions may apply. Offer cannot be used in combination with other offers and is subject to change or cancellation without notice

PN 3617-9 | SPC 3048

© 2016 Imperial Supplies

please recycle | printed in the USA on 30% recycled paper stock

IN EFFECT 12/01/16 THRU 12/31/16 OR WHILE QUANTITIES LAST



