



ARM YOURSELF







ARM YOURSELF

MORE PEOPLE ARM THEMSELVES WITH BULWARK® THAN ANY OTHER FR BRAND.

Because Bulwark is the only FR brand that brings 45 years of front line experience, understanding and insight to the table. That outfits you with the finest, most advanced and intuitively designed FR apparel ever made. And that surrounds you with the industry's premier FR education programs and consultative services. So when you see our triangle on your left, trust you've done everything right. Because with Bulwark, you are more than just protected. You. Are. Armed. Literally, and figuratively, with the world's best.





ARM YOURSELF

TABLE OF CONTENTS

- 06 FABRIC GUIDE
- 08 iQ SERIES®
- 22 HI-VISIBILITY & RAINGEAR
- 30 SHIRTS
- 42 PANTS
- 48 BIBS & COVERALLS
- 58 OUTERWEAR
- 72 COVERINGS
- 74 WOMEN'S
- 84 ACCESSORIES
- 90 CUSTOMIZATION
- 92 SIZE CHARTS
- 97 HOW TO MEASURE
- 98 ADDITIONAL INFO
- 99 PRODUCT INDEX





Use our fabric guide to help you select the optimal Bulwark® fabric for any situation. Our comprehensive range of industry-leading options guarantees a perfect fit for a wide variety of industrial applications.

iQ SERIES®

iQ products shift our collective mindset from the garment to the wearer and are designed to solve real-world problems. From the yarn blending to the fabric finishing, this fabric is created by a team of professional scientists and skilled technicians with a hands-on approach. iQ products are created from blends of high performance fibers incorporated into superior fabrics using a unique dual elemental FR treatment. iQ products are available in a variety of weights and are designed to achieve multiple industry standards.

THE BULWARK® APP

CONVENIENCE IN THE PALM OF YOUR HAND!

Search product. Share product. Find a distributor. Find an event. Browse the latest catalog.

Available for iPhone and Android.



EXCEL FR® 100% COTTON. 100% COMFORT. 100% FLAME-RESISTANT.

EXCEL FR® cotton garments offer unbeatable protection for foundries, flame cutting and welding, as well as electrical utilities and the chemical, oil, gas and petrochemical industries. All EXCEL FR® cotton apparel is permanently treated to guarantee flame resistance for the life of the garment.

EXCEL FR® COMFORTOUCH® COTTON'S COMFORT. NYLON'S DURABILITY.

This practical 88% Cotton/12% Nylon blend provides long-lasting protection for nearly all work environments. Ideal applications include ferrous metals, electrical utilities and the chemical, oil, gas and petrochemical industries. Every EXCEL FR® ComforTouch® garment is engineered to provide flame resistance for the life of the garment.

NOMEX® IIIA LIGHTWEIGHT. BREATHABLE. INHERENTLY FLAME-RESISTANT.

DuPont Nomex® IIIA (93% Nomex® Aramid/5% Kevlar® Aramid/2% Anti-Static Fiber) garments are extremely durable and are not damaged by laundering. Nomex® IIIA apparel is preferred by workers in petrochemical and refinery environments and makes a great choice for electric and gas utility workers.

COOLTOUCH® 2 DURABLE. WICKABLE. BLENDED INHERENT.

CoolTouch® 2 garments provide flame-resistant protection in a lightweight blended fabric (48% Modacrylic/37% Lyocell/15% Para-Aramid and 45% Modacrylic/35% Lyocell/15% Polyamide/5% Para-Aramid). The result - unbeatable softness coupled with lasting durability and available in CAT1 and CAT2 protection.

FR HI-VISIBILITY FLAME-RESISTANT. COMFORTABLE. COMPLIANT.

Bulwark® offers garments designed to provide additional wearer safety during periods of limited visibility or in the often complex and varying backgrounds found in many occupations such as traffic control, construction and utility work along roadways and equipment operation.

HI-VISIBILITY RAINWEAR BE SAFE. BE DRY. BE SEEN.

Flame-resistant rainwear from Bulwark® provides an effective barrier against rain and wind. Extra confidence comes from knowing these garments will not melt, drip or burn when exposed to an electrical arc or flash fire.

MOLTEN METAL® PROTECTION SHED MOLTEN ALUMINUM. CAST OFF CRYOLITE.

Because of its unique ability to shed molten aluminum as well as cryolite, specialized Molten Metal® Protective garments are used extensively throughout the aluminum casting industry. Our products are inherently flame-resistant, so their ability to protect will never be compromised by laundering.

FR DISPOSABLES PROTECT OTHER GARMENTS. PREVENT CONTAMINANT SOILING.

Sontara® Extend FR garments are water-repellent and made to withstand minor splashes without saturation to garments underneath. Use them to extend the life of more expensive thermal protective garments.

ELECTRICAL SWITCHING CLOTHING PROTECTION FOR MAXIMUM EXPOSURE.

For employees installing, maintaining or repairing high-voltage electrical systems, Bulwark®'s 40 cal/cm² electrical switching coat, bib and hood with face shield provide protection from extreme electrical arc risks.

ICON LEGEND

Throughout the catalog, you will notice different icons next to the product descriptions for our garments. The icons help you quickly determine new products, CAT protection, NPFA® 2112 Compliance and ISO/EN certification.



NEW PRODUCT FOR 2016



CATEGORY 1 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum ATPV of 4 cal/cm².



CATEGORY 2 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum ATPV of 8 cal/cm².



CATEGORY 3 PROTECTION

Arc-rated FR long-sleeve shirt and pants or FR coverall, and arc flash suit selected so that the system arc rating meets the required minimum and a required minimum ATPV of 25 cal/cm².



CATEGORY 4 PROTECTION

Arc-rated FR long-sleeve shirt and pants or FR coverall, and arc flash suit selected so that the system arc rating meets the required minimum and a required minimum ATPV of 40 cal/cm².



NPFA® 2112 COMPLIANT

Bulwark® Protective Apparel offers flame-resistant protective garments that are certified by Underwriters Laboratories to meet the requirements of NFPA® 2112 Standard on Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2012 Edition. NFPA® 2113 Standard on Selection, Care, Use, and Maintenance of Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2015 Edition, requires that garments cover the upper and lower body and flammable underlayers as completely as possible. Bulwark® garments meet this requirement either as a single garment such as a coverall or when worn with another certified garment such as a shirt or pants to provide both upper and lower body coverage.



This **BULWARK® FR** collection has been designed according to the PPE Directive 89/686/EEC and specifically to the European Standards EN 340:2003 (General Requirements for protective clothing), EN ISO 11612:2008 (Protective Clothing for Industrial workers exposed to heat and flame), EN 1149-5:2008 (Protective clothing – Electrostatic properties) and IEC 61482-2:2009 (Protective Clothing against the thermal hazards of an electric arc) to the referenced performance levels. ECType examination by a Notified Body has proven that the clothing meets the fundamental requirements as described in the European Directive 89/686/EEG. The CE mark is the visible sign of our compliant PPE.

WASH CODES



INDUSTRIAL LAUNDRY: This method of laundering is commonly used to remove heavy soil with a combination of higher water temperatures (160° F max) and harsher chemistry. More aggressive wash formulas may be necessary to remove heavy soils but may result in accelerated color loss and perhaps reduced garment service life.



LIGHT SOIL: This less aggressive (industrial) laundering process is commonly used on uniforms which are lightly soiled or made of fabrics that are not designed to withstand higher wash temperatures or harsher chemistry. Water temperatures in light soil formula are usually held to a maximum of 140° F.



HOME WASH: A laundering process normally defined as washing in a residential type top- or front-loading unit followed by tumble drying. Detergents used in this process are formulated for home use and are readily available on the consumer market.

ISO 13688 (formerly EN 340:2003) - Protective clothing - General requirements

PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM
<ul style="list-style-type: none"> Innocuousness Design Comfort Ageing Sizes (body dimensions) Marking User info 	Compliant	 EN 340:2003

EN ISO 11612:2008 - Protective clothing against heat and flame

PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM
A = Limited flamespread (A1 = surface ignition, A2 = edge ignition) B = Convective heat (class 1-3) C = Radiation heat (class 1-4) D = Molten aluminium (class 1-3) E = Molten iron (class 1-3) F = Contact heat (class 1-3) "0" means no protection offered	A1 B1 C1 D0 E0 F0	 EN ISO 11612:2008 A1,B1,C1

IEC 61482-2:2009 - Live working - Protective Clothing against the thermal hazards of an electric arc

PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM
Arc thermal resistance on garment tested against: <ul style="list-style-type: none"> IEC 61482-1-1 ATPV method Min ATPV: 4 cal/cm² Arc current: 8 kA Voltage: 2000 V Distance to sample: 30 cms Duration: 0,05-1,5 sec IEC 61482-1-2 Box test method Class 1-4 kA or Class 2-7 kA 	ATPV test method For individual ATPV ratings, see label sewn into garment	 IEC 61482-2:2009 ATPV = 4.1 CAL/CM ²

EN 1149-5:2008 - Protective Clothing - Electrostatic properties, part 5: performance requirements

PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM
The material test has been carried out according to EN 1149-3:2004: Test method for measurement of charge decay. Half decay time T ₅₀ < 4 sec And/or shielding factor S > 0,2	Compliant	 EN 1149-5:2008





iQ SERIES®

INTRODUCING THE FIRST FR TO EVER BREAK THE COMFORT BARRIER, WITHOUT COMPROMISING YOUR LEVEL OF PROTECTION. BULWARK® iQ SERIES® IS MORE THAN A NEW PRODUCT LINE; IT'S A REVOLUTION IN FR CLOTHING. iQ WAS DEVELOPED TO BE A SMARTER, BETTER SOLUTION FOR PROTECTIVE WORKWEAR, WITH ENHANCED PROTECTION AND DURABILITY, GREATER COMFORT, A MORE MODERN APPEARANCE AND EASIER CARE AND MAINTENANCE. AVAILABLE IN FR GARMENTS RANGING FROM TEES AND WORK SHIRTS TO PANTS AND COVERALLS.

ARM YOURSELF




INTRODUCING THE NEW iQ SERIES® ENDURANCE COLLECTION.

FR WORKWEAR WON'T PASS MUSTER IF IT DOESN'T LAST. THE iQ SERIES® ENDURANCE COLLECTION IS A LINE OF DURABLE FR WITHOUT THE TRADEOFFS AND COMPROMISES TRADITIONALLY ASSOCIATED WITH DURABILITY. iQ'S REVOLUTIONARY DUAL ELEMENT PROTECTION PENETRATES FR CHEMISTRY DEEP INTO THE FIBER OF THE FABRIC WITHOUT ADDING WEIGHT, WHILE THE ADDITION OF POLYESTER IMPROVES STRENGTH, RESISTANCE TO TEARING, AND OVERALL DURABILITY. SO YOU CAN BE CONFIDENT YOUR FR PROTECTION WILL LAST EVERY BIT AS LONG AS YOU DO.

A LONG-LASTING
COMFORTABLE
WORK SHIRT

DUAL ELEMENTAL PROTECTION:
THE REVELATION THAT LETS **POLYESTER**
INTO THE FR EQUATION.



SEE THE SCIENCE: BULWARK.COM/iQSERIES



iQ SERIES® ENDURANCE COLLECTION WORK SHIRT



TRIPLE-NEEDLE SEAMS
INCREASE DURABILITY

GAS MONITOR POCKET AT
FRONT SHOULDERS FOR
CONVENIENT STORAGE

REINFORCED POCKET

EXTERIOR CAT 2 & 2112
LABELS EASILY VISIBLE

FULL UNDERARM
GUSSETS ALLOW
FOR UNRESTRICTED
MOVEMENT

PATCH CHEST POCKET
WITH INTEGRATED
PENCIL STALL

DURABLE RIPSTOP
FABRIC

iQ SERIES® ENDURANCE WORK SHIRT



QS40 - Men's (Reg) S-6XL. (Long) M-6XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 7.0 oz. (235 g/m²) Ripstop Twill, 65% Cotton /
35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)

Imported of Fabric Made in U.S.A.



iQ SERIES®



WOMEN'S ENDURANCE SHIRT

AN FR SHIRT WITH A FEMININE LOOK AND FEEL? YOU BETTER BELIEVE IT. THE BULWARK® ENDURANCE SHIRT IS MADE FOR A WOMAN'S BODY, WITH PRINCESS SEAMS AT THE FRONT FOR A MORE FEMININE FIT. BUT YOU'LL STILL GET ALL THE PROTECTION OF BULWARK FR GEAR AND THE COMFORT OF OUR iQ SERIES®, MADE EXCLUSIVELY WITH WESTEX G2™ FABRICS BY MILLIKEN®. FULL UNDERARM GUSSETS ALLOW YOU TO MOVE FREELY, WHILE POCKETS GIVE YOU EASY ACCESS TO STORAGE. AND BECAUSE IT'S PART OF THE NEW iQ ENDURANCE LINE, THIS SHIRT CAN TAKE AS MANY WASHES AS YOU CAN GIVE IT WITHOUT LOSING ITS FR PROTECTION.

TRIPLE-NEEDLE SEAMS
INCREASE DURABILITY

GAS MONITOR
POCKET AT FRONT
SHOULDERS FOR
CONVENIENT STORAGE

FULL UNDERARM
GUSSETS ALLOW
FOR UNRESTRICTED
MOVEMENT

SLEEVE POCKET
FOR EASY ACCESS
TO STORAGE

PRINCESS SEAMS
FOR A MORE
FEMININE FIT



iQ SERIES® ENDURANCE WOMEN'S SHIRT



QS41 - Women's (Reg) S-3XL

NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 7 oz. (235 g/m²) Ripstop Twill, 65% Cotton /
35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Khaki (KH)

Imported of Fabric Made in U.S.A.

FIT CHART ON PAGE 92


 **iQ SERIES®**

MEN'S ENDURANCE WORK PANT

WALLET, CELL PHONE, PEN, KEYS... IF CARRYING STUFF IS YOUR M-O, THEN THIS IS THE WORK PANT FOR YOU. POCKETS INSIDE POCKETS MAKE THIS THE IDEAL PANT FOR STORAGE WITHIN REACH. PLUS, 8.5 OZ CANVAS FABRIC MAKES THEM AS DURABLE AS THEY ARE CONVENIENT. AND AS PART OF THE iQ SERIES® ENDURANCE COLLECTION, YOU CAN WASH THEM AS OFTEN AS YOU WEAR THEM WITHOUT FEAR OF COMPROMISING THEIR FR PROTECTION.

WOMEN'S ENDURANCE WORK PANT

STRIDES AHEAD OF ANY OTHER WORK PANT IN TERMS OF TOUGHNESS, COMFORT AND FIT. CONTEMPORARY STYLING AND ABUNDANT SLACK-STYLE POCKETS BLEND FASHION WITH FUNCTIONALITY. BEST YET, THE LATEST INNOVATIONS IN ENHANCED DURABILITY COME STANDARD, SO YOU CAN WASH AND WEAR WITHOUT WORRY OR EVER COMPROMISING YOUR FR PROTECTION.



QPIOKH

MEN'S iQ SERIES® ENDURANCE WORK PANT



QPIO - Men's 28-52
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2® fabrics by Milliken®
Canvas Flame-resistant, 8.5 oz. (290 g/m²) 65% Cotton / 35% Polyester
Protection: Arc Rating ATPV 12.0 calories/cm²
Colors: Khaki (KH), Navy (NV)



QPIINV

WOMEN'S iQ SERIES® ENDURANCE WORK PANT



QPII - Women's 4-24
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2® fabrics by Milliken®
Canvas Flame-resistant, 8.5 oz. (290 g/m²) 65% Cotton / 35% Polyester
Protection: Arc Rating ATPV 12.0 calories/cm²
Colors: Navy (NV)





ENDURANCE COVERALLS

THE iQ SERIES® ENDURANCE COVERALL DOESN'T JUST PERFORM ON THE JOB, IT CONTINUES TO PERFORM WEAR AFTER WEAR, NO MATTER HOW MANY TIMES YOU WASH IT. THIS PREMIUM COVERALL FEATURES A TWO-WAY CONCEALED NOMEX® TAPED BRASS BREAKAWAY FRONT ZIPPER AND CONCEALED SNAP AT NECK FOR COMPLETE FR PROTECTION. ELEVEN TOTAL POCKETS, INCLUDING A RIGHT FRONT BAG POCKET WITH CELL PHONE INTERIOR POCKET, ALLOW FOR MAXIMUM STORAGE AND CONVENIENCE THROUGHOUT THE DAY. SIDE VENT OPENINGS, ELASTIC BACK WAIST, AND A DEEP-PLEATED BACK YOKE ALL COME TOGETHER TO HELP YOU MOVE, BEND AND WORK BETTER.

iQ SERIES® ENDURANCE PREMIUM COVERALL



QCIO - Men's (Reg) 38-64. (Long) 42-58.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 7 oz. (237 g/m²) Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Khaki (KH), Grey (GY), Navy (NV)

SIZE & FIT CHARTS ON PAGE 92-96

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.





BECAUSE THE JOB YOU DO IS HEAVY ENOUGH ALREADY.

iQ SERIES® FABRICS FEEL DIFFERENT BECAUSE THEY WERE MADE DIFFERENTLY. IN A FIRST OF ITS KIND PARTNERSHIP, BULWARK® TEAMED UP WITH MILLIKEN® TO DEVELOP AN ENTIRELY NEW MATERIAL FOR THE FR INDUSTRY. COMBINING INNOVATIVE FR CHEMISTRY WITH INCREASED COMFORT YOU CAN FEEL, iQ IS SOFT TO THE TOUCH, MOISTURE-WICKING TO KEEP YOU DRY AND OFFERS THE HIGHEST LEVEL OF FR PROTECTION AVAILABLE. AND THE LIGHTWEIGHT, BREATHABLE FABRIC MAKES iQ THE MOST COMFORTABLE FR LINE ON THE MARKET. BECAUSE THE JOB ISN'T ALWAYS COMFORTABLE, BUT THAT DOESN'T MEAN YOUR WORKWEAR SHOULDN'T BE.

FR PERFORMANCE TO
KEEP YOU COOL
WHEN THE TEMPS SOAR

NOBODY GETS **COMFORT BETTER** THAN BULWARK. **NO SCIENCE** HAS EVER DELIVERED IT LIKE THIS.



SEE THE SCIENCE: [BULWARK.COM/iQSERIES](https://bulwark.com/iqseries)



iQ SERIES® COMFORT COLLECTION

LONG SLEEVE HENLEY

QT20DB

FULL UNDERARM GUSSETS
ALLOW FOR UNRESTRICTED
MOVEMENT

EXTERIOR CAT 2 & 2112
LABELS EASILY VISIBLE

CONCEALED SLEEVE
POCKET

CONCEALED CHEST
POCKET WITH
PENCIL STALL

HIDDEN RIB KNIT CUFFS
KEEP SLEEVES IN PLACE

MOISTURE-WICKING, HIGHLY
BREATHABLE FABRIC



iQ SERIES® LONG SLEEVE HENLEY



QT20 - Men's (Reg) S-4XL. (Long) L-3XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton /
25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
Colors: Black (BK), Blue (BL), Charcoal (CH),
Dark Blue (DB), Khaki (KH), Red (RD), Stone (TN)

Imported or Fabric Made in U.S.A.

MEN'S POLOS

A COMFORTABLE, CASUAL POLO SHIRT MADE FOR FR COMPLIANCE. BELIEVE IT. THE iQ SERIES® POLO SHIRTS ARE AVAILABLE IN BOTH SHORT AND LONG SLEEVE VARIATIONS, SO YOU CAN ENJOY THE LIGHTWEIGHT, MOISTURE-WICKING MATERIAL ALL YEAR ROUND. UNDERARM GUSSETS ALLOW YOU TO REACH, WITHOUT YOUR SHIRT COMING UNTUCKED, WHILE HIDDEN RIBBING IN THE CUFFS KEEPS LONG SLEEVES IN PLACE. THE ZIPPER PLACKET GIVES THESE SHIRTS A CONTEMPORARY AND STYLISH LOOK WITH CAT2 AND 2112 LABELS EASILY VISIBLE ON THE SLEEVE.

A | QT12RD

B | QT10CH

A | iQ SERIES® COMFORT KNIT LONG SLEEVE POLO



QT12 - Men's (Reg) S-4XL. (Long) L-3XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Red (RD), Stone (TN)

B | iQ SERIES® COMFORT KNIT SHORT SLEEVE POLO



QT10 - Men's (Reg) S-4XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Red (RD), Stone (TN)

Not intended to be worn as a single layer.



QT11DB



NEW

QT15KH



QT31CH

NEW

iQ SERIES® COMFORT KNIT WOMEN'S POLO   

QT11 - Women's (Reg) XS-2XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2® fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Red (RD), Stone (TN)

iQ SERIES® COMFORT KNIT WOMEN'S POLO WITH 4-BUTTON PLACKET   

QT15 - Women's (Reg) XS-2XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2® fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
Colors: Charcoal (CH), Dark Blue (DB), Khaki (KH)

iQ SERIES® COMFORT KNIT WOMEN'S TEE   

QT31 - Women's (Reg) XS-2XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2® fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
Colors: Call for availability

WOMEN'S POLOS

INTRODUCING REVOLUTIONARY FR WORKWEAR DESIGNED FOR WOMEN'S BODIES. THE QT11 SHIRT IS MADE WITH WESTEX G2™ FABRICS BY MILLIKEN®, GIVING IT THE LIGHTWEIGHT, BREATHABLE FEELING OF YOUR FAVORITE ACTIVEWEAR, WITH ALL THE PROTECTION YOU EXPECT FROM BULWARK®. A SINGLE BUTTON CLOSURE AND SLIM SHAPING GIVE THIS FR SHIRT A FEMININE, PERFORMANCE-WEAR LOOK, WHILE UNDERARM GUSSETS ALLOW YOU TO REACH, WITHOUT YOUR SHIRT COMING UNTUCKED.

THE QT15 POLO IS DESIGNED FOR FIT AND COMFORT, WITH FR COMPLIANCE, OF COURSE. THE 4-BUTTON PLACKET ALLOWS YOU TO BUTTON ALL THE WAY UP FOR MAXIMUM SAFETY, OR UNBUTTON WHEN YOU'RE OUT OF THE LINE OF FIRE. SHIRRING AT THE BACK OF THIS SHIRT, WITH A TWO-PLY YOKE CREATES A FEMININE SILHOUETTE, AND THE CONCEALED RIB KNIT CUFFS STAY IN PLACE ALL DAY LONG.

WOMEN'S TEE

INTRODUCING THE WORK TEE THAT FITS AND FEELS LIKE YOUR FAVORITE WEEKEND TEE SHIRT, WITH ALL THE FR PROTECTION YOUR WORKDAY REQUIRES. MOISTURE-WICKING, BREATHABLE FABRIC KEEPS YOU COOL AND COMFORTABLE, WHILE FULL UNDERARM GUSSETS AND CONCEALED RIB KNIT CUFFS ALLOW YOU TO MOVE FREELY THROUGHOUT THE DAY. UNIQUELY FEMININE FEATURES, LIKE A FISHTAIL HEM AND V-NECK RIB KNIT COLLAR MAKE THIS A FLATTERING IMPROVEMENT UPON YOUR EVERYDAY WORKWEAR.

FIT CHARTS ON PAGE 92-95

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.

MEN'S T-SHIRTS

YOUR EVERYDAY T-SHIRT, REINVENTED FOR WORK. THE iQ SERIES® T-SHIRT IS AVAILABLE IN BOTH SHORT AND LONG SLEEVE VARIATIONS, SO YOU CAN ENJOY THE LIGHTWEIGHT, MOISTURE-WICKING MATERIAL ALL YEAR ROUND. UNDERARM GUSSETS ALLOW YOU TO REACH, WITHOUT YOUR SHIRT COMING UNTUCKED, WHILE HIDDEN RIBBING IN THE CUFFS KEEPS LONG SLEEVES IN PLACE. CONTRAST STITCHING GIVES THESE SHIRTS A CONTEMPORARY AND STYLISH LOOK, WHILE A CONCEALED CHEST POCKET WITH PENCIL STALL PROVIDES SAFE STORAGE. PROTECTION LEVEL IS CLEARLY MARKED WITH CAT2 AND 2112 LABELS EASILY VISIBLE ON THE SLEEVE.

MEN'S CSA TEE

TOTAL VISIBILITY MEETS PURE AGILITY. MOISTURE-WICKING AND BREATHABLE, MADE EXCLUSIVELY WITH INNOVATIVE WESTEX G2™ FABRICS BY MILLIKEN®, THIS NFPA® 2112 CERTIFIED FR TEE FEATURES HI-VIS STRIPING ON TOP OF THE SOLID ORANGE ENHANCED VIS BASE. RIB KNIT COLLAR AND CUFFS STAY IN PLACE WITHOUT ROLLING, AND FULL UNDERARM GUSSETS MAKE BENDING, STRETCHING AND REACHING EASY AND COMFORTABLE.



A | QT30BK



C | QT34OR

NEW



B | QT32DB

A | iQ SERIES® COMFORT KNIT SHORT SLEEVE T-SHIRT



QT30 - Men's (Reg) S-4XL. (Long) L-3XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Red (RD), Stone (TN)

Not intended to be worn as a single layer.

B | iQ SERIES® COMFORT KNIT LONG SLEEVE T-SHIRT



QT32 - Men's (Reg) S-4XL. (Long) L-3XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

Colors: Black (BK), Blue (BL), Charcoal (CH), Dark Blue (DB), Khaki (KH), Red (RD), Stone (TN)

C | iQ SERIES® COMFORT KNIT CSA TEE



QT34 - Men's (Reg) S-4XL. (Long) L-3XL.
NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant silver segmented heat seal reflective striping. Reflective striping is CSA compliant.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton / 25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²

CSA Z96-09 Class 2 Level 2 Compliant

Color: Orange (OR)



QS30LB



QS31LT



QS20NV

iQ SERIES® COMFORT WOVEN PATCH POCKET SHIRT



QS30 - Men's (Reg) S-4XL. (Long) L-3XL.
NFPA® 2112 Compliant

Two classic patch pockets on the chest provide roomy storage.

Fabric: Exclusively with Westex G2® fabrics by Milliken®
Flame-resistant, 5.7 oz. (190 g/m²) Twill, 88% Lyocel / 12% Polyester

Protection: Arc Rating ATPV 6.3 calories/cm²

Colors: Charcoal (CH), Dark Blue (DB),
Light Blue (LB), Light Tan (LT)

iQ SERIES® COMFORT WOVEN CONCEALED POCKET SHIRT



QS20 - Men's (Reg) S-4XL. (Long) L-3XL.
NFPA® 2112 Compliant

A double pen/tool pocket provides additional storage for all your must-haves.

Fabric: Exclusively with Westex G2® fabrics by Milliken®
Flame-resistant, 5.7 oz. (190 g/m²) Twill, 88% Lyocel / 12% Polyester

Protection: Arc Rating ATPV 6.3 calories/cm²

Colors: Charcoal (CH), Dark Blue (DB),
Light Tan (LT), Red (RD)

iQ SERIES® COMFORT WOVEN WOMEN'S SHIRT



QS31 - Women's (Reg) XS-2XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2® fabrics by Milliken®
Flame-resistant, 5.7 oz. (190 g/m²) Twill, 88% Lyocel / 12% Polyester

Protection: Arc Rating ATPV 6.3 calories/cm²

Colors: Charcoal (CH), Light Blue (LB),
Light Tan (LT), Red (RD)

MEN'S WOVEN SHIRTS

LIGHTWEIGHT AND BREATHABLE, BULWARK'S LONG SLEEVE PATCH POCKET AND CONCEALED POCKET SHIRTS ARE MADE EXCLUSIVELY FROM WESTEX G2™ FABRICS BY MILLIKEN®. WITH STRETCH WOVEN MOBILITY PANELS ON THE BACK AND FULL UNDERARM GUSSETS, THIS SHIRT IS BUILT TO MOVE WITH YOU WITHOUT COMING UNTUCKED, RIDING UP, OR RESTRICTING YOUR MOVEMENT. THE NAPOLEON CHEST POCKET ZIPS SECURELY CLOSED TO STORE ITEMS OF VALUE. PROTECTION LEVEL IS CLEARLY INDICATED WITH EXTERIOR 2112 LABELS EASILY VISIBLE ON THE SLEEVE.

WOMEN'S WOVEN SHIRT

THE NEWEST ADVANCE IN WOMEN'S FR WORKWEAR. WORKWEAR THAT'S ACTUALLY DESIGNED FOR A WOMAN'S BODY. MADE EXCLUSIVELY FROM WESTEX G2™ FABRICS BY MILLIKEN®, THIS FR BUTTON-FRONT SHIRT FEATURES WOVEN MOBILITY PANELS ACROSS THE BACK AND FULL UNDERARM GUSSETS FOR INCREASED MOVEMENT AND COMFORT. PRINCESS SEAMING GIVES THIS SHIRT A UNIQUELY FEMININE FIT AND SHAPE, WITH HIDDEN POCKETS ON EACH SLEEVE AND EXTERIOR 2112 LABELS CLEARLY VISIBLE.

FIT CHARTS ON PAGE 92-95

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.







HI-VISIBILITY & RAINGEAR

DON'T GET LEFT IN THE DARK. WHEN YOU NEED TO BE SEEN, YOU CAN COUNT ON BULWARK'S HI-VIS FR WORKWEAR. FLAME-RESISTANT, COMFORTABLE AND COMPLIANT, BULWARK'S HI-VIS COLLECTION IS DESIGNED TO PROVIDE EXTRA SAFETY FOR FR ENVIRONMENTS WITH LIMITED VISIBILITY OR COMPLEX BACKGROUNDS LIKE TRAFFIC CONTROL, CONSTRUCTION AND UTILITY WORK.

ARM YOURSELF

COLOR-BLOCK UNIFORM SHIRT

360° VISIBILITY WITH FRONT AND BACK 2" FLAME-RESISTANT HEAT SEAL SILVER REFLECTIVE STRIPING. BANDED, TOPSTITCHED COLLAR. TOPSTITCHED CUFFS WITH BUTTON CLOSURE. HEMMED FRONT WITH BUTTON CLOSURE. TAILORED SLEEVE PLACKET. FULL UNDERARM GUSSETS. COLOR-BLOCK SHIRT WITH HI-VIS TOP HALF AND GREY BOTTOM HALF TO CONCEAL DIRT AND STAINS. NAPOLEON POCKET AT LEFT FRONT WITH ZIPPER CLOSURE, RIGHT FRONT CHEST POCKET WITH PENCIL STALL.

UNIFORM SHIRT

360° VISIBILITY WITH FRONT AND BACK 2" FLAME-RESISTANT SILVER REFLECTIVE STRIPING - CSA COMPLIANT. BANDED, TOPSTITCHED COLLAR. TWO CHEST POCKETS WITH CONCEALED GRIPPER CLOSURES AND SEWN-IN PENCIL STALL. BUTTON-FRONT CLOSURE. LINED CUFF WITH BUTTON CLOSURE.

FIT CHARTS ON PAGE 93-95

ALL PRODUCT ON PAGE | Imported of Fabric Made in U.S.A.



HI-VISIBILITY COLOR-BLOCK UNIFORM SHIRT



SLB4 - Men's (Reg) M-3XL. (Long) M-3XL.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

ANSI 107-2010 Class 3 Level 2 Compliant

Color: Hi-Vis Yellow/Grey (HG)



HI-VISIBILITY AND CSA COMPLIANT UNIFORM SHIRT



SMD8 - Men's (Reg) M-3XL. (Long) M-3XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²)

48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

ANSI 107-2010 Class 3 Level 2 Compliant

CSA Z96-09 Class 2 Level 2

Color: Yellow/Green (HV)



SMW4HV

HI-VISIBILITY WORK SHIRT



SMW4 - Men's (Reg) M-3XL. (Long) M-3XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107-2010 Class 2 Level 2 Compliant
Color: Yellow/Green (HV)

WORK SHIRT

360° VISIBILITY WITH FRONT AND BACK
2" FLAME-RESISTANT SILVER REFLECTIVE
STRIPING. TWO-PIECE, LINED COLLAR. TWO
CHEST POCKETS WITH BUTTON CLOSURES
AND SEWN-IN PENCIL STALL. BUTTON-FRONT
CLOSURE. LINED CUFF WITH BUTTON CLOSURE.

T-SHIRT

360° VISIBILITY WITH FRONT AND BACK
2" SEGMENTED HEAT SEAL REFLECTIVE
STRIPING. SELF-FABRIC CREWNECK COLLAR.
FULL UNDERARM GUSSETS.



SMK2HV

HI-VISIBILITY LONG SLEEVE T-SHIRT



SMK2 - Men's (Reg) S-5XL.

Fabric: Flame-resistant, 8.75 oz. (300 g/m²)
70% Modacrylic / 15% FR Lenzing* / 15% Rayon
Protection: Arc Rating ATPV 8.1 calories/cm²
ANSI 107-2010 Class 3 Level 2 Compliant
Color: Yellow/Green (HV)

DELUXE COVERALLS

360° VISIBILITY WITH FRONT AND BACK 2" SILVER REFLECTIVE STRIPING. ONE-PIECE, TOPSTITCHED, LAY-FLAT COLLAR. ONE-PIECE BI-SWING ACTION BACK. TWO-WAY CONCEALED NOMEX® TAPED BRASS BREAK-AWAY ZIPPER, CONCEALED SNAP AT TOP OF ZIPPER AT NECK. CONCEALED SNAP CLOSURE ON SLEEVE CUFF. TWO, TWO-NEEDLE TOPSTITCHED PATCH CHEST POCKETS WITH FLAPS AND CONCEALED SNAP CLOSURE. TWO FRONT SWING POCKETS ARE TOPSTITCHED AND LINED. TWO PATCH HIP POCKETS HAVE SINGLE CONCEALED SNAP CLOSURE. ONE SLEEVE POCKET SEWN TO LEFT BICEP WITH PENCIL STALL. RULE POCKET ON RIGHT LEG. ELASTIC WAIST INSERTS IN BACK.

BOMBER JACKET

360° VISIBILITY WITH FRONT AND BACK 2" SILVER REFLECTIVE STRIPING. DWR (DURABLE WATER-REPELLENT) FINISH. SEPARATING, HEAVY-DUTY, NOMEX® TAPED BRASS ZIPPER, FULLY COVERED WITH TWO-LAYER STORM FLAP, CONCEALED SNAP CLOSURE. TWO-LAYER STAND-UP COLLAR. TWO-LAYER CONCEALED SNAP CUFF. TWO LARGE EXTERNAL PATCH POCKETS, WITH CONCEALED SNAP SECURED FLAPS WITH HAND WARMERS. ONE INSIDE CHEST POCKET. DEEP-PLEATED ACTION BACK. FULLY-TUNNELED ELASTICIZED WAISTBAND. INSIDE ZIPPER GUARDS ON ALL ZIPPERS.



HI-VISIBILITY DELUXE COVERALL

CMD8 - Men's (Reg) 38-58. (Long) 42-58.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Para-Aramid
Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107-2010 Class 3 Level 2 Compliant
Color: Yellow/Green (HV)

HI-VISIBILITY LINED BOMBER JACKET

JMJ4 - Men's (Reg) S-3XL. (Long) L-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant
Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent
Lining: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 31 calories/cm²
ANSI 107-2010 Class 3 Level 2 Compliant
Color: Yellow/Green (HV)





SMC4HV

NEW

HI-VISIBILITY CREWNECK FLEECE SWEATSHIRT



SMC4 - Men's (Reg) M-5XL. (Long) L-2XL.

Fabric: Flame-resistant, 10 oz. (340 g/m²)

50% Modacrylic / 50% Cotton

Protection: Arc Rating ATPV 20 calories/cm²

ANSI 107-2010 Class 3 Level 2 Compliant

Color: Yellow/Green (HV)



SMH4HV

NEW

HI-VISIBILITY PULLOVER HOODED FLEECE SWEATSHIRT



SMH4 - Men's (Reg) M-5XL. (Long) L-2XL.

Fabric: Flame-resistant, 10 oz. (340 g/m²)

50% Modacrylic / 50% Cotton

Protection: Arc Rating ATPV 20 calories/cm²

ANSI 107-2010 Class 3 Level 2 Compliant

Color: Yellow/Green (HV)

CREWNECK SWEATSHIRT

WHEN HI-VIS AND FLEECE COME TOGETHER, THE RESULT IS FEWER LAYERS AND MORE COMFORT. RIB KNIT CUFFS AND WAISTBAND KEEP YOUR SWEATSHIRT IN PLACE, EVEN WHEN YOU REACH UP, AND HEAT SEAL REFLECTIVE STRIPING HELPS YOU SAFELY STAND OUT ON SITE.

PULLOVER HOODED SWEATSHIRT

THINK OF IT AS YOUR FAVORITE HOODIE, WITH THE ADDITION OF FR PROTECTION AND HEAT SEAL REFLECTIVE STRIPING TO KEEP YOU SAFE. FEATURING A SINGLE-PLY, DRAWSTRING HOOD, LARGE HAND POCKETS FOR WARMTH AND INTERIOR CONCEALED POCKETS FOR STORAGE, THIS HOODIE DOES ALL THE WORK OF AN FR SWEATSHIRT AND HI-VIS VEST, IN ONE CONVENIENT, COMFORTABLE LAYER.

FIT CHARTS ON PAGE 92-95

ALL PRODUCT ON PAGE | Imported of Fabric Made in U.S.A.

INSULATED SAFETY VEST

ON COLD DAYS, EACH LAYER NEEDS TO PULL ITS WEIGHT. INTRODUCING A FLAME-RESISTANT, HI-VIS VEST THAT'S ALSO INSULATED. WITH A DURABLE, WATER-REPELLENT FINISH, ACCOMMODATION FOR A SAFETY HARNESS, 2" SILVER REFLECTIVE STRIPING ON BACK, SHOULDERS AND CHEST, AND INTERIOR AND EXTERIOR POCKETS, THIS VEST DOES MORE THAN KEEP YOU SAFE, IT ALSO KEEPS YOU WARM.

SAFETY VESTS

PARALLEL STRIPING, FRONT AND BACK. 360° VISIBILITY. APPLIED 2" FR SILVER REFLECTIVE STRIPING. HOOK-AND-LOOP FRONT CLOSURE. HOOK-AND-LOOP ADJUSTABLE SIDES.



A | VMS4HV



B | VMV4HV



C | VMV8HV

A | HI-VISIBILITY INSULATED VEST



VMS4 - Men's (Reg) M-3XL. (Long) L-2XL.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Insulation package: 12 oz. (405 g/m²) 100% Modacrylic

Lining: 100% Cotton

Protection: Arc Rating ATPV 45 calories/cm²

ANSI 107-2010 Class 2 Level 2 Compliant

Color: Yellow/Green (HV)

B | HI-VISIBILITY SAFETY VEST



VMV4 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL.

Fabric: Flame-Resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

ANSI 107-2010 Class 2 Level 2 Compliant

Color: Yellow/Green (HV)

C | HI-VISIBILITY MESH SAFETY VEST



VMV8 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL.

Fabric: 6.5 oz (220 g/m²) Flame-resistant High Visibility 87% Modacrylic / 13% Aramid

Protection: Arc Rating ATPV 5.1 calories/cm²

ANSI 107-2010 Class 2 Level 2 Compliant

Color: Yellow/Green (HV)

FIT CHARTS ON PAGE 93-96

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.



A | JXN6YE
C | BXN6YE

A | HI-VISIBILITY FLAME-RESISTANT RAIN JACKET 

JXN6 - Men's (Reg) S-6XL.

360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit, Water-repellent
Protection: Arc Rating ATPV 8.5 calories/cm² E_{BT} 36 calories/cm²
ANSI 107-2010 Class 2 Level 2 (Class 3 Level 2 when worn with BXN6)
Meets ASTM F1891-12 Arc and Flame Resistant Rainwear Specification
Meets ASTM F2733 Flame Resistant Rainwear for Protection
Color: Yellow/Green (YE)

B | HI-VISIBILITY FLAME-RESISTANT RAIN JACKET 

JXN4 - Men's (Reg) S-6XL

360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent
Protection: Arc Rating ATPV 19 calories/cm² E_{BT} 28 calories/cm²
ANSI 107-2010 Class 3 Level 2
Meets ASTM F1891-12 Arc and Flame Resistant Rainwear Specification
Meets ASTM F2733-09 Flame Resistant Rainwear for Protection
Color: Yellow/Green (YE)

C | HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS 

BXN6 - Men's (Reg) S-6XL.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit
Protection: Arc Rating ATPV 8.5 calories/cm² E_{BT} 36 calories/cm²
ANSI 107-2010 Class E (Class 3 Level 2 when worn with JXN6YE)
Meets ASTM F1891-12 Arc and Flame Resistant Rainwear Specification
Meets ASTM F2733-09 Flame Resistant Rainwear for Protection against Flame Hazards Specification
Color: Yellow/Green (YE)

D | HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS 

BXN4 - Men's (Reg) S-6XL.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent
Protection: Arc Rating ATPV 19 calories/cm² E_{BT} 28 calories/cm²
ANSI 107-2010 Class E (Class 3 Level 2 when worn with JXN4YE)
Meets ASTM F1891-06 Arc and Flame Resistant Specifications
Meets ASTM F2733-09 Flash Fire Specifications
Color: Yellow/Green (YE)

RAIN JACKETS

NON-CONDUCTIVE DURABLE HARDWARE. SILVER REFLECTIVE STRIPING. TWO PATCH POCKETS WITH FLAPS. VENTED BACK WITH "D" RING ACCESS. TAKE-UP TABS ON CUFF.

RAIN BIBS

NON-CONDUCTIVE DURABLE HARDWARE. 2" REFLECTIVE STRIPING. ELASTICIZED SHOULDER STRAPS WITH NON-CONDUCTIVE ADJUSTABLE HARDWARE. TAKE-UP TABS AT ANKLES.



B | JXN4YE

D | BXN4YE





SHIRTS


MORE STYLES. MORE COLORS. MORE PROTECTION. BULWARK'S FR SHIRTS COME IN EVERY STYLE FROM SPORTY POLOS TO PROFESSIONAL UNIFORM SHIRTS, AND MODERN HENLEYS TO LONG-WEARING TEES. SO YOU CAN BE COOL, COMFORTABLE AND COMPLIANT. ALL YEAR LONG.

ARM YOURSELF

A | SMU4LB



A | 5.8 OZ. UNIFORM SHIRT



SMU4 - Men's (Reg) S-3XL. (Long) M-3XL.
NFPA® 2112 Compliant


Full underarm gussets. Straight back yoke.

Fabric: Flame-resistant, 5.8 oz (200 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 6.5 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB)

B | STRIPED UNIFORM SHIRT



SEU2 - Men's (Reg) S-3XL. (Long) M-3XL.

Fabric: EXCEL FR® Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 8.3 calories/cm²

Color: White/Blue Stripe (WB)

C | 6 OZ. UNIFORM SHIRT



SND6 - Men's (Reg) S-3XL. (Long) M-2XL.

NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.6 calories/cm²

Colors: Red (RD), Royal Blue (RB)

SLU8 (shown) - Men's (Reg) S-3XL. (Long) M-3XL.



NFPA® 2112 Compliant

Full underarm gussets.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 6 oz. (205 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.7 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Orange (OR)

D | 4.5 OZ. UNIFORM SHIRT




SND2 - Men's Long Sleeve (Reg) S-3XL. (Long) M-3XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Gulf Blue (GB), Navy (NV), Royal Blue (RB), Tan (TN)

E | 5.5 OZ. UNIFORM SHIRT



SLU6 - Men's (Reg) M-3XL. (Long) L-3XL.

Full underarm gussets. EXCEL FR® ComforTouch®.

(Chambray) Fabric: Flame-resistant, 5.5 oz. (185 g/m²) 88% Cotton / 12% Nylon


(Chambray) Protection: Arc Rating ATPV 6.9 calories/cm²

(Red) Fabric: Flame-resistant, 6 oz. (205 g/m²) 88% Cotton / 12% Nylon

(Red) Protection: Arc Rating ATPV 8.7 calories/cm²

Colors: Chambray (CY), Red (RD)

F | SNAP-FRONT UNIFORM SHIRT



SNS2 - Men's (Reg) S-3XL. (Long) M-3XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Royal Blue (RB), Tan (TN)

SNS6 - Men's (Reg) S-3XL. (Long) M-2XL.



NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.6 calories/cm²

Colors: Royal Blue (RB), Tan (TNB)*

*Delivery may take up to 4-6 weeks. Sizes vary by color.

SES2 (shown) - Men's (Reg) S-3XL. (Long) M-2XL.



NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Royal Blue (RB), Tan (TN)

FIT CHARTS ON PAGE 93-95

CY Chambray	GB Gulf Blue	GY Grey	KH Khaki	LB Light Blue	NV Navy
OR Orange	RD Red	RB Royal Blue	TN Tan	WB White/Blue Str.	

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

B | SEU2WB



C | SLU8NV



UNIFORM SHIRTS

BANDED TOPSTITCHED COLLAR. TWO CHEST POCKETS WITH BUTTON FLAP CLOSURES AND SEWN IN PENCIL STALL. PLACKET FRONT WITH BUTTON CLOSURE. TAILORED SLEEVE PLACKET. TOPSTITCHED CUFF WITH BUTTON CLOSURE.

F | SES2TN



D | SND2GB



E | SLU6CY



ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.

UNIFORM SHIRTS

BANDED, TOPSTITCHED COLLAR. TWO CHEST POCKETS WITH FLAPS AND BUTTON CLOSURE WITH SEWN-IN PENCIL STALL. PLACKET FRONT WITH BUTTON CLOSURE. TOPSTITCHED CUFF WITH BUTTON CLOSURE. TAILORED SLEEVE PLACKET.

A | 6.5 OZ. PLAID UNIFORM SHIRT



SLD6 - Men's (Reg) S-3XL. (Long) M-2XL.
NFPA® 2112 Compliant

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 6.5 oz. (220 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.6 calories/cm²

Colors: Burgundy/Teal (BG), Grey/Blue (GB), Navy/Khaki (NK), Teal/Brown (TL)

B | 7 OZ. ENHANCED VISIBILITY UNIFORM SHIRT



SLDT - Men's (Reg) S-3XL. (Long) M-3XL.
NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant yellow/silver/yellow reflective striping.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)

C | 7 OZ. DRESS UNIFORM SHIRT WITH CSA REFLECTIVE TRIM



SLUC - Men's (Reg) S-3XL. (Long) M-2XL.

360° visibility with front and back 2" flame-resistant yellow/silver/yellow reflective striping.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Navy (NV)

D | 6 OZ. UNIFORM SHIRT WITH CSA REFLECTIVE TRIM



SLUS - Men's (Reg) S-3XL. (Long) L-2XL.
NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant silver reflective striping. Reflective striping is CSA compliant.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.7 calories/cm²

CSA Z96-09 Class 2 Level 2 Compliant

Color: Orange (OR) *Stocked in Canada only*



A | SLD6TL

B | SLDTGY

C | SLUCNV

D | SLUSOR

FIT CHARTS ON PAGE 93-95

GY Grey	KH Khaki	LB Light Blue	NV Navy	OR Orange
BG Burgundy/Teal	GB Grey/Blue	NK Navy/Khaki	TL Teal/Brown	

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

E | SLU4KH



Full underarm gussets, inside collar and inside cuffs with Realtree Xtra® Camo.

E | CAMO UNIFORM SHIRT



SLU4 - Men's (Reg) S-3XL. (Long) M-3XL.
NFPA® 2112 Compliant

With Realtree Xtra® Camo.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 6 oz. (205 g/m²), 88% Cotton / 12% Nylon with Realtree Xtra® Camo Print trim in EXCEL FR® ComforTouch® Flame-resistant, 6.5 oz. (220 g/m²), 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.7 calories / cm²

Colors: Grey (GY), Khaki (KH)

F | 7 OZ. DRESS UNIFORM SHIRT



SLU2 - Men's (Reg) S-3XL. (Long) M-3XL.
NFPA® 2112 Compliant

Full underarm gussets.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories / cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Royal Blue (RB), Silver Grey (SY)

SMU2 (shown) - Men's (Reg) S-3XL. (Long) M-3XL.



NFPA® 2112 Compliant

Full underarm gussets.

Fabric: Flame-resistant, 7 oz. (235 g/m²), 48% Modacrylic / 37% Lyocell / 15% Aramid (Khaki & Light Blue), 45% Modacrylic / 35% Lyocell / 20% Aramid (Navy)

Protection (Navy): Arc Rating ATPV 10 calories / cm²
(Khaki & Light Blue): Arc Rating ATPV 9.0 calories / cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV)

FIT CHARTS ON PAGE 93-95

GY Grey	KH Khaki	LB Light Blue
NV Navy	RB Royal Blue	SY Silver Grey

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.

DRESS UNIFORM SHIRTS

BANDED, BUTTON-DOWN COLLAR. CUFFS WITH BUTTON CLOSURE. BUTTON-FRONT PLACKET.

F | SMU2LB



DRESS SHIRTS

BANDED, TOPSTITCHED, BUTTON-DOWN COLLAR. ONE CHEST POCKET WITH BUTTON CLOSURE AND SEWN-IN PENCIL STALL. PLACKET FRONT WITH BUTTON CLOSURE. TOPSTITCHED CUFF WITH BUTTON CLOSURE. TAILORED SLEEVE PLACKET.



A | SEG6KH



C | SLG8RK



B | SEG2LD



C | SLG8HN

A | 5.25 OZ. DRESS SHIRT

SEG6 - Men's (Reg) S-3XL. (Long) M-2XL.

Fabric: EXCEL FR® Flame-resistant, 5.25 oz. (180 g/m²)
100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Colors: Khaki (KH), Light Blue (LB)

B | 7 OZ. DENIM DRESS SHIRT

SEG2 - Men's (Reg) S-3XL. (Long) M-2XL.

Fabric: EXCEL FR® Flame-resistant, 7 oz. (235 g/m²)
100% Cotton

Protection: Arc Rating ATPV 8.1 calories/cm²

Color: Light Blue Denim (LD)

C | 6.5 OZ. PLAID DRESS SHIRT

SLG8 - Men's (Reg) S-3XL. (HN - Long) M-3XL.
(RK - Long) M-2XL.

Full underarm gussets.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 6.5 oz.
(220 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.7 calories/cm²

Colors: Hunter/Navy (HN), Red/Khaki (RK)

FIT CHARTS ON PAGE 93-95

 KH Khaki	 LB Light Blue	 LD Light Blue Denim
 HN Hunter/Navy	 RK Red/Khaki	

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.

D | SLW2NV



E | SMS2LB



F | SAW2CHB

**FIT CHARTS
ON PAGE 93-95**

CHB Chambray	GY Grey
KH Khaki	LB Light Blue
NV Navy	SY Silver Grey

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

D | 7 OZ. WORK SHIRT

Two chest pockets with button flap closures and sewn-in pencil stall.

SEW2 - Men's (Reg) S-3XL. (Long) M-3XL.
NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant, 7 oz. (235 g/m²) 100% Cotton
Protection: Arc Rating ATPV 7.7 calories/cm²
Colors: Khaki (KH), Light Blue (LB), Navy (NV), Silver Grey (SY)

SLW2 (shown) - Men's (Reg) S-6XL. (Long) M-6XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon
Protection: Arc Rating ATPV 8.6 calories/cm²
Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)

E | CONCEALED-GRIPPER POCKETLESS WORK SHIRT

Concealed gripper closures.

SLS2 - Men's (Reg) S-3XL. (Long) M-3XL.
NFPA® 2112 Compliant.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon
Protection: Arc Rating ATPV 8.6 calories/cm²
Colors: Light Blue (LB), Navy (NV)

SMS2 (shown) - Men's (Reg) S-3XL. (Long) M-2XL.
NFPA® 2112 Compliant

Fabric: CoolTouch® 2 Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid (Grey & Light Blue), 7 oz. (235 g/m²) 45% Modacrylic / 35% Lyocell / 20% Aramid (Navy)
Protection: Arc Rating ATPV 9.0 calories/cm² (Grey & Light Blue), Arc Rating ATPV 10.1 calories/cm² (Navy)
Colors: Grey (GY), Light Blue (LB), Navy (NV)

F | MOLTEN METAL WORK SHIRT

SAW2 - Men's (Reg) S-2XL. (Long) M-2XL.

Special sleeve with gore. Special application garment. Combine with work pant PAW2NVB on page 46.

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, 50% FR Rayon / 40% Wool / 10% Nylon
Protection: Arc Rating ATPV 6.2 calories/cm²
Color: Chambray (CHB)*

*Delivery may take up to 4-6 weeks. Sizes vary by color.

WORK SHIRTS

TWO-PIECE, LINED COLLAR. HEMMED FRONT WITH CLOSURES. ONE-PIECE LINED CUFFS WITH CLOSURES. SLEEVE VENTS.



G | SSW2SY

G | WELDING WORK SHIRT

SWW2 - Men's (Reg) M-3XL.
NFPA® 2112 Compliant



Two chest pockets with snap flap closures and sewn-in soapstone stall. Special gored sleeve opening. Square hemmed front with snap closure. Sleeve soapstone holder. Special application garment. Sleeves lined with TUFFWELD® fabric.

Shell: EXCEL FR® Flame-resistant, 7 oz. (235 g/m²) 100% Cotton
Sleeve Lining: TUFFWELD® Flame-resistant, 8.5 oz. (300 g/m²) 60% FR Rayon / 40% Aramid
Protection: Arc Rating ATPV 7.7 calories/cm²
Color: Silver Grey (SY)

KNITS

VERSATILE. COMFORTABLE.

A | SHORT SLEEVE TAGLESS T-SHIRT

SET8 (shown) - Men's Short Sleeve (Reg) S-4XL. (Long) L-2XL.  
NFPA® 2112 Compliant

Rib-knit crewneck collar. Hemmed sleeve. Single spade chest pocket. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.






Fabric: EXCEL FR® Flame-resistant, 7.25 oz. (245 g/m²) Interlock 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm²

Colors: Grey (GY), Navy (NV)

Not intended to be worn as a single layer.

LONG SLEEVE TAGLESS T-SHIRT

SET2 - Men's Long Sleeve (Reg) S-4XL.     
NFPA® 2112 Compliant



Rib knit cuffs.

Fabric: EXCEL FR® Flame-resistant, 7.25 oz. (245 g/m²) Interlock 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm²

Colors: Grey (GY), Navy (NV)

B | LONG SLEEVE PERFORMANCE T-SHIRT

SMT2 (shown) - Men's (Reg) M-3XL.  
NFPA® 2112 Compliant

Rib knit collar and cuffs. Tagless. Raglan sleeves. Full underarm gussets.

Fabric: Flame-resistant, 6.5 oz. (220 g/m²) 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{B1} 8.2 calories/cm²

Color: Grey (GY), Khaki (KH), Navy (NV)

SMT4 - Men's (Reg) S-5XL.

Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

Fabric: Flame-resistant, 8.75 oz. (300 g/m²) 70% Modacrylic / 15% FR Lenzing® / 15% Rayon

Protection: Arc Rating ATPV 8.1 calories/cm²

Color: Navy (NV)

A | SET8NV



B | SMT2KH



C | SEK2NV

C | TAGLESS MOCK TURTLENECK

SEK2 - Men's (Reg) S-4XL. (Long) L-2XL.
NFPA® 2112 Compliant

Double-layer, rib knit collar sized to protect the neck. Rib knit cuffs.
Tagless brand label and warning label.

Fabric: EXCEL FR® Flame-resistant, 7.25 oz. (245 g/m²)
Interlock 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm²

Color: Navy (NV)





A | SEL2LB



B | SEL4NK



C | SML2GY

HENLEY SHIRTS

THREE BUTTON PLACKET. KNIT HENLEY COLLAR. RIB-KNIT CUFF. SINGLE SPADE CHEST POCKET.

A | LONG SLEEVE TAGLESS HENLEY SHIRT



SEL2 - Men's (Reg) S-4XL. (Long) L-2XL.
NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant, 7.25 oz. (245 g/m²) Interlock 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm²
Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Orange (OR)

B | LONG SLEEVE COLOR-BLOCK TAGLESS HENLEY SHIRT



SEL4 - Men's Long Sleeve (Reg) M-3XL.
NFPA® 2112 Compliant

Contrast raglan sleeves.

Fabric: Flame-resistant, 7.25 oz. (245 g/m²) Interlock, 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm²
Color: Navy/Khaki (NK)

C | LONG SLEEVE HENLEY SHIRT



SML2 - Men's (Reg) M-3XL.
NFPA® 2112 Compliant

Raglan sleeves. Fabric is moisture wicking and breathable.

Fabric: Flame-resistant, 6.5 oz. (220 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²
Colors: Grey (GY), Khaki (KH), Navy (NV)

GY Grey	KH Khaki	LB Light Blue
NV Navy	OR Orange	

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

POLOS

THREE-BUTTON PLACKET. DYED TO MATCH RIB KNIT COLLAR. RAGLAN SLEEVES. DYED TO MATCH RIB KNIT CUFFS. SLEEVE POCKET. FABRIC IS MOISTURE-WICKING AND BREATHABLE.

CLASSIC LONG SLEEVE POLO



SMP2 - Men's Long Sleeve (Reg) M-3XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 6.5 oz. (220 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid
Protection: Arc Rating E_{BT} 8.2 calories/cm²
Colors: Grey (GY), Khaki (KH), Navy (NV)

CLASSIC SHORT SLEEVE POLO



SMP8 - Men's Short Sleeve (Reg) M-3XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 6.5 oz. (220 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid
Protection: Arc Rating E_{BT} 8.2 calories/cm²
Colors: Grey (GY), Khaki (KH), Navy (NV)

Not intended to be worn as a single layer.

GY Grey

KH Khaki

NV Navy

FIT CHARTS ON PAGE 93-95

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.

SMP2NV

SMP8KH





NEW

MPS4GY

SHORT SLEEVE FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET NEW 1 CAT 1 MW

MPS4 (shown) - Men's Short Sleeve (Reg) S-5XL. (Long) L-2XL.

Fabric: Excel FR® Flame-resistant, 5.5 oz. (185 g/m²) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm²

Color: Grey (GY)

Not intended to be worn as a single layer.

LONG SLEEVE FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET

NEW 1 CAT 1 MW

MPS8 - Men's Short Sleeve (Reg) S-5XL. (Long) L-2XL.

Fabric: Excel FR® Flame-resistant, 5.5 oz. (185 g/m²) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm²


Color: Grey (GY)



MPU8GY

BASE LAYERS

SELF-FABRIC CREW NECK COLLAR. TAGLESS. RAGLAN SLEEVES. HEMMED SLEEVES. CONTRAST MESH FULL UNDERARM GUSSETS. HEAT SEAL BULWARK® TRIANGLE CENTERED AT NECK TO SHOW WEARER HAS ON FR UNDERGARMENT.



Contrast mesh full underarm gussets provide added comfort and breathability

LONG SLEEVE FR TWO-TONE BASE LAYER

1 CAT 1 MW 1 SW 1 A

MPU8 (shown) - Men's Long Sleeve (Reg) S-5XL.

Fabric: Excel FR® Flame-resistant, 5.5 oz. (185 g/m²)

90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm²

Color: Grey (GY)

SHORT SLEEVE FR TWO-TONE BASE LAYER

1 CAT 1 MW 1 SW 1 A

MPU4 - Men's Short Sleeve (Reg) S-5XL.

Fabric: Excel FR® Flame-resistant, 5.5 oz. (185 g/m²)

90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm²

Color: Grey (GY)

Not intended to be worn as a single layer.



Eulwark FR



PANTS

BULWARK FR PANTS AND JEANS ARE DESIGNED FOR WORK. WITH POCKETS IN ALL THE RIGHT PLACES, FABRIC THAT MOVES WITH YOU, A MODERN FIT AND FEEL, PLUS ALL THE FR PROTECTION YOU DEMAND, OUR PANTS KEEP UP WITH YOU, FROM WORK TO PLAY AND BACK AGAIN.

ARM YOURSELF

DENIM PANTS

CHOOSE YOUR FIT.

FIVE JEAN-STYLE POCKETS. TWO-NEEDLE FELLED SEAM CONSTRUCTION.

LIGHTWEIGHT,
UPDATED LOOK
AND FEEL

A | LIGHTWEIGHT RELAXED FIT JEAN



PTJM - Men's 28-50 Even.

One-piece waistband with metal button closure (metal is not exposed to the skin). New denim blend fabric provides added durability and comfort. Relaxed fit through the seat and thigh.

Fabric: Flame-resistant, 11.75 oz. (400 g/m²) 70% Cotton / 30% Tencel

Protection: Arc Rating ATPV 16 calories/cm²

Color: Dark Denim (DD), Light Sand (LS)

B | STRAIGHT FIT SANDED DENIM JEAN



PEJM - Men's 28-50 Even.

One-piece waistband with metal button closure (metal is not exposed to the skin). Soft pre-wash and sanded fabric for modern and comfortable look.

Fabric: EXCEL FR® Flame-resistant, 12.5 oz. (425 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 18 calories/cm²

Color: Sanded Denim (SD)

C | CLASSIC FIT PRE-WASHED DENIM JEAN



PEJ4 - Men's 28, 30-36, 38-50 Even.

NFPA® 2112 Compliant

Soft pre-wash for comfort and look.

Fabric: EXCEL FR® Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

NEW



A | PTJMDD



B | PEJMSD



C | PEJ4DW

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.



D | PEJ2DD



E | PEJ6SW

D | RELAXED FIT DENIM JEAN



PEJ2 - Men's 28-50 Even.
 NFPA® 2112 Compliant

One-piece waistband with button closure.

Fabric: EXCEL FR® Flame-resistant, 12.5 oz.

(425 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 18 calories/cm²

Color: Dark Denim (DD)

E | LOOSE FIT STONE-WASHED DENIM JEAN



PEJ6 - Men's 28, 30-36, 38-50 Even.
 NFPA® 2112 Compliant

Soft pre-wash and stone-washed fabric for comfort and look.


Fabric: EXCEL FR® Flame-resistant, 14.75 oz.

(500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Stone Wash (SW)

F | PRE-WASHED DENIM DUNGAREE



PEJ8 - Men's 28-50 Even (Blue Denim), 30-50 Even (Stone Wash).
 NFPA® 2112 Compliant

Two deep scoop pockets. Two oversized reinforced hip pockets. Rule pocket on right leg with wrap around utility pocket. Soft pre-wash for comfort and look.

Fabric: EXCEL FR® Flame-resistant, 14.75 oz.

(500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Colors: Blue Denim (DW), Stone Wash (SW)

SIZE CHARTS ON PAGE 96

DD Dark Denim	DW Blue Denim	LS Light Sand
SD Sanded Denim	SW Stone Wash	

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

F | PEJ8SW



WORK PANTS

WAISTBAND WITH BUTTON CLOSURE.
TWO SLACK-STYLE FRONT POCKETS.
LEFT HIP POCKET WITH BUTTON CLOSURE.

PNW2 (shown right) - Men's 28-34, 36-50 Even.



NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

PMW2 - Men's 28-50.

NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²) 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating ATPV 10 calories/cm²

Color: Navy (NV)

PMW4 - Men's 28-50.

NFPA® 2112 Compliant

Fabric: Flame-resistant, 5.8 oz. (200 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid (Khaki)

Flame-resistant, 5.8 oz. (200 g/m²) 45% Modacrylic / 35% / Lyocell / 20% Aramid (Navy)

Protection (Khaki): Arc Rating ATPV 6.5 calories/cm²

Protection (Navy): Arc Rating ATPV 5.7 calories/cm²

Colors: Khaki (KH), Navy (NV)

PNP8 - Men's 32-48 Even.

NFPA® 2112 Compliant

Pleated pant.

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 6.7 calories/cm²

Color: Navy (NV)

PEW2 (shown right) - Men's 28-36, 38-52 Even.



NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²)

Twill 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV),

Visual Green (VG)

PLW2 - Men's 28-50, 36-50 Even.



NFPA® 2112 Compliant

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV)

PAW2 - Men's 28-44 Even.

Special molten metal application only. Combine with work shirt SAW2CHB on page 37.

Fabric: Flame-resistant, 10 oz. (340 g/m²) Twill, 50% FR Rayon / 40% Wool / 10% Nylon

Protection: Arc Rating ATPV 7.2 calories/cm²

Color: Navy (NVB)*

*Delivery may take up to 6-8 weeks.

SIZE CHARTS ON PAGE 96

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.



PEW2KH

PNW2RB

PEW2CH

PEW2VG

PEW2NV



A | PLJ8BD



B | PNJ8RB




C | PMU2NV

SIZE CHARTS ON PAGE 96

BD Brown Duck	KH Khaki	NV Navy	OL Olive Duck	RB Royal Blue
---------------	----------	---------	---------------	---------------

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

A | DUNGAREE     

PLJ8 (shown) - Men's 28-50 Even.
NFPA® 2112 Compliant

Five jean-style pockets. Rule pocket and utility pocket on right leg.
Hammer loop and utility pocket on left leg. Triple-needle felled outseam.








Fabric: Flame-resistant, 11 oz. (390 g/m²) 88% Cotton / 12% Nylon, Water Repellent

Protection: Arc Rating ATPV 15 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV), Olive Duck (OL)

B | JEAN-STYLE PANTS





One-piece waistband with button closure. Five jean-style pockets.
Two-needle felled seam construction.

PEJ2 - Men's 28-50 Even.       
NFPA® 2112 Compliant

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

PNJ8 (shown) - Men's 28-50 Even.    
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 6.7 calories/cm²

Color: Royal Blue (RB)

C | CARGO POCKET PANT      

PMU2 (shown) - Men's 28-36, 38-52 Even.
NFPA® 2112 Compliant






Waistband with hook-and-bar closure. Two utility pockets. Left cargo pocket has two snap closures. Right utility pocket is open.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection (Khaki): Arc Rating ATPV 9.0 calories/cm²

Protection (Navy): Arc Rating ATPV 10 calories/cm²

Color: Navy (NV)

PLC2 - Men's 28-52     
NFPA® 2112 Compliant

Left and right cargo pocket have two snap closures.

Fabric: Flame-resistant, 9 oz. (305 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV)





BIBS & COVERALLS

WHEN YOU NEED SERIOUS PROTECTION, BULWARK FR BIBS AND COVERALLS ARE A NO-BRAINER. AVAILABLE IN A NUMBER OF STYLES AND PROTECTION LEVELS, INCLUDING OPTIONS WITH HI-VIS STRIPING, MULTIPLE POCKETS FOR EXTRA STORAGE AND WITH OR WITHOUT INSULATION, OUR COVERALLS DO JUST WHAT THE NAME SAYS: THEY COVER IT ALL.

ARM YOURSELF

BIB OVERALLS

DELUXE INSULATED BIB OVERALLS

REINFORCED DOUBLE KNEES. FULL, NOMEX® TAPED, ANKLE-TO-HIP BRASS ZIPPERS WITH CONCEALED CLOSURE. ELASTICIZED SHOULDER STRAPS WITH NON-CONDUCTIVE ADJUSTABLE HARDWARE.



A | BLC8NV



B | BNNTRB



B | BLCSOR

FIT CHARTS ON PAGE 94-95

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.



C | BLF8BD



D | BNF8RB

A | DELUXE INSULATED BIB OVERALL



BNN2 - Men's (Reg) S-3XL. (Long) M-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant
Shell: 6 oz. (205 g/m²) Water-repellent Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)
Lining: 100% Meta-aramid
Insulation Package: 14.2 oz. (480 g/m²) 100% Aramid with Wind Barrier
Protection: Arc Rating E_{BI} 59 calories/cm²
Color: Navy (NV)

DELUXE INSULATED BIB OVERALL

BLC8 (shown) - Men's (Reg) S-3XL. (Long) L-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant
Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent
Lining: 100% Cotton
Insulation Package: 12.0 oz. (405 g/m²) 100% Modacrylic
Protection: Arc Rating ATPV 34 calories/cm²
Colors: Grey (GY)*, Khaki (KH)*, Navy (NV), Royal Blue (RB)
**Leg suppression tabs.*

BROWN DUCK DELUXE INSULATED BIB OVERALL

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL.

Fabric: Flame-resistant
Shell: 11.0 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent
Lining: 100% Cotton
Insulation: 100% Modacrylic
Protection: Arc Rating ATPV 44 calories/cm²
Color: Brown Duck (BD)

C | DUCK UNLINED BIB OVERALL

BLF8 - Men's (Reg) M-3XL. (Long) L-2XL.
NFPA® 2112 Compliant

Nomex® taped brass zipper fly front. Elastic in straps. Non-conductive heavy-duty release buckle. One large front bib pocket with pencil stall. Two set-in swing pockets. Watch pocket. Two large hip pockets. Hammer loop. Double tool pocket. Side vent openings with snap closure. Reinforced double knees.

Fabric: Flame-resistant, 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent
Protection: Arc Rating ATPV 15 calories/cm²
Colors: Brown Duck (BD), Navy Duck (NV)

B | DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

BNNT (shown) - Men's (Reg) S-3XL. (Long) M-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant
Shell: 6 oz. (205 g/m²) Water-repellent Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)
Lining: 100% Meta-aramid
Insulation Package: 14.2 oz. (480 g/m²) 100% Aramid with Wind Barrier
Protection: Arc Rating E_{BI} 59 calories/cm²
Color: Royal Blue (RB). *Stocked in Canada only.*

DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

BLCT - Men's (Reg) S-3XL. (Long) M-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant
Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent
Lining: 100% Cotton
Insulation Package: 12.0 oz. (405 g/m²) 100% Modacrylic
Protection: Arc Rating ATPV 34 calories/cm²
Colors: Navy (NV), Royal Blue (RB). *Stocked in Canada only.*

BLCSOR (shown) - Men's (Reg) S-3XL. (Long) M-2XL.



Color: Orange (OR). *Stocked in Canada only.*

BD Brown Duck	GY Grey	KH Khaki
NV Navy	OR Orange	RB Royal Blue

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

D | UNLINED BIB OVERALL



BNF8 - Men's (Reg) M-3XL. (Long) L-3XL.

Nomex® taped brass zipper fly front. Elastic in straps. Non-conductive heavy-duty release buckle. One large front bib pocket with pencil stall. Two set-in swing pockets. Watch pocket. Two large hip pockets. Hammer loop. Double tool pocket. Side vent openings with snap closure. Reinforced double knees.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)
Protection: Arc Rating ATPV 5.6 calories/cm²
Colors: Navy (NV), Royal Blue (RB)

PREMIUM COVERALLS

MANDARIN-STYLE, STAND-UP, TWO-WAY SAFETY COLLAR. CONCEALED SNAP CLOSURE ON CUFF. DEEP-PLEATED ACTION BACK.

PREMIUM COVERALL

CLB6 - Men's (Reg) 38-58. (Long) 42-58.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon
Protection: Arc Rating ATPV 12 calories/cm²
Colors: Khaki (KH), Navy (NV)

PREMIUM COVERALL

CEB2 (shown) - Men's (Reg) 38-60. (Long) 42-58.
NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton
Protection: Arc Rating ATPV 11 calories/cm²
Colors: Medium Grey (GY), Navy (NV), Red (RD), Royal Blue (RB)

PREMIUM COVERALL

CLB2 - Men's (Reg) 38-58. (Long) 42-58.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon
Protection: Arc Rating ATPV 8.6 calories/cm²
Colors: Khaki (KH), Navy (NV), Royal Blue (RB)

PREMIUM COVERALL

CNB6 - Men's (Reg) 38-60. (Long) 40-60. (Short) 38-48 RB only.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)
Protection: Arc Rating ATPV 5.6 calories/cm²
Colors: Navy (NV), Orange* (OR), Royal Blue (RB)
**CNB6OR is stocked in Canada only.*

FIT CHARTS ON PAGE 94-95

GY Grey	KH Khaki	NV Navy
OR Orange	RD Red	RB Royal Blue
TN Tan		

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

PREMIUM COVERALL

CNB2 - Men's (Reg) 38-54. (Long) 42-52.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)
Protection: Arc Rating ATPV 4.4 calories/cm²
Colors: Navy (NV), Royal Blue (RB), Tan (TN)

PREMIUM INSULATED COVERALL

CLC8 - Men's (Reg) S-3XL. (Long) L-2XL.
NFPA® 2112 Compliant

Two-way, extra heavy-duty Nomex® taped brass zipper front with concealed snap closures. Two-piece, insulated, stand-up collar with concealed snap closure. Knit storm cuff within hemmed sleeve ends with hook-and-loop suppression tabs. Seven large patch pockets, two with hook-and-loop closure. Action back. Reinforced double knees. Full Nomex® taped ankle-to-hip brass zippers, concealed snap closure. Elastic waist inserts. Inside zipper guards on all zippers. Accommodates snap on hoods HLH2NV and HLH2RB, sold separately.

Fabric: Flame-resistant
Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent
Lining: 100% Cotton
Insulation Package: 12 oz. (405 g/m²) 100% Modacrylic
Protection: Arc Rating ATPV 34 calories/cm²
Colors: Grey (GY)*, Khaki (KH)*, Navy (NV)
**Leg suppression tabs.*

PREMIUM INSULATED COVERALL

CNN2 - Men's (Reg) S-3XL. (Long) M-2XL.
NFPA® 2112 Compliant

Accommodates snap-on hood HNH2NV, sold separately.
Fabric: Flame-resistant
Shell: 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent
Lining: 100% Meta-aramid
Insulation Package: 14.2 oz. (480 g/m²) 100% Aramid with Wind Barrier
Protection: Arc Rating E_{BT} 59 calories/cm²
Color: Navy (NV)



CEB2RD

Product sizes vary by color. Visit bulwark.com for a complete size listing.



A | CLBTRB



B | CNBCRD



B | CLBCOR



C | CMBCGY

A | PREMIUM COVERALL WITH REFLECTIVE TRIM     






CNBT - Men's (Reg) 38-60. (Long) 40-60.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.6 calories/cm²

Colors: Red* (RD), Royal Blue (RB)

*CNBTRD stocked in Canada only.

PREMIUM COVERALL WITH REFLECTIVE TRIM     

CLBT (shown) - Men's (Reg) 38-58. (Long) 42-58.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Royal Blue (RB)

B | PREMIUM COVERALL WITH CSA COMPLIANT REFLECTIVE TRIM     

CLBC (shown) - Men's (Reg) 38-58. (Long) 44-58.
NFPA® 2112 Compliant

360° visibility with front and back 2" yellow/silver/yellow reflective striping configuration meets CSA standard.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV), Orange (OR). *Stocked in Canada only.*

PREMIUM COVERALL WITH CSA COMPLIANT REFLECTIVE TRIM    


CNBC (shown) - Men's (Reg) 38-60. (Long) 42-60.
NFPA® 2112 Compliant

360° visibility with front and back 2" yellow/silver/yellow reflective striping configuration meets CSA standard.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.6 calories/cm²

Color: Red (RD)

C | PREMIUM COVERALL WITH CSA COMPLIANT REFLECTIVE TRIM     

CMBC - Men's (Reg) 38-58. (Long) 44-58.
NFPA® 2112 Compliant

360° visibility with front and back 2" yellow/silver/yellow reflective striping that is CSA compliant.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Royal Blue (RB)

ALL PRODUCT ON SPREAD
Imported of Fabric Made in U.S.A.

Product sizes vary by color. Visit bulwark.com for a complete size listing.

DELUXE COVERALLS

ONE PIECE, TOP STITCHED, LAY-FLAT COLLAR. TWO-WAY, CONCEALED, NOMEX® TAPED, BRASS BREAK-AWAY ZIPPER WITH CONCEALED SNAP AT TOP OF ZIPPER AND AT NECK. CONCEALED SNAP CLOSURE ON CUFF. DEEP-PLEATED ACTION BACK.

DELUXE COVERALL WITH REFLECTIVE TRIM



CLDT (shown) - Men's (Reg) 34-66. (Long) 38-66.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon
Protection: Arc Rating ATPV 8.6 calories/cm²
Color: Grey (GY)

DELUXE COVERALL

CLZ4 (shown) - Men's (Reg) 34-58. (Long) 42-58.
NFPA® 2112 Compliant

Two angled chest pockets with flaps that conceal zipper closures, leg zippers.
Hook and loop suppression tabs on sleeve and leg hems.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 6 oz. (205 g/m²) Sateen, 88% Cotton / 12% Nylon
Protection: Arc Rating ATPV 8.7 calories/cm²
Color: Navy (NV)

DELUXE COVERALL

CLD6 - Men's (Reg) 34-66. (Long) 38-66. (SH) 38-56. (XLN) 42-60.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon
Protection: Arc Rating ATPV 8.6 calories/cm²
Colors: Grey (GY), Khaki (KH), Navy (NV), Orange (OR), Red (RD)








CLDTGY



CLZ4NV

DELUXE COVERALLS

CMD4 (shown) - Men's (Reg) 34-58. (Long) 42-58.     
 NFPA® 2112 Compliant






Elastic waist inserts. Two inset lower front pockets are topstitched and lined. Two angled chest pockets with concealed flap zipper closures. Two patch hip pockets have single concealed snap closures. Left sleeve pocket. Side vent openings with snap closure. One-piece rule pocket on right leg.

Fabric: Flame-resistant, 5.8 oz. (200 g/m²) Grey, Khaki, Red: 48% Modacrylic / 37% Lyocell / 15% Aramid, Navy: 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection (Grey, Khaki, Red): Arc Rating ATPV 6.5 calories/cm²

Protection (Navy): Arc Rating ATPV 5.7 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV), Red (RD)






CLD4 - Men's (Reg) 34-58. (Long) 42-58.     
 NFPA® 2112 Compliant

Two angled chest pockets with flaps that conceal zipper closures.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 6 oz. (205 g/m²) Sateen, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.7 calories/cm²






Colors: Grey (GY), Khaki (KH), Navy (NV), Red (RD), Royal Blue (RB)

CED2 (shown) - Men's (Reg) 38-64. (Long) 42-58.     
 NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV), Orange (OR), Royal Blue (RB)

CMD6 - Men's (Reg) 38-58. (Long) 42-58.     
 NFPA® 2112 Compliant

Fabric (Khaki): Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Fabric (Navy): Flame-resistant 7 oz. (235 g/m²) Khaki: 48% Modacrylic / 37% Lyocell / 15% Aramid, Navy: 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection (Khaki): Arc Rating ATPV 9.0 calories/cm²

Protection (Navy): Arc Rating ATPV 10 calories/cm²

Colors: Khaki (KH), Navy (NV)

FIT CHARTS ON PAGE 94-95

 GY Grey	 KH Khaki	 NV Navy	Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).
 OR Orange	 RD Red	 RB Royal Blue	

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.



CMD4KH



CED2RB

CLASSIC COVERALLS

TWO-WAY, CONCEALED, NOMEX® TAPED, BRASS BREAK-AWAY ZIPPER. ONE-PIECE, TOPSTITCHED, LAY-FLAT COLLAR. HEMMED SLEEVES.



CECTRB

FIT CHARTS ON PAGE 94-95

KH Khaki	NV Navy	OR Orange
RB Royal Blue	TN Tan	VG Visual Green

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

CEC2NV



CLASSIC COVERALL

CEC2 (shown right) - Men's (Reg) 38-64. (Long) 42-64. NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV), Orange (OR), Royal Blue (RB)

CEH2 - Men's (Reg) S-3XL. (Long) M-2XL. NFPA® 2112 Compliant

Hemmed sleeve ends. Deep-pleated action back. Bartacked pocket flaps.

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

CEW2 - Men's (Reg) S-4XL. (Long) S-2XL. NFPA® 2112 Compliant

Six concealed grippers with gripper at neck. Two-piece, sleeve vent, gripper closure.

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Visual Green (VG)

CNC2 - Men's (Reg) 38-58. (Long) 42-58. NFPA® 2112 Compliant

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Tan (TN)

CLASSIC COVERALL WITH REFLECTIVE TRIM

CECT (shown) - Men's (Reg) 42-56.

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way concealed Nomex® taped brass break-away zipper, concealed snap at top of zipper neck. Hemmed sleeves. Two set-in front pockets. One chest pocket. Two patch hip pockets. Side vent openings. 360° visibility with front and back 2" yellow/silver/yellow reflective striping.

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

DISPOSABLES

THESE LIMITED-USE DISPOSABLE GARMENTS ARE NOT DESIGNED AS A PRIMARY SOURCE OF THERMAL PROTECTION AND MUST BE WORN OVER SUITABLE FLAME-RESISTANT CLOTHING.

A | KEE2SB



B | KDE4SB



A | EXTEND FR DISPOSABLE FLAME-RESISTANT COVERALL - SONTARA®

KEE2 - Men's (Reg) M-3XL.

Zipper front. Full-coverage collar.

Fabric: Flame-resistant, Sontara®

Protection: Arc Rating N/A

Color: Sky Blue (SB)

B | CHEMICAL SPLASH DISPOSABLE FLAME-RESISTANT COVERALL

KDE4 - Men's (Reg) M-5XL.

Attached hood. Zipper front. Elastic-cinch sleeve ends, leg ends and face openings.

Fabric: PVC Coated Flame Retardant, Treated Non-Woven CR/FR

Protection: Arc Rating N/A

Color: Sky Blue (SB)

FIT CHARTS ON PAGE 94-95

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.



OUTERWEAR

WHEN THE TEMPS TUMBLE, IT'S TIME TO LAYER UP. FR OUTERWEAR FROM BULWARK COMES IN STYLES TO SUIT ANYTHING JACK FROST CAN THROW AT YOU, FROM LIGHT WINDS TO BONE-CHILLING BLIZZARDS AND EVERYTHING IN BETWEEN. AND WITH BULWARK® INNOVATION, YOU CAN LAYER ON THE WARMTH WITHOUT THE ADDED BULK.

ARM YOURSELF



TEAM JACKETS

SEPARATING, HEAVY-DUTY, NOMEX® TAPED, BRASS ZIPPER. RIB KNIT COLLAR, CUFF AND WAISTBAND. TWO LARGE, INSET, WELTED-SLASH POCKETS. LEFT SLEEVE POCKET.

TEAM JACKET

JET2 (shown) - Men's (Reg) S-3XL. (Long) L-XL.
NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant

Shell: 9 oz. (305 g/m²) Twill 100% Cotton

Lining: 100% Cotton

Insulation package: 12 oz. (405 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 52 calories/cm²

Color: Navy (NV)

TEAM JACKET

JNT2 - Men's (Reg) S-3XL. (Long) L-XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Lining: 100% Meta-aramid

Insulation package: 9.3 oz. (315 g/m²) 100% Aramid

Protection: Arc Rating E_{BT} 58 calories/cm²

Color: Navy (NV)



JET2NV



JLW2KH

ZIP-IN / ZIP-OUT JACKET

JLW2 - Men's (Reg) S-3XL. (Long) L-2XL.

Accommodates LML2 zip-in sleeved liner, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

When worn with LQL2 ensemble Arc Rating is E_{BT} 50 calories/cm²

Color: Khaki (KH)

FIT CHARTS ON PAGE 93-95

ALL PRODUCT ON SPREAD | Imported of Fabric, Made in U.S.A.



JEW2NV

ZIP-IN / ZIP-OUT JACKET    

JEW2 - Men's (Reg) S-3XL. (Long) L-2XL.

NFPA® 2112 Compliant

Accommodates LML2 zip-in sleeved liner, sold separately.

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

When worn with LML2 ensemble Arc Rating is ATPV 61 calories/cm²




Color: Navy (NV)



LML2GY

ZIP-IN/ZIP-OUT JACKETS & LINERS

SEPARATING, HEAVY-DUTY, NOMEMEX® TAPED, BRASS ZIPPER. TWO-PIECE, LINED COLLAR. TWO-PIECE, ADJUSTABLE CUFF. BANDED WAIST WITH BUTTON-CLOSE TABS. TWO LARGE INSET, WELTED-SLASH POCKETS. LEFT SLEEVE POCKET.

ZIP-IN / ZIP-OUT MODAQUILT® LINER   

LML2 - Men's (Reg) S-3XL. (Long) L-2XL.

Zips into JLW2 and JEW2.

Zip-in/zip-out brass Nomex® taped zipper track. Fully-insulated sleeves. Zips into JEW2NV, sold separately.

Fabric: Flame-resistant, 15.5 oz. (525 g/m²)

Quilted Modacrylic® Fiberfill

Protection: Arc Rating N/A

When worn with JEW2 ensemble Arc Rating is ATPV 61 calories/cm²

Color: Grey (GY)

PARKAS

DWR (DURABLE WATER-REPELLENT) FINISH.
KNIT NOMEX® STORM CUFF WITHIN HEMMED
SLEEVE END WITH HOOK-AND-LOOP
SUPPRESSION TABS. INTERNAL SNOW BELT.



A | JNP2NV



B | JLPCNV



A | JMP8NV



B | JLPSOR



B | JNPCRB

A | DELUXE PARKA

JLP8 - Men's (Reg) S-3XL. (Long) L-2XL.

NFPA® 2112 Compliant

Accommodates snap-on hoods HLH2NV and HLH2RB, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: 100% Cotton

Insulation package: 12 oz. (405 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 34 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV), Royal Blue (RB)

DELUXE PARKA

JNP2 (shown) - Men's (Reg) S-3XL. (Long) M-2XL.

Accommodates snap-on hoods HNH2NV and HNH2RB, sold separately.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-Repellent

Lining: 100% Meta-aramid

Insulation package: 14.2 oz. (480 g/m²) 100% Aramid with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Color: Navy (NV)

DELUXE PARKA

JMP8 (shown) - Men's (Reg) S-3XL. (Long) L-2XL.

NFPA® 2112 Compliant

Accommodates snap-on hoods HNH2NV and HNH2RB, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 45% Modacrylic / 35% Lyocell / 20% Aramid, Water-Repellent

Lining: 100% Meta-Aramid

Insulation package: 10 oz. (335 g/m²) 90% Aramid / 10% Rayon

Protection: Arc Rating ATPV 50 calories/cm²

Color: Navy (NV)

 GY Grey	 KH Khaki	 NV Navy
 OR Orange	 RB Royal Blue	

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

B | DELUXE PARKA WITH CSA COMPLIANT REFLECTIVE TRIM

JLPC (shown) - Men's (Reg) S-4XL. (Long) L-4XL.

NFPA® 2112 Compliant

Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2NV, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: 100% Cotton

Insulation package: 12 oz. (405 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 34 calories/cm²

Color: Navy (NV) *Stocked in Canada only, Royal Blue (RB)*

DELUXE PARKA WITH CSA COMPLIANT REFLECTIVE TRIM

JLPSOR (shown) - Men's (Reg) S-4XL. (Long) L-4XL.

NFPA 2112 Compliant

Front/back 2" silver reflective striping. Accommodates snap-on hood HLH2OR, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: 100% Cotton

Insulation package: 12 oz. (405 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 34 calories/cm²

Color: Orange (OR) *Stocked in Canada only, Royal Blue (RB)*

DELUXE PARKA WITH CSA REFLECTIVE TRIM

JNPC (shown) - Men's (Reg) S-4XL. (Long) L-4XL.

Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2RB, sold separately.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) Water Repellant

Lining: 100% Cotton

Insulation package: 12 oz. (405 g/m²) 100% Aramid with Wind Barrier

Protection: Arc Rating E_{BT} 59.0 calories/cm²

Color: Royal Blue (RB). *Stocked in Canada only.*

C | UNIVERSAL FIT SNAP-ON INSULATED HOOD

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Visit bulwark.com for fabric and protection details.

HNH2 (shown) - Men's One size.

Snaps to CNN2, JNP2, JNPT, JNJ8 and JNJT, sold separately.

Colors: Navy (NV), Royal Blue (RB)

UNIVERSAL FIT SNAP-ON HOOD

HLH2 - Men's One size.

Snaps to JLJ8, JLR8, JLP8, JLPC, JLPT, JLPS and CLC8, sold separately.

Colors: Brown Duck (BD), Navy (NV), Royal Blue (RB), Orange (OR)

UNIVERSAL FIT SNAP-ON HOOD

HMH2 (shown) - Men's One size.

Snaps to JMP8, JMJ8, JMR8 sold separately.

Colors: Navy (NV), Royal Blue (RB)



BOMBER JACKETS

SEPARATING, HEAVY-DUTY, NOMEX® TAPED, BRASS ZIPPER FULLY COVERED WITH TWO-LAYER STORM FLAP AND CONCEALED SNAP CLOSURE. TWO-LAYER, STAND-UP COLLAR. CONCEALED SNAP CLOSURE ON CUFF. TWO LARGE EXTERNAL PATCH POCKETS WITH CONCEALED SNAP CLOSURE WITH HAND WARMERS. ONE INSIDE CHEST POCKET. DEEP-PLEATED ACTION BACK.



C | JLR8NV

D | JLB8BD

A | JNJTRB
E | LNS2NV

B | JJJ8NV
F | LML6NV

FIT CHARTS ON PAGE 93-95



ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.

A | LINED BOMBER JACKET WITH REFLECTIVE TRIM

JNJT - Men's (Reg) S-4XL. (Long) M-4XL.

360° visibility with front and back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hoods HNH2RB and liners LNL2, LML6, LNS2 and LMS6, sold separately.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-Repellent

Lining: Flame-resistant 3.2 oz. (110 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 13 calories/cm²

Color: Royal Blue (RB). *Stocked in Canada only.*

B | LINED BOMBER JACKET

JNJ8 - Men's (Reg) S-3XL. (Long) L-2XL.

Accommodates snap-on hoods HNH2NV and HNH2RB and liners LNL2, LML6, LLL2, LNS2 and LMS6, sold separately.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-Repellent

Lining: Flame-resistant 3.2 oz. (150 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Rip Stop

Protection: Arc Rating ATPV 13 calories/cm²

Color: Navy (NV)

LINED BOMBER JACKET



JLJ8 (shown) - Men's (Reg) S-3XL. (Long) M-2XL.

NFPA® 2112 Compliant

Accommodates snap-on hoods HLH2NV and liners LNL2, LML6, LLL2, LNS2 and LMS6, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 30 calories/cm²

Color: Navy (NV)

C | INSULATED BOMBER JACKET

JLR8 - Men's (Reg) S-3XL. (Long) L-2XL.

NFPA® 2112 Compliant

Accommodates snap-on hood HLH2NV and HLH2RB, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill 88% Cotton / 12% Nylon, Water-Repellent

Lining: 100% Cotton

Insulation package: 12 oz. (405 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 34 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV), Royal Blue® (RBB)

*Allow 6-8 weeks for delivery.

D | BROWN DUCK LINED BOMBER JACKET



JLB8 - Men's (Reg) S-3XL. (Long) L-2XL.

NFPA® 2112 Compliant

Flame-resistant, lay-flat collar. Accommodates snap-on hood HLH2BD and liners LNL2, LML6, LLS2, LNS2, and LMS6, sold separately.

Fabric: Flame-resistant

Shell: 11.0 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-Repellent

Lining: Flame-resistant 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 25 calories/cm²

Color: Brown Duck (BD)

E | JACKET LINERS

LNS2 - VEST JACKET LINER (shown)

Men's (Reg) S-3XL. (Long) M-2XL.

NFPA® 2112 Compliant

LNL2 - SLEEVED LINER

Men's (Reg) S-3XL. (Long) M-2XL.

NFPA® 2112 Compliant

LLL2 - SLEEVED LINER

Men's (Reg) S-3XL. (Long) M-2XL.

NFPA® 2112 Compliant

Snaps into JLB8, JLJ8, JNJT and JNJ8 jackets, sold separately.

Visit bulwark.com for fabric and protection details.

Color: Navy (NV)

JACKET LINERS



E | LNS2NV

F | LML6NV

F | FLEECE JACKET LINERS

LMS6 - FLEECE VEST JACKET LINER

Men's (Reg) S-3XL. (Long) M-2XL.

Visit bulwark.com for fabric and protection details.

LML6 - FLEECE SLEEVED JACKET LINER (shown)

Men's (Reg) S-3XL. (Long) M-2XL.

Snaps into JLB8, JLJ8, JNJT, JLF6 and JNJ8 jackets, sold separately.

Visit bulwark.com for fabric and protection details.

Color: Navy (NV)

BOMBER JACKETS

SEPARATING, HEAVY-DUTY, NOMEX® TAPED, BRASS ZIPPER FULLY COVERED WITH TWO-LAYER STORM FLAP AND CONCEALED SNAP CLOSURE. TWO-LAYER, STAND-UP COLLAR. CONCEALED SNAP CLOSURE ON CUFF. TWO LARGE EXTERNAL PATCH POCKETS WITH CONCEALED SNAP CLOSURE WITH HAND WARMERS. ONE INSIDE CHEST POCKET. DEEP-PLEATED ACTION BACK.



JMJB NV

LINED BOMBER JACKET

JMJB - Men's (Reg) S-3XL. (Long) L-2XL.
NFPA® 2112 Compliant

Accommodates snap-on hood HMH2, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 45% Modacrylic / 35% Lyocell / 20% Aramid (Navy), 48% Modacrylic / 37% Lyocell / 15% Aramid / (Royal Blue), Water-Repellent

Lining: Flame-resistant 7 oz. (235 g/m²) 45% Modacrylic / 35% Lyocell / 20% Aramid (Navy), 48% Modacrylic / 37% Lyocell / 15% Aramid (Royal Blue)

Protection: Arc Rating ATPV 31 calories/cm²

Color: Navy (NV)



JMR8 NV

INSULATED BOMBER JACKET

JMR8 - Men's (Reg) S-3XL. (Long) M-2XL.
NFPA® 2112 Compliant

Accommodates snap-on hood HMH2, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 45% Modacrylic / 35% Lyocell, 15% Aramid (Navy), 48% Modacrylic, 37% Lyocell, 15% Aramid (Royal Blue), Water-Repellent

Lining: 100% Meta-Aramid

Insulation package: 10 oz. (340 g/m²) 90% Aramid / 10% Rayon

Protection: Arc Rating ATPV 50 calories/cm²

Color: Navy (NV)



JLJCNV

LINED BOMBER JACKET WITH CSA COMPLIANT REFLECTIVE TRIM



JLJCNV - Men's (Reg) M-5XL. (Long) M-2XL.
NFPA® 2112 Compliant

360° visibility with front and back 2" yellow/silver/yellow reflective striping configuration meets CSA standard.

Accommodates snap-on hoods HLH2NV and liners LNL2, LML6, LNS2 and LMS6, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: Flame-resistant 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 30 calories/cm²

Color: Navy (NV). *Stocked in Canada only.*



JLJSOR

LINED BOMBER JACKET WITH CSA COMPLIANT REFLECTIVE TRIM



JLJSOR - Men's (Reg) M-5XL. (Long) M-2XL.
NFPA® 2112 Compliant

CSA Compliant trim. 2" silver reflective striping. Accommodates snap-on hoods HLH2NV and liners LNL2, LML6, LNS2 and LMS6, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 30 calories/cm²

CSA Z96-09 Class 2 Level 2 Compliant

Color: Orange (OR). *Stocked in Canada only.*

CSA COMPLIANT BOMBER JACKETS

CSA COMPLIANT TRIM. 2" REFLECTIVE STRIPING.

FIT CHARTS ON PAGE 94-95

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.

BROWN DUCK JACKETS



A | HLH2BD



B | JLC4BD



C | LLS2BD




Lanyard access opening on center back, accommodates safety harness

FIT CHARTS ON PAGE 93-95

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.

A | BROWN DUCK UNIVERSAL FIT SNAP-ON HOOD



HLH2 - Men's One size.

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB8 and JLC4, sold separately.

Fabric: Flame-resistant

Shell: 11.0 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-Repellent

Lining: 100% Cotton

Protection: Arc Rating ATPV 57 calories/cm²

Color: Brown Duck (BD)

B | BROWN DUCK LINEMAN'S COAT

JLC4 - Men's (Reg) S-3XL. (Long) L-2XL.

NFPA® 2112 Compliant

Concealed, snap-front, storm flap closure. Lanyard access opening on center back, accommodates safety harness. Accommodates snap-on hood HLH2BD and vest jacket liner LLS2BD, sold separately.

Fabric: Flame-resistant

Shell: 11.0 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-Repellent

Lining: Flame-resistant 6.5 oz. (220 g/m²) 70% Nomex® / 30% FR Lenzing®

Protection: Arc Rating ATPV 41 calories/cm²

Color: Brown Duck (BD)

C | BROWN DUCK VEST JACKET LINER

LLS2 - Men's (Reg) S-3XL. (Long) L-2XL.

NFPA® 2112 Compliant

Concealed snap-front closure. Rib-knit collar. Two large inset slash-welted pockets. One inside chest pocket. Snaps into JLB8BD jacket, sold separately.

Fabric: Flame-resistant

Shell: 11.0 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-Repellent

Lining: 100% Cotton

Protection: Arc Rating ATPV 57 calories/cm²

Color: Brown Duck (BD)

D | BROWN DUCK HOODED JACKET

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL.

NFPA® 2112 Compliant

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks.

Fabric: Flame-resistant

Shell: 11 oz (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 25 calories/cm²

Color: Brown Duck (BD)

D | JLH4BD



SWEATSHIRTS

WARM, STYLISH FLEECE YOU CAN WEAR ON AND OFF THE JOB.

A | GRID FLEECE JACKET - MODACRYLIC BLEND



SMZ2 - Men's (Reg) S-3XL. (Long) M-3XL
NFPA® 2112 Compliant

Zipper front with stand-up collar and zipper garage. Two inset pockets with zipper closures. Two lower patch pockets. Raglan sleeves with utility pockets.

Fabric: Flame-resistant, 9.2 oz. (310 g/m²) 43% Rayon / 39% Modacrylic / 14% Para-Aramid / 4% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Black (BK)



A | SMZ2BK

B | ½ ZIP-FRONT FLEECE SWEATSHIRT - MODACRYLIC BLEND



SMZ6 - Men's (Reg) S-5XL.

Raglan sleeve. Inset chest pocket with zipper closure. Side seam pockets with zipper closure. Hemmed sleeve and bottom opening. Adjustable waist toggles concealed inside waistband. Brushed fleece on both sides.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 70% Modacrylic / 30% Rayon, Double Brushed Fleece

Protection: Arc Rating E_{BT} 12 calories/cm²

Color: Navy (NV)



B | SMZ6NV

C | ZIP-FRONT HOODED SWEATSHIRT COTTON/SPANDEX BLEND



SEH4 - Men's (Reg) S-5XL. (Long) M-5XL.
NFPA® 2112 Compliant

Hood with drawstring closure. Zipper front. Hemmed sleeve with elastic. Elastic waist. Two patch pockets.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Charcoal (CH), Navy (NV), Orange (OR)



C | SEH4OR

FIT CHARTS ON PAGE 93-95

ALL PRODUCT ON SPREAD | Made in U.S.A.

D | SEH8NV



E | SMH6NV



F | SEC2NV



G | SMH2NV



D | PULLOVER HOODED FLEECE SWEATSHIRT WITH ½ ZIP - COTTON/SPANDEX BLEND   

SEH8 - Men's (Reg) S-3XL. (Long) M-3XL.
NFPA® 2112 Compliant

Two-ply hood with drawstring closure and ½ zip-front. Rib knit cuff and waistband. Side seam pockets. Raglan sleeve.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating ATPV 17 calories/cm²

Color: Navy (NV)

E | ZIP-FRONT HOODED FLEECE SWEATSHIRT






SMH6 - Men's (Reg) S-3XL. (Long) M-3XL.

Single-ply hood with drawstring closure. Zipper front. Hemmed sleeves with elastic waist. Two patch pockets. Brushed fleece on both sides.

Fabric: Flame-resistant, 11 oz. (375 g/m²) 45% Rayon / 40% Nylon / 15% Aramid Double Brushed Fleece

Protection: Arc Rating ATPV 19 calories/cm²

Color: Navy (NV)

F | PULLOVER CREWNECK SWEATSHIRT COTTON/SPANDEX BLEND   

SEC2 - Men's (Reg) S-5XL. (Long) L-XL.
NFPA® 2112 Compliant

Rib knit cuff, neck and waistband. Plain front.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating ATPV 17 calories/cm²

Color: Navy (NV)

G | PULLOVER HOODED FLEECE SWEATSHIRT - MODACRYLIC BLEND  

SMH2 - Men's (Reg) S-3XL. (Long) M-3XL.

Two-ply hood with drawstring closure. Rib knit cuff and waistband. Kangaroo pouch pocket.

Fabric: Flame-resistant, 10.6 oz. (360 g/m²) 44% Viscose / 39% Modacrylic / 14% Aramid / 3% Spandex Brushed Fleece, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Color: Navy (NV)

BK Black

CH Charcoal

NV Navy

OR Orange

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

COVERINGS

LAPEL COLLAR. HEMMED SLEEVE ENDS.
ONE CHEST POCKET.

A | KEW2VG



B | KEL2LB



C | KNL2RB





D | KLL6NV



E | KML6LB

A | WORK COAT       

KEW2 - Men's (Reg) S-4XL. (Long) L-2XL.
NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves, concealed gripper take up. No exposed metal.

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²)
Twill 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Visual Green (VG)

B | LAB COAT       

KEL2 - Men's (Reg) XS-4XL.
NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant, 7 oz. (235 g/m²)
100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Color: Light Blue (LB)

C | LAB COAT      

KNL2 - Men's (Reg) XS-4XL.
NFPA® 2112 Compliant

Button-front closure. Lapel collar. Hemmed sleeve ends.

Fabric: Flame-resistant, 6 oz. (205 g/m²)
93% Nomex® Aramid / 5% Kevlar® Aramid /
2% Other Fiber

Protection: Arc Rating ATPV 5.6 calories/cm²

Color: Royal Blue (RB)

KNL3 - Women's (Reg) XS-2XL. (also see page 83)

D | CONCEALED SNAP FRONT LAB COAT       

Concealed snap-front closure. Lapel collar. Hemmed sleeve ends with concealed adjustable snaps. Side vent openings. One chest pocket and two front hip pockets.


KLL6 (shown) - Men's (Reg) XS-4XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²)
88% Cotton/12% Nylon

Protection: Arc Rating ATPV 8.7 calories/cm²

Color: Navy (NV)

CONCEALED SNAP FRONT LAB COAT



KNL6 - Men's (Reg) S-4XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex®
Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Protection: Arc Rating ATPV 5.6 calories/cm²

Color: Royal Blue (RB)

E | CONCEALED SNAP FRONT LAB COAT    

KML6 - Men's (Reg) XS-2XL. (Long) L-XL.
NFPA® 2112 Compliant

Fabric: 7 oz. (235 g/m²), 48% Modacrylic /
37% Lyocell / 15% Aramid (Light Blue),
45% Modacrylic / 35% Lyocell / 20% Aramid (Navy)

Protection (Light Blue): Arc Rating ATPV 9.0 calories/cm²

Protection (Navy): Arc Rating ATPV 10 calories/cm²

Colors: Light Blue (LB), Navy (NV)

FIT CHARTS ON PAGE 93-95

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.





WOMEN'S


FR WORKWEAR BUILT FOR WOMEN? BELIEVE IT. INTRODUCING BULWARK'S NEWEST LINE OF FR CLOTHING DESIGNED TO FIT THE UNIQUE SHAPE OF A WOMAN'S BODY, WITH SEAMING AND GUSSETING THAT CONTOURS TO YOUR SHAPE. BECAUSE PUTTING YOURSELF IN HARM'S WAY SHOULDN'T REQUIRE PUTTING YOURSELF IN MEN'S CLOTHING.

ARM YOURSELF

WOMEN'S DRESS UNIFORM SHIRTS

BANDED, TOPSTITCHED COLLAR. CUFFS WITH BUTTON CLOSURE. BUTTON-FRONT PLACKET.

A | WOMEN'S DRESS UNIFORM SHIRT



SMU3 - Women's (Reg) S-2XL.
NFPA® 2112 Compliant

Full underarm gussets.

Fabric: Flame-resistant, 7 oz. (235 g/m²), 48% Modacrylic / 37% Lyocell / 15% Aramid (Khaki and Light Blue), 45% Modacrylic / 35% Lyocell / 20% Aramid (Navy)

Protection (Khaki and Light Blue): Arc rating ATPV 9.0 calories/cm²

Protection (Navy): Arc rating ATPV 10.0 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV)

B | WOMEN'S DRESS UNIFORM SHIRT



SLU3 - Women's (Reg) S-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*, Silver Grey (SYB)*

*Delivery may take up to 4-6 weeks. Sizes vary by color.

KH Khaki	LB Light Blue	NV Navy
ORB Orange	RBB Royal Blue	SYB Silver Grey

Please Note: Colors vary for each garment. Reference the two or three letter color code for available color(s).



B | SLU3NV




A | SMU3LB



SEU3WBB

WOMEN'S STRIPED UNIFORM SHIRT



SEU3 - Women's (Reg) S-2XL

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 8.3 calories/cm²

Color: White/Blue Stripe (WBB)*

**Delivery may take up to 4-6 weeks. Sizes vary by color.*



QS41KH

NEW

iQ SERIES® ENDURANCE WOMEN'S SHIRT



QS41 - Women's (Reg) S-3XL

NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2® fabrics by Milliken®

Flame-resistant, 7 oz. (235 g/m²) Ripstop Twill.

65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Khaki (KH)

WOMEN'S STRIPED UNIFORM SHIRT

BANDED, TOPSTITCHED COLLAR. TOPSTITCHED CUFFS WITH ADJUSTABLE BUTTON CLOSURES. PLACKET FRONT WITH BUTTON CLOSURE. TAILORED SLEEVE PLACKET.

WOMEN'S ENDURANCE SHIRT

BANDED, TOPSTITCHED COLLAR WITH RED TRIM AT NECK SEAM. TOPSTITCHED CUFFS WITH BUTTON CLOSURES. HEMMED FRONT PLACKET WITH BUTTON CLOSURE. CONCEALED SLEEVE POCKET. PRINCESS SEAMS AT FRONT BODY FOR FEMININE FIT. GAS MONITOR POCKET AT FRONT SHOULDER. FULL UNDERARM GUSSETS.

FIT CHARTS ON PAGE 92

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.

WOMEN'S DRESS SHIRTS

BANDED, TOPSTITCHED COLLAR. CUFFS WITH BUTTON CLOSURE. BUTTON-FRONT PLACKET.

WOMEN'S iQ SERIES® WOVEN SHIRT

BANDED, TOPSTITCHED COLLAR WITH RED TRIM AT NECK SEAM. TOPSTITCHED CUFF WITH BUTTON CLOSURES, TAILORED SLEEVE PLACKET. HEMMED FRONT PLACKET WITH BUTTON CLOSURE. CONCEALED SLEEVE POCKETS WITH CONCEALED CLOSURE ON LEFT. PRINCESS SEAMS AT FRONT BODY FOR FEMININE FIT. STRETCH WOVEN MOBILITY PANEL AT BACK ARMHOLE.



A | SLG9RNB



B | SEG5LB



C | QS31LT

A | PLAID DRESS SHIRT

SLG9 - Women's (Reg) XS-3XL

Full underarm gussets.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 6.5 oz. (220 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.7 calories/cm²

Colors: Red/Navy (RNB)*, Navy/Khaki (NKB)*, Hunter/Navy (HNB)*, Red/Khaki (RKB)*

*Delivery may take up to 4-6 weeks.

B | WOMEN'S DRESS SHIRT

SEG5 - Women's (Reg) S-3XL

Fabric: EXCEL FR® Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Colors: Khaki (KHB)*, Light Blue (LB), Navy (NVB)*

*Delivery may take up to 4-6 weeks.

C | iQ SERIES® COMFORT WOVEN WOMEN'S SHIRT

QS31 - Women's (Reg) XS-2XL

NFPA® 2112 Compliant

Full underarm gussets.

Fabric: Exclusively with Westex G2® fabrics by Milliken® Flame-resistant, 5.7 oz. (190 g/m²) Twill, 88% Lyocel / 12% Polyester

Protection: Arc Rating ATPV 6.3 calories/cm²

Colors: Charcoal (CH), Light Blue (LB), Light Tan (LT); Red (RD)

FIT CHARTS ON PAGE 92

BK Black	CH Charcoal	DB Dark Blue
KH/KHB Khaki	LB Light Blue	LT Light Tan
NV/NVB Navy	RD Red	TN Stone
		
HNB Hunter/Navy	RKB Red/Khaki	RNB Red/Navy

Please Note: Colors vary for each garment. Reference the two or three letter color code for available color(s).

WOMEN'S KNITS

VERSATILE. COMFORTABLE.



A | QT15KH



B | QT11RD



C | QT31CH



D | SEL3NV

A | iQ SERIES® COMFORT KNIT WOMEN'S POLO WITH 4-BUTTON PLACKET



QT15 - Women's (Reg) XS-2XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton /
25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
Colors: Charcoal (CH), Dark Blue (DB), Khaki (KH)

B | iQ SERIES® COMFORT KNIT WOMEN'S POLO



QT11 - Women's (Reg) XS-2XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton /
25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
Colors: Black (BK), Blue (BL), Charcoal (CH),
Dark Blue (DB), Red (RD), Stone (TN)

C | iQ SERIES® COMFORT KNIT WOMEN'S TEE



QT31 - Women's (Reg) XS-2XL.
NFPA® 2112 Compliant

Fabric: Exclusively with Westex G2™ fabrics by Milliken®
Flame-resistant, 5.3 oz. (180 g/m²) 69% Cotton /
25% Polyester / 6% Polyoxadiazole

Protection: Arc Rating ATPV 8.2 calories/cm²
Colors: Call for availability

D | LONG SLEEVE TAGLESS HENLEY SHIRT



SEL3 - Women's (Reg) S-XL.
NFPA® 2112 Compliant

Three-button placket. Knit henley collar. Rib knit cuffs. Tagless brand label and warning label.

Fabric: EXCEL FR® Flame-resistant, 7.25 oz. (210 g/m²)
Interlock, 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm²
Color: Khaki (KHB)*, Navy (NV)

*Delivery may take up to 4-6 weeks.

FIT CHARTS ON PAGE 92


ALL PRODUCT ON SPREAD
Imported of Fabric Made in U.S.A.

WOMEN'S JEANS

CHOOSE YOUR FIT.

ONE-PIECE WAISTBAND WITH BUTTON CLOSURE. FIVE JEAN-STYLE POCKETS. TWO-NEEDLE FELLED INSEAM CONSTRUCTION.

A | WOMEN'S STRAIGHT FIT SANDED DENIM JEAN



PEJW - Women's 4-24.

Straight fit sits just below the natural waist and has a straight thigh and leg opening that will fit over boots. New, soft pre-wash and sanded fabric for modern and comfortable look.

Fabric: EXCEL FR® Flame-resistant, 12.5 oz. (425 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 18 calories/cm²

Color: Sanded Denim (SD)

B | WOMEN'S PRE-WASHED DENIM JEAN



PEJ3 - Women's 4-24.

NFPA® 2112 Compliant


Soft pre-wash for comfort and look. Updated fit. Classic fit is traditional, sits at the natural waist and has a slimmer leg opening that will fit over boots.

Fabric: EXCEL FR® Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

C | WOMEN'S DENIM BLEND CURVY FIT JEAN



PMJ5 - Women's 4-24.

New denim blend fabric for durability and comfort. New curvy fit sits a little below the natural waist. It has a defined waist with room in the hips and seat that allow for curves.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 70% Cotton / 30% Modacrylic

Protection: Arc Rating E_{BT} 13 calories/cm²

Color: Dark Denim (DD)



A | PEJWSD



B | PEJ3DW



C | PMJ5DD

FIT CHARTS ON PAGE 92

SD Sanded Denim

DW Blue Denim

DD Dark Denim

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.



A | OPTINV

B | PNW3RBB

C | PMU3NV

KH/KHB Khaki

NV/NVB Navy

RBB Royal Blue

Please Note: Colors vary for each garment. Reference the two or three letter code color for available color(s).

WOMEN'S WORK PANTS

WAISTBAND WITH BUTTON CLOSURE. TWO SLACK-STYLE FRONT POCKETS. LEFT HIP POCKET WITH BUTTON CLOSURE.

A | WOMEN'S iQ SERIES® ENDURANCE WORK PANT

QP11 - Women's 4-24
NFPA® 2112 Compliant

Concealed pocket on right pocket bag. Triple-needle felled seam construction. Reinforced hem and double knees.

Fabric: Exclusively with Westex G2™ fabrics by Milliken® Canvas Flame-resistant, 8.5 oz. (290 g/m²) 65% Cotton / 35% Polyester
Protection: Arc Rating ATPV 12 calories/cm²
Colors: Navy (NV)

B | WOMEN'S WORK PANT

PNW3 - Women's 4-24.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)
Protection: Arc Rating ATPV 5.6 calories/cm²
Colors: Navy (NVB)*, Royal Blue (RBB)*

C | WOMEN'S CARGO POCKET PANT

PMU3 - Women's 4-24.
NFPA® 2112 Compliant

Waistband with button closure. Two utility pockets. Left cargo pocket has two snap closures. Right utility pocket is open.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 45% Modacrylic / 35% Lyocell / 20% Aramid
Protection: Arc Rating ATPV 10 calories/cm²
Color: Navy (NV)

*Delivery may take up to 4-6 weeks.

WOMEN'S WORK PANT

PMW3 - Women's 4-24.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²) 45% Modacrylic / 35% Lyocell / 20% Aramid
Protection: Arc Rating ATPV 10 calories/cm²
Color: Navy (NV)

WOMEN'S WORK PANT

PLW3 - Women's 2-24.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon
Protection: Arc Rating ATPV 12 calories/cm²
Colors: Khaki (KHB)*, Navy (NV)*

WOMEN'S WORK PANT

PEW3 - Women's 4-24 (Navy), Women's 2-32 (Khaki).
NFPA® 2112 Compliant

Fabric: EXCEL FR® Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton
Protection: Arc Rating ATPV 11 calories/cm²
Colors: Khaki* (KHB), Navy (NV)

WOMEN'S COVERALLS

MANDARIN-STYLE, STAND-UP, TWO-WAY SAFETY COLLAR. CONCEALED SNAP CLOSURE ON CUFF. DEEP-PLEATED ACTION BACK.

CNB3NV

CLB7KHB



PREMIUM COVERALL

CNB3 (Shown) - Women's (Reg) XS-XL. (Short) XS-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex®
Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Orange (ORB)*, Royal Blue (RBB)*,
Tan (TNB)*

PREMIUM COVERALL

CLB3 - Women's (Reg) XS-XL. (Short) XS-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 7 oz. (235 g/m²) Twill,
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Navy (NV), Royal Blue (RBB)*

PREMIUM COVERALL

CNB5 - Women's (Reg) XS-2XL. (Long) XS-2XL. (Short) XS-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex®
Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Protection: Arc Rating ATPV 5.6 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*

PREMIUM COVERALL

CLB7 (Shown) - Women's (Reg) XS-2XL. (Long) XS-2XL.
(Short) XS-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill,
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KHB)*, Navy (NVB)*, Royal Blue (RBB)*

*Delivery may take up to 4-6 weeks. Sizes vary by color.
Visit bulwark.com for a complete size listing.

KH/KHB Khaki

NV/NVB Navy

ORB Orange

RBB Royal Blue

TNB Tan

SMZ3BK

NEW



KNL3RB

NEW



WOMEN'S SWEATSHIRT

ZIPPER FRONT WITH STAND-UP COLLAR AND ZIPPER GARAGE. TWO LOWER PATCH POCKETS. SET IN SLEEVES. PRINCESS SEAMS FOR TRUE FEMALE FIT.

WOMEN'S LAB COAT

BUTTON-FRONT CLOSURE. LAPEL COLLAR. HEMMED SLEEVE ENDS. BACK PRINCESS SEAMS FOR TRUE FEMININE FIT.

GRID FLEECE SWEATSHIRT

SMZ3 - Women's (Reg) S-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 9.2 oz. (310 g/m²) 43% Rayon / 39% Modacrylic / 14% Aramid / 4% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Black (BK)

LAB COAT

KNL3 - Women's (Reg) XS-2XL.
NFPA® 2112 Compliant

Fabric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Protection: Arc Rating ATPV 5.6 calories/cm²

Color: Royal Blue (RB)

FIT CHARTS ON PAGE 92

ALL PRODUCT ON SPREAD | Imported of Fabric Made in U.S.A.





ACCESSORIES

IN THE WORLD OF FR, THE FINISHING TOUCHES CAN MEAN THE DIFFERENCE BETWEEN “SCOT-FREE” AND 3RD-DEGREE. MAKE SURE YOU’RE PROTECTED HEAD-TO-TOE WITH ACCESSORIES THAT MEET FR COMPLIANCE STANDARDS.

ARM YOURSELF



HMB2NV

BALACLAVA WITH FACE MASK   

HMB2 - Men's One size.


Sized to fit comfortably over head. Articulated face mask for varying degrees of coverage. Double-layer in face area. Extra long neck skirt. Soft and comfortable. Fit to wear under hard hat and in all CAT2 environments.

Fabric: Flame-resistant, 8.75 oz (300 g/m²) 70% Modacrylic / 15% FR Lenzing / 15% Rayon knit
Protection: Arc Rating ATPV 8.1 calories/cm²
Color: Navy (NV)



HNL2NV

HNM2NV

HARD HAT ACCESSORIES   

Fabric: Flame-resistant
Shell: 4.5 oz. (150 g/m²) Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)
Insulation package: 10 oz. (340 g/m²) 90% Aramid / 10% FR Rayon
Lining: 100% Meta-aramid
Protection: Arc Rating E_{BT} 37 calories/cm²

HARD HAT LINER

HNL2 - Men's One size.

Hook-and-loop chin strap. Secures in place, button holes for four-point suspension.

Color: Navy (NV)

HARD HAT FACE MASK




HNM2 - Men's One size.

Attaches to HNL2, sold separately.

Color: Navy (NV)



HNB2NA

KNIT BALACLAVA   

HNB2 - Men's One size.

Double-layer in face area. Extra long neck skirt. Soft and comfortable.

Fabric: Flame-resistant, 8.4 oz. (285 g/m²) Nomex® Knit
Protection: Arc Rating ATPV 26 calories/cm²
Color: Natural (NA)



NEW

GML2HVB

HI-VISIBILITY FLAME-RESISTANT LEG GAITERS   

GML2 - One size.

2" FR segmented reflective trim. Moisture-wicking. Hook-and-loop closure. Elastic at top and bottom for perfect fit.

Fabric: Flame-resistant, 6.5 oz. (220 g/m²) 48% Tencel / 40% Modacrylic / 12% Aramid
Protection: Arc Rating ATPV 8.9 calories/cm²
Color: Yellow/Green (HVB)*


*Delivery may take up to 4-6 weeks.

ACCESSORIES



HLB6LD

BANDANA & HEAD TIE



HLB6 - Men's One size.

Sized to fit under hard hat. Packaged one bandana and one head tie.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 5.5 oz. (185 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 6.9 calories/cm²


Color: Light Denim (LD)

Country of Origin: Imported



HLB8CM

REALTREE® CAMO BANDANA & HEAD TIE



HLB8 - Men's One size.

Realtree Xtra® Camo. Sized to fit under hard hat. Packaged one bandana and one head tie.

Fabric: EXCEL FR® ComforTouch® Flame-resistant, 6.5 oz. (220 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.5 calories/cm²

Color: Camo (CM)

Country of Origin: Imported

NEW



FRSUBK

FLAME-RESISTANT SUSPENDERS

All plastic hooks and adjusters. FR embroidery on left strap.

FRSU - (Reg) 48". (XL) 54".

Fabric: Flame-resistant, 74% Polyester / 26% Neoprene

Protection: Arc Rating ATPV 11.3 calories/cm²

Color: Black (BK)

Country of Origin: Imported



HMC2BK

KNIT CAP

Double layers. Comfortable. Fit to wear under hard hat.

HMC2 - Men's One size.

Fabric: Flame-resistant, 10.5 oz. (360 g/m²) Modacrylic Knit

Protection: Arc Rating E_{BT} 28 calories/cm²

Color: Black (BK)

Made in U.S.A.



HMC4NV

FLEECE BEANIE

HMC4 - Men's One size.

Two-ply. Double-brushed fleece for comfort and warmth. Fit to wear under hard hat.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 70% Modacrylic / 30% Rayon, Double Brushed Fleece

Protection: Arc Rating E_{BT} 12 calories/cm²


Color: Navy (NV)

Made in U.S.A.

40 CAL/CM²



A | HLC4RBB



B | FAC4BNB



C | BLC4RBB

D | CLC4RBB



E | DUF4RBB



40 CAL/CM²

Fabric: Flame-resistant, 9.0 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Lined with 9.0 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 40 calories/cm²

Color: Royal Blue (RBB)

A | HOOD WITH PROTECTIVE SHIELD

HLC4RBB - One size.

Includes ANSI 287-1 faceshield. Shoulder notches for stability. Fits standard hard hat.

B | REPLACEABLE FACE SHIELD

FAC4BNB - One size.

Hook-and-loop tabs placed on inside of detachable face shield for easy removal. Replaceable shield for HLC4RBB.

Fabric: N/A

Protection: ANSI 287-1

C | BIB

BLC4RBB - (Reg) S-5XL.

Quick disconnect straps. Hook-and-loop fly closure. Covered leg zipper with gusset.

D | SHORT COAT

CLC4RBB - (Reg) S-3XL.

Thigh length. Two-piece raglan sleeve. Double-layer stand-up collar.

E | DUFFLE BAG

DUF4RBB - One size.

Fabric: 100% Waterproof Nylon

Protection: N/A

F | 40 CAL/CM² KIT

KLT4RBB - No size available.

Kit contains hood with protective shield (HLC4RBB), hard hat and safety glasses, bib (BLC4RBB), short coat (CLC4RBB) and duffle bag (DUF4RBB). **Please note that duffle bag is not flame-resistant.**

ALLOW 10-12 WEEK FOR DELIVERY OF ITEMS ON THIS PAGE.

ALL PRODUCT ON PAGE | Imported.



F | KLT4RBB



DECORATE IT. MODIFY IT. CUSTOMIZE IT.

Through our Imagine It® program, we have taken the capability of creating customized uniform items and apparel to a new level. Visualize it... create it... and view it all online. We'll produce it. This unique program allows you to select stock apparel and modify or customize them to create uniforms that cater directly to your customer's needs. This ability, made fun and easy by our online interface program, allows many customers to purchase similar items while maintaining individual expression.



PLAIN COVERALL

CED2NV | page 55



NORDIC STRIPE



D35 STRIPE



D50 STRIPE

ENHANCED VISIBILITY/REFLECTIVE TRIM

Enhanced visibility can be critical when working in high-traffic areas, around equipment operations, or within environments where it is crucial to be seen. Adding striping to your uniform can make a life-saving difference. Select from the many trim options, colors and placements to ensure your enhancements have the highest impact. This distinctive striping can be added to most Bulwark® garments. Flame-resistant striping is always recommended for FR garments. The garments and striping you select should depend on the end use requirements and the method of laundering used on the garments.

The following is an example of how a plain stocked garment can be customized with 3 of our most popular striping configurations. With a few exceptions, stripes shown above the waist can be applied to a shirt, jacket or coverall. Stripes shown below the waist can be applied to a pant or coverall. The specific details of a garment, like the size of a pocket, the placement of closures, an emblem or an additional pocket, may dictate a slight change in the placement from what is shown in these images. Striping applied post-manufacturing will always go around a pocket or emblem. Pockets cannot be removed for reflective trim application. Stripes on a waistband will be moved up or down if the waistband has elastic sections.



SLW2LB


EMBROIDERY & EMBLEMS

Customize your Bulwark® garments by adding a company logo or employee name and department with direct embroidery or emblems.

Thread colors are from A & E Signature threads. They have excellent color retention with a high luster finish, are strong to prevent breakage, and have very good abrasion resistance that will stand up to the rigors of industrial washing. To preserve the flame resistant qualities of the apparel, minimize the size and number of non-FR emblems applied to a garment.

TOOLS | TO GET YOU STARTED

ONLINE CUSTOMIZATION



For a step-by-step tutorial on our fantastic customization capability, log in to www.vfimagewear.com and select "Imagine It®." You can watch a guided demonstration of the endless customization options available at your fingertips through Imagine It®!

IMAGINE IT ONLINE CATALOG



You can also request a link to the online catalog companion piece to the on-line Imagine It® interface. The catalog shows you a quick glance of over 100 embroidery thread color options. There is also a section outlining placement of Reflective Trim along with the different color options and sizes available.

WOMEN'S FIT CHARTS

LFC-01 — WOMEN'S MEASUREMENTS | KNL3, SEU3

	XS		S		M		L		XL		XXL		3XL		4XL	
Size	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	31½-32	32½-33	33½-34	34½-35	35½-36	36½-37½	38-39½	39½-40½	41½-42½	43½-44½	45½-46½	47½-48½	49½-50½	51½-52½	53½-54½	55½-56½
Waist	23½-24	24½-25	25½-26	26½-27	27½-28	28½-29½	30-31	31½-32½	33-34½	35-36½	37-38½	39-40½	41-42½	43-44½	45-46½	47-48½
Hip	33-33½	34-34½	35-35½	36-36½	37-37½	38-39	39½-40½	41-42	42½-44	44½-46	46½-48	48½-50	50½-52	52½-54	54½-56	56½-58

HEIGHT Petite: 4'11" - 5'3" Regular: 5'3½" - 5'7" Tall: 5'7½" - 5'11"

LFC-02 — WOMEN'S MEASUREMENTS | PEJ3, PEJW, PEW3, PLW3, PMJ5, PMU2, PMU3, PNW3, SEG5, SEL3, SLG9, SLU3, SMU3, QP11, QS31, QS41, QT11, QT15, QT31

		XS		S		M		L		XL		XXL		3XL		4XL	
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	32-33	33-34	34-35	35-36	36-37	37-38	38-39½	39½-41	41-42½	42½-44½	44½-46½	46½-48½	48½-50½	50½-52½	52½-54½	54½-56½	56½-58½
Waist	25-26	26-27	27-28	28-29	29-30	30-31	31-32½	32½-34	34-35½	35½-37½	37½-39½	39½-41½	41½-43½	43½-45½	45½-47½	47½-49½	49½-51½
Hip	34½-35½	35½-36½	36½-37½	37½-38½	38½-39½	39½-40½	40½-42	42-43½	43½-45	45-47	47-49	49-51	51-53	53-55	55-57	57-59	59-61

HEIGHT Petite: 4'11" - 5'3" Regular: 5'3½" - 5'7" Tall: 5'7½" - 5'11"

LFC-05 — WOMEN'S MEASUREMENTS | CLB7, CNB3, CNB5

		XS		S		M		L		XL		XXL		3XL		4XL	
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	30¾-32	32¼-33½	33¾-35	35¼-36½	36¾-38	38¼-39½	39¾-41	41¼-42½	42¾-44	44¼-45½	45¾-47	47¼-48½	48¾-50	50¼-51½	51¾-53	53¼-54½	54¾-56
Hip	31¾-33	33¼-34½	34¾-36	36¼-37½	37¾-39	39¼-40½	40¾-42	42¼-43½	43¾-45	45¼-46½	46¾-48	48¼-49½	49¾-51	51¼-52½	52¾-54	54¼-55½	55¾-57

HEIGHT PETITE: 4'11" - 5'3" Regular: 5'3½" - 5'7" Tall: 5'7½" - 5'11"

PANT SIZE CHART D | PEJ3, PEJW, PEW3, PLW3, PMJ5, PMU3, PMW3, PNW3

	4	6	8	10	12	14	16	18	20	22	24
34 UNF	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

NOTE: Stock sizes may vary by color/item. Sizes are based on actual body measurements in inches. Styles and sizes are subject to change or withdraw without notice.

MEN'S FIT CHARTS

MFC-03 — MEN'S MEASUREMENTS |

MPS4, MPS8, MPU4, MPU8, SEC2, SEH4, SEH8, SMC4, SMH2, SMH4, SMH6, SMK2, SML2, SMP2, SMP8, SMT2, SMT4, SMZ2, SMZ6, QT20, QT10, QT12, QT30, QT32, QT34

Size	S	M	L	XL	XXL	3XL	4XL	5XL
Chest	35-38	38-41	41-45	45-49½	49½-54	54-58½	58½-63	63-67½

MFC-07 — MEN'S MEASUREMENTS | SEU2

Size	S	M	L	XL	2XL	3XL	4XL	5XL
Neck	13⅝-14½	14⅝-15½	15⅝-16½	16⅝-17½	17⅝-18½	18⅝-19½	19⅝-20½	20⅝-21½
Chest	32½-36	36½-40	40½-44	44½-48	48½-52	52½-56	56½-60	60½-64
Waist Max	35¼	39¾	44¼	48¾	52¾	56¾	60¾	64¾
Sleeve Length	32	Regular Back Length						
	33	Regular Back Length						
	34	Regular Back Length plus 1½"						
	35	Regular Back Length plus 1½"						
	36	Regular Back Length plus 4"						
	37	Regular Back Length plus 4"						
	SS	Regular Back Length						
	SSL	Regular Back Length plus 4"						
	SSL	Regular Back Length plus 4"						

MFC-13 — MEN'S MEASUREMENTS | SEK2, SEL2, SEL4, SET2, SET8

Alpha Size	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
Chest	34½-36	36½-38	38½-40	40½-42	42½-44	44½-46	46½-48	48½-50	50½-52	52½-54	54½-56	56½-58	58½-60

MFC-81 — MEN'S MEASUREMENTS | QCIO

Alpha Size	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL											
Numeric Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
Chest	28½-30	30½-32	32½-34	34½-36	36½-38	38½-40	40½-42	42½-44	44½-46	46½-48	48½-50	50½-52	52½-54	54½-56	56½-58	58½-60	60½-62	62½-64	64½-66	66½-68	68½-70	70½-72
Waist Max	30½	32½	34½	36½	38½	40½	42½	44½	46½	48½	50½	52½	54½	56½	58½	60½	62½	64½	66½	68½	70½	72½

Short: 5'3" - 5'7" Regular: 5'7" - 5'11" Long: 5'11" - 6'3" XLong: 6'3" - 6'5"

MFC-10 — MEN'S MEASUREMENTS |

SEG2, SEG6, SES2, SLC8, SLD6, SLDT, SLG8, SLU2, SLU6, SLU8, SLUC, SLUS, SMD8, SMU2, SMU4, SND2, SND6, SNS2

Size	S	M	L	XL	2XL	3XL	4XL	5XL
Neck	13⅝-14½	14⅝-15½	15⅝-16½	16⅝-17½	17⅝-18½	18⅝-19½	19⅝-20½	20⅝-21½
Chest	32½-36	36½-40	40½-44	44½-48	48½-52	52½-56	56½-60	60½-64
Waist Max	35¼	39¾	44¼	48¾	52¾	56¾	60¾	64¾
Sleeve Length	RG	33	33½	34	34½	35	35	35
	LN	35½	35½	36	36	36	36	36
	XLN	37	37	37	37	37	37	37
Back Length	RG	Regular Back Length						
	LN	Regular Back Length plus 1½"						
	XLN	Regular Back Length plus 4"						
	SS	Regular Back Length						
	SSL	Regular Back Length plus 4"						

MFC-12 — MEN'S MEASUREMENTS | JET2, JEW2, JLH4, JLW2, JNT2, KEL2, KEW2, KNL2, KNL6, LML2

Alpha Size	XS	S	M	L	XL	XXL	3XL	4XL	5XL									
Chest Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Chest Max	32"	34"	36"	38"	40"	42"	44"	46"	48"	50"	52"	54"	56"	58"	60"	62"	64"	66"

NOTE: If waist size is larger than chest size, use waist measurement as size.

Short: 5'3" - 5'7" Regular: 5'7" - 5'11" Long: 5'11" - 6'3" XLong: 6'3" - 6'7"

MEN'S FIT CHARTS

MFC-46 — MEN'S MEASUREMENTS | SAW2, SEW2, SLS2, SLW2, SMS2, SMW4, SWW2

Size		S	M	L	XL	2XL	3XL	4XL	5XL
Neck		13 ⁵ / ₈ -14 ¹ / ₂	14 ⁵ / ₈ -15 ¹ / ₂	15 ⁵ / ₈ -16 ¹ / ₂	16 ⁵ / ₈ -17 ¹ / ₂	17 ⁵ / ₈ -18 ¹ / ₂	18 ⁵ / ₈ -19 ¹ / ₂	19 ⁵ / ₈ -20 ¹ / ₂	20 ⁵ / ₈ -21 ¹ / ₂
Chest		34 ¹ / ₂ -38	38 ¹ / ₂ -42	42 ¹ / ₂ -46	46 ¹ / ₂ -50	50 ¹ / ₂ -53	53 ¹ / ₂ -56	56 ¹ / ₂ -59	59 ¹ / ₂ -62
Waist Max		36	40	44	48	51 ¹ / ₂	55	58 ¹ / ₂	62
Sleeve Length	RG	34 ¹ / ₄	34 ³ / ₄	35 ¹ / ₄	35 ³ / ₄	36 ¹ / ₄	36 ³ / ₄	37 ¹ / ₄	37 ³ / ₄
	LN	35 ³ / ₄	36 ¹ / ₄	36 ³ / ₄	37 ¹ / ₄	37 ³ / ₄	38 ¹ / ₄	38 ³ / ₄	39 ¹ / ₄
	XLN	37 ¹ / ₄	37 ³ / ₄	38 ¹ / ₄	38 ³ / ₄	39 ¹ / ₄	39 ³ / ₄	40 ¹ / ₄	40 ³ / ₄
Back Length	RG	Regular Back Length							
	LN	Regular Back Length plus 1 ¹ / ₂ "							
	XLN	Regular Back Length plus 4"							
	SS	Regular Back Length							
	SSL	Regular Back Length plus 4"							

MFC-77 — MEN'S MEASUREMENTS | QS20, QS30, QS40, SLU4

Size		S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Neck		14 ⁷ / ₈ -15 ³ / ₄	15 ⁷ / ₈ -16 ³ / ₄	16 ⁷ / ₈ -17 ³ / ₄	17 ⁷ / ₈ -18 ³ / ₄	18 ⁷ / ₈ -19 ³ / ₄	19 ⁷ / ₈ -20 ³ / ₄	20 ⁷ / ₈ -21 ³ / ₄	21 ⁷ / ₈ -22 ³ / ₄	22 ⁷ / ₈ -23 ³ / ₄
Chest		34 ¹ / ₂ -38	38 ¹ / ₂ -42	42 ¹ / ₂ -46	46 ¹ / ₂ -50	50 ¹ / ₂ -54	54 ¹ / ₂ -58	58 ¹ / ₂ -62	62 ¹ / ₂ -66	66 ¹ / ₂ -70
Waist Max		35 ¹ / ₂	40	44 ¹ / ₂	49	53	57	61	65	69
Sleeve Length	RG	34 ¹ / ₄	34 ³ / ₄	35 ¹ / ₄	35 ³ / ₄	36 ¹ / ₄	36 ³ / ₄	36 ¹ / ₄	36 ³ / ₄	36 ¹ / ₄
	LN	36 ¹ / ₄	36 ³ / ₄	36 ³ / ₄	36 ³ / ₄	36 ³ / ₄	36 ³ / ₄	36 ³ / ₄	36 ³ / ₄	36 ³ / ₄
	XLN	37 ³ / ₄	37 ³ / ₄	37 ³ / ₄	37 ³ / ₄	37 ³ / ₄	37 ³ / ₄	37 ³ / ₄	37 ³ / ₄	37 ³ / ₄
Back Length	RG	Regular Back Length								
	LN	Regular Back Length plus 1 ³ / ₈ "								
	XLN	Regular Back Length plus 4"								
	SS	Regular Back Length								
	SSL	Regular Back Length plus 4"								

MFC-70 — MEN'S MEASUREMENTS | KLL6, KML6, KNL6

Alpha Size	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
Chest Size	34	36	38	40	42	44	46	48	50	52	54	56
Chest Max	34"	36"	38"	40"	42"	44"	46"	48"	50"	52"	54"	56"

NOTE: If waist size is larger than chest size, use waist measurement as size.

Short: 5'3" - 5'7" Regular: 5'7" - 5'11" Long: 5'11" - 6'3" XLong: 6'3" - 6'7"

MFC-42 — MEN'S MEASUREMENTS | JXN6

Alpha Size	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
Chest Max	35	38	41	45	49	53	57	61	64 ¹ / ₂	68 ¹ / ₂

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-51 — MEN'S MEASUREMENTS | BLC4, BXN4, BXN6

Alpha Size	S	M	L	XL	XXL	3XL	4XL	5XL
Chest Max	33	36	39	42	45	48	51	54

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-52 — MEN'S MEASUREMENTS | CLC4

Alpha Size	S	M	L	XL	XXL	3XL	4XL	5XL
Chest Max	39	42	45	48	51	54	57	60

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-53 — MEN'S MEASUREMENTS | JXN4

Alpha Size	S	M	L	XL	XXL	3XL	4XL	5XL
Chest Max	35	39	43	47	51	55	59	63

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-74 — MEN'S MEASUREMENTS | JLF6

Alpha Size	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL
Chest Max	36	38	42	46	50	52	54	56	58	60

NOTE: If waist size is larger than chest size, use waist measurement as size.

Short: 5'3" - 5'7" Regular: 5'7" - 5'11" Long: 5'11" - 6'3" XLong: 6'3" - 6'7"

SIZE CHARTS - PANTS

PANT SIZE CHART A (SPECIFY WAIST & INSEAM) | PEJ2, PEJ8, PLJ8, PNJ8, PNP8

WAIST	28	30	32	34	36	38	40	42	44	46	48	50
37 UNF	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

PANT SIZE CHART B (SPECIFY WAIST & INSEAM) | PEW2, PLW2, PMU2, PMW2, PNW2

WAIST	28	29	30	31	32	33	36	38	40	42	44	46	48	50
36 UNF	▲	▲							▲	▲	▲	▲	▲	▲
37 UNF			▲	▲	▲	▲	▲	▲						

PANT SIZE CHART G (SPECIFY WAIST & INSEAM) | PAW2

WAIST	28	30	32	34	36	38	40	42	44
36 UNF	▲						▲	▲	▲
37 UNF		▲	▲	▲	▲	▲			


PANT SIZE CHART H (SPECIFY WAIST & INSEAM) | PEJ4, PEJ6, PEJM, PTJM

WAIST	28	30	31	32	33	34	35	36	38	40	42	44	46	48	50
37 UNF	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

HOW TO MEASURE

FOR A CORRECT FIT:

- Please refer to size charts.
- Measurements refer to body and not garment measurements.
- Bulwark® garments have a slightly oversized fit for added comfort and protection.
- Always confirm a proper fit prior to the first wash. We are unable to accept washed garment returns.
- Women's sizes and fit available in indicated shirts, pants and coveralls.
- If you need assistance, call our Customer Care Experts: 1-800-223-3372 and Canada: 1-800-667-0700. For Distributors, call 1-800-773-5271.



- Height:** Stand straight against a wall without your shoes. Make a mark level with the top of your head. Measure from this point down to the floor.
- Neck:** Measure around the base of the neck where a collared shirt would fit or measure a collarband on a shirt that fits you well.
- Chest/Bust:** Measure the fullest part of your chest/bust. Hold the tape firmly, but not tightly. Be sure the tape is level and straight across your back. Stand naturally.
- A.** First, remove your belt. Then, measure overshirt (not over pants) at the position you normally wear your pants. Hold the tape firmly but not tightly. **B.** Shirts and covering garments such as coveralls - Measure mid-section over clothing around the fullest part of the abdomen. Note: Include both "A" and "B" measurements if ordering multiple garments.
- Hips:** Stand with your heels together. Measure around the fullest part of the hips. Hold the tape measure straight and level.
- Inseam:** Standing straight, measure the distance from the crotch to just below the ankle bone. OR - using similar style pants that fit you well: lay garment flat with front and back creases and smooth. Measure along the inside seam of one leg from the bottom of the hem to the crotch.
- Sleeve:** Bend the elbow slightly. Start at the center back of the neck and measure across the shoulder to the elbow and down to the wrist bone.
- Trunk:** Measure from the base of the neck (front) down around crotch and back up to the bottom of the collar. (For coveralls only)
- Cap/Hat Size:** Measure the circumference of the head at it's widest diameter, approximately 1/8" above the ears.
- Front & Back Rises:** FRONT - This is the distance from the center front at the top of the waistband to the intersection of the crotch seams. BACK - This is the distance from the center back at the top of the waistband to the intersection of the crotch seams.
- Across Shoulders:** While standing with arms down, measure across the back from one shoulder joint to the other.
- Upper Arm/Bicep:** Measure the maximum circumference of the upper arm just below the under arm.
- Forearm:** Measure the maximum circumference of the forearm at approximately 6" above the wrist.
- Wrist:** Measure the wrist circumference over the wrist bone.
- Thigh:** Measure around thigh (parallel to floor), below crotch.
- Knee:** With the leg straight, measure the knee circumference over the knee cap and parallel to the floor.
- Calf:** Measure the circumference of the largest part of the lower leg approximately half way between the knee and ankle and parallel to the floor.
- Outseam:** Measure along the outside of the leg from the top of the waistband to the bottom of the hem of just below the ankle bone. OR - lay garment flat, measure along outseam from top of band to bottom of hem.
- Over arm:** With arms at the sides, measure around the broadest part of the shoulders and upper arms, keeping the tape level at all times. If over-arm measurement is 7" larger than chest measurement, go up one size.

ADDITIONAL INFORMATION

POLICY STANDARD TERMS & CONDITIONS OF SALE

Please refer to our website at www.bulwark.com for VF Imagewear®, Inc.'s Standard Terms and Conditions of Sale, or call:

USA: 1-800-223-3372

Canada: 1-800-667-0700

Distributors: 1-800-733-5271

INVENTORY & CATALOG UPDATES

Not all sizes for a particular garment identified in this catalog are maintained in inventory. Upon receipt of your order, VF Imagewear®, Inc. will provide you with an estimated shipping date.

PRODUCT RETURNS

Refer to your Bulwark® Product Guide. For latest information, visit our website at www.bulwark.com. Prior authorization for returns may be obtained by calling Customer Care: USA: 1-800-223-3372 and Canada: 1-800-667-0700. For Distributors, call 1-800-733-5271.

PAYMENT TERMS

Refer to Standard Terms and Conditions of Sale.

CUSTOMIZATION

Bulwark® offers several options for customizing your garments from stock. See your Bulwark® Product Guide or inquire for details on pricing.

HEMMING

Refer to your Bulwark® Product Guide. For latest information visit our website at www.bulwark.com.

GARMENT CARE

Refer to the care label in your Bulwark® apparel. For latest information, visit our website at www.bulwark.com.

Bulwark® garments are designed for continuous wear. They meet applicable performance standard requirements, such as ASTM F2302, Standard Performance Specification for Labeling Protective Clothing as Heat and Flame Resistant National Fire Protection Association (NFPA®) Standard 70E, Standard for Electrical Safety in the Workplace, 2012 Edition, ASTM Standard F1506-10, Flame-Resistant Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards. Refer to individual garment labels to confirm compliance with specific performance standards. Because these fabrics are flame-resistant, they are acceptable under the Occupational Safety & Health Administration (OSHA) Final Rule 1910.269. Final Rule on Electrical Protective Equipment. For complete information on these products, as well as laundering instructions, please visit bulwark.com.

PRODUCT SPECIFICATIONS

All trademark and logos shown in this catalog are for the product illustration only and are not available to a customer, nor are they an endorsement by or for any person or other entity. At time of order, please provide VF Imagewear®, Inc. (VFIW) with the appropriate proof of authorization for your use of trademarks, copyrights, patents and other intellectual property.

Bulwark® garments are not intended for fire entry, structural or wildlands fire fighting activities and provide no personal protection from chemical exposures. They should be removed at once if fouled with flammable material. To prevent generation of potentially hazardous static electricity, do not don or remove any garments in a hazardous area.

Bulwark® garments are not intended for personal, family or household use as defined in the Manguson-Moss Warranty Act, 15 U.S.C. 2301-2312. For latest information, visit our website at www.bulwark.com.

ARC RATINGS

Arc ratings are supplied to Bulwark® based on testing by our fabric suppliers or from our own testing. Arc ratings are a statistical calculation of the 50% probability that a second degree burn will result from an electric arc exposure. As with all tests, some level of variation in ATPV test results is normal and expected among fabrics of identical fiber content and nominal weight. In order to assist end users with their hazard analysis by providing the most conservative ATPV, Bulwark® will publish the lowest arc rating for that fabric weight in our catalog and on our garment label.

Bulwark® (a brand of VF Imagewear®, Inc.), CoolTouch® 2, EXCEL FR®, ComforTouch® and iQ Series® are registered trademarks of Imagewear Apparel Corporation. Nomex®, Kevlar® and Sontara® are registered trademarks of E.I. duPont de Nemours and Company. TenCate Oasis™ and TECASAFE® PLUS are trademarks of TenCate Protect bv. Lenzing FR® is a registered trademark of Lenzing® Aktiengesellschaft. Molten Metal® is a registered trademark of Revlon Consumer Products Corporation. NFPA® is a registered trademark of National Fire Protection Association. UL® is a registered trademark of Underwriters Laboratories. Amplitude G2™ is a registered trademark of Milliken®. Realtree Xtra® is a trademark of Jordan Outdoor Enterprises, Ltd. and is used under license.

PRODUCT INDEX

BIB OVERALLS

BLC8GY	51
BLC8KH	51
BLC8NV	51
BLC8RB	51
BLCSOR	51
BLCTNV	51
BLCTRB	51
BLF8BD	51
BLF8NV	51
BLN4BD	51
BNF8RB	51
BNN2NV	51
BNNTRB	51

COVERALLS

CEB2GY	52
CEB2NV	52
CEB2RB	52
CEB2RD	52
CEC2KH	56
CEC2NV	56
CEC2OR	56
CEC2RB	56
CECTNV	56
CECTRB	56
CED2KH	55
CED2NV	55
CED2OR	55
CED2RB	55
CEH2NV	56
CEW2VG	56
CLB2KH	52
CLB2NV	52
CLB2RB	52
CLB3KH	82
CLB3NV	82
CLB3RBB	82
CLB6KH	52
CLB6NV	52
CLB7KHB	82
CLB7NVB	82
CLB7RBB	82
CLBCOR	53
CLBCNV	53
CLBTRB	53
CLC8GY	53
CLC8KH	53
CLC8NV	53
CLD4GY	55
CLD4KH	55
CLD4NV	55
CLD4RB	55
CLD4RD	55
CLD6GY	54

CLD6KH	54
CLD6NV	54
CLD6RD	54
CLD6OR	54
CLDTGY	54
CLZ4NV	54
CMBCGY	52
CMBCRB	52
CMD4GY	55
CMD4KH	55
CMD4NV	55
CMD4RD	55
CMD6KH	55
CMD6NV	55
CMD8HV	26
CNB2NV	52
CNB2RB	52
CNB2TN	52
CNB3NV	82
CNB3ORB	82
CNB3RBB	82
CNB3TNB	82
CNB5NVB	82
CNB5RBB	82
CNB6NV	52
CNB6OR	52
CNB6RB	52
CNB6RD	53
CNBTRB	53
CNBTRD	53
CNC2NV	56
CNC2TN	56
CNN2NV	53

40 CAL KIT

BLC4RBB	89
CLC4RBB	89
DUF4RBB	89
FAC4BNB	89
HLC4RBB	89
KLT4RBB	89

ACCESSORIES

BML2HV	86
FRSUBK	87
GML2HVB	87
HLB6LD	87
HLB8CM	87
HLH2BD	69
HLH2NV	63
HLH2OR	63
HLH2RB	63
HMB2NV	86
HMC2BK	87
HMC4NV	87

HMH2NV	55
HMH2RB	55
HNB2NA	86
HNH2NV	63
HNH2RB	63
HNL2NV	86
HNM2NV	86
VMS4HV	28
VMV4HV	28
VMV8HV	28

OUTERWEAR

JET2NV	60
JLB8BD	65
JLC4BD	69
JLH4BD	69
JLJ8NV	65
JLJCNV	67
JLJSOR	67
JLP8GY	63
JLP8KH	63
JLP8NV	63
JLP8RB	63
JLPCNV	63
JLPSOR	63
JLPTRB	55
JLR8GY	65
JLR8KH	65
JLR8NV	65
JLR8RBB	65
JLW2KH	60
JMP8NV	63
JMP8RB	63
JMJ4HV	26
JMJ8NV	66
JMJ8RB	66
JMR8NV	66
JNJ8NV	57
JNJTRB	65
JNP2NV	63
JNPCRB	63
JNPTRB	55
JNT2NV	60

RAINGEAR

BXN4YE	29
BXN6YE	29
JXN4YE	29
JXN6YE	29

DISPOSABLES

KDE4SB	57
KEE2SB	57

COVERINGS

KEL2LB	73
--------	----

KEW2VG	73
KLL6NV	73
KNL2RB	73
KNL3RB	83
KNL6RB	73
KML6LB	73
KML6NV	73

JACKET LINERS

JEW2NV	61
LLL2NV	65
LLS2BD	69
LML2GY	61
LML6NV	65
LMS6NV	65
LNL2NV	65
LNS2NV	65

BASE LAYERS

MPS4GY	41
MPS8GY	41
MPU4GY	41
MPU8GY	41

PANTS & JEANS

PAW2NVB	46
PEJ2DD	45
PEJ2NV	47
PEJ3DW	80
PEJ4DW	44
PEJ6SW	45
PEJ8DW	45
PEJ8SW	45
PEJMDD	44
PEJMSD	44
PEJWSD	80
PEW2CH	46
PEW2KH	46
PEW2NV	46
PEW2VG	46
PEW3KHB	81
PEW3NV	81
PLC2NV	47
PLJ8BD	47
PLJ8NV	47
PLJ8OL	47
PLW2KH	46
PLW2NV	46
PLW3KHB	81
PLW3NVB	81
PMJ5DD	80
PMU2KH	47
PMU2NV	47
PMU3NVB	81
PMW2NV	46

PMW3NV	81
PMW4KH	46
PMW4NV	46
PNJ8RB	47
PNP8NV	46
PNW2NV	46
PNW2RB	46
PNW3NVB	81
PNW3RBB	81
PTJMDD	44
PTJMLS	44

iQ SERIES

QC10GY	15
QC10KH	15
QC10NV	15
QC10RB	15
QC10KH	15
QP11NV	14, 81
QP10KH	14
QP10NV	14
QP11KH	14
QP11NV	14
QS20LT	21
QS20CH	21
QS20DB	21
QS20RD	21
QS30CH	21
QS30DB	21
QS30LB	21
QS30LT	21
QS31CH	21, 78
QS31LB	21, 78
QS31LT	21, 78
QS31RD	21, 78
QS40GY	10
QS40KH	10
QS40LB	10
QS40NV	10
QS41KH	13, 77
QS41LB	13, 77
QS41NV	13, 77
QTI0BK	18
QTI0BL	18
QTI0CH	18
QTI0DB	18
QTI0RD	18
QTI0TN	18
QTI1BK	19, 79
QTI1BL	19, 79
QTI1CH	19, 79
QTI1DB	19, 79
QTI1RD	19, 79
QTI1TN	19, 79
QTI2BK	18

QTI2BL	18
QTI2CH	18
QTI2DB	18
QTI2RD	18
QTI2TN	18
QTI5BK	19, 79
QTI5BL	19, 79
QTI5CH	19, 79
QTI5DB	19, 79
QTI5RD	19, 79
QTI5TN	19, 79
QT20NV	16
QT20BL	16
QT20CH	16
QT20DB	16
QT20RD	16
QT20TN	16
QT30BK	20
QT30BL	20
QT30CH	20
QT30DB	20
QT30RD	20
QT30TN	20
QT31CH	19, 79
QT31DB	19, 79
QT31KH	19, 79
QT31TRD	19, 79
QT32BK	20
QT32BL	20
QT32CH	20
QT32DB	20
QT32RD	20
QT32TN	20
QT34OR	20

SHIRTS

SAW2CHB	37
SEG2LD	36
SEG5KH	78
SEG5LB	78
SEG5NVB	78
SEG6KH	36
SEG6LB	36
SEK2NV	38
SEL2GY	39
SEL2KH	39
SEL2LB	39
SEL2NV	39
SEL2OR	39
SEL3NV	39
SEL4NK	39
SET2GY	38
SET8GY	38
SET8NV	38
SEU2WB	32

SEU3WBB	77
SEW2KH	37
SEW2LB	37
SEW2NV	37
SEW2SY	37
SLB4HG	24
SLD6BG	34
SLD6GB	34
SLD6NK	34
SLD6TL	34
SLDTGY	34
SLDTKH	34
SLDTLB	34
SLDTNV	34
SLG8HN	36
SLG8RK	36
SLG9RNB	78
SLG9HNB	78
SLG9RKB	78
SLS2LB	37
SLS2NV	37
SLU2GY	35
SLU2KH	35
SLU2LB	35
SLU2NV	35
SLU2RB	35
SLU2SY	35
SLU3KH	76
SLU3LB	76
SLU3NVB	76
SLU3RBB	76
SLU3SYB	76
SLU4GY	34
SLU4KH	34
SLU6CY	32
SLU6RD	32
SLU8GY	32
SLU8LB	32
SLU8NV	32
SLU8OR	32
SLUSOR	34
SLUCNV	35
SLW2GY	37
SLW2KH	37
SLW2LB	37
SLW2NV	37
SMD8HV	24
SMK2HV	25
SML2GY	39
SML2KH	39
SML2NV	39
SMP2GY	40
SMP2KH	40
SMP2NV	40

SMP8GY	40
SMP8KH	40
SMP8NV	40
SMS2GY	37
SMS2LB	37
SMS2NV	37
SMT2GY	38
SMT2KH	38
SMT2NV	38
SMT4NV	38
SMU2KH	35
SMU2LB	35
SMU2NV	35
SMU3KHB	76
SMU3LB	76
SMU3NVB	76
SMU4GY	32
SMU4KH	32
SMU4LB	32
SMW4HV	25
SND2GB	32
SND2NV	32
SND2RB	32
SND2TN	32
SND6RB	32
SND6RD	32
SNS2NV	32
SNS2RB	32
SNS2TN	32
SNS6RB	32
SNS6TN	32
SWW2SY	37

WEATSHIRTS

SEC2NV	71
SEH4CH	70
SEH4NV	70
SEH4OR	70
SEH8NV	71
SMC4HV	27
SMH2NV	71
SMH4HV	27
SMH6NV	71
SMZ2BK	70
SMZ3BK	83
SMZ6NV	70

